



# Support systems





**Atera**


## ATERA SIGNO - ROOF/RAIL BASE SUPPORT

- Atera Signo is the perfect base for sports equipment attachments such as ski and bike racks and also roof boxes
- The complete sets - support legs with support tubes - are pre-assembled in the package ready for use
- Surface protection due to rubberized clamping jaws

**Material:** Fiberglass reinforced plastic / aluminum / rubber lips.

**Maximum load capacity:** 100 kg

Ideal for mounting roof tents. All roof tents on pages 72 to 77.



With aluminum profile

With aeroprofile

**Atera Signo fixed carrier ASF - basic carrier for the vehicle roof:**

Highly stable roof support system for precise attachment to the specified mounting points.



With aluminum profile

With aeroprofile


**Atera Signo Special Carrier ASS - Basic carrier for free-standing railing:** Compact roof rack system for any carrier attachment and roof box.

All information and further models on page 609

Bike carrier for VW buses.....	564 – 565
Bike carrier for vans.....	566 – 569
Bike carrier for split rear doors.....	570 - 572, 575 - 577
Accessories bike carrier.....	573 – 574
Bicycle carrier for motorhomes/caravans.....	578 – 581
Lowerable Bike rack.....	582 – 584
Bicycle carrier for caravans.....	584 – 587
Bicycle carrier for the trailer hitch.....	588, 596
Pull-ins for motorcycles/scooters/bikes.....	589 – 591
Motorcycle/bicycle carrier for motorhomes and panel vans.....	591 – 595

Bike rack for rear garages.....	597 – 599
Products rear garage.....	600 – 602
Foldable E-Bikes.....	603
Bicycle covers & warning signs.....	604 – 605
Tension belts.....	606
Bike carrier boxes.....	607
Multirail Rain Gutter & Roof Rack Attachment.....	608
Roof rack systems.....	609 – 611
Roof rack/roof rail.....	612 – 613
Organizer.....	614
Ladders for rear wall/sleeping roof.....	615 – 616
Telescopic multifunction ladders.....	617

# CARRY-BIKE BIKE CARRIER FOR VW BUSES



- ① Carry-Bike, suitable for VW T5 bus year 2003 to 2015
- Reimo exclusive product!
  - Secure fastening of the bicycle rims through sliding locking blocks and quick straps
  - For mounting on the tailgate



- ② Carry-Bike, for VW T5 bus year of construction 2003 to 2015
- Secure Bike attachment through Rail Quick fasteners with support on the bumper
  - For 2 wheels, through extendable frame for max. 4 wheels
  - Now also suitable for 2 E-Bikes



- ③ Carry-Bike, for VW T4 Bus year of construction 1991 to 2003
- Also for vehicles with pop-up roof
  - Very stable with bumper support
  - For mounting on the tailgate, for 2 wheels (maximum 4 wheels)



- ④ Carry-Bike, for VW T4 bus year of construction 1991 to 2003
- Reimo exclusive product!
  - Inexpensive Bike carrier for 2 wheels (maximum 3 wheels) to attach to the tailgate.



## Carry-Bike for VW T5/T6/T6.1 and T4 with double door

- Mounting with premium rails
- For maximum 2 bikes

- ⑦ Carry-Bike, for VW T2 Bus until My. 1980

- ⑧ Carry-Bike, for VW Bus T3 up to My. 1990

Model	Max. Load capacity	Weight	Number of Bicycles	Maximum Bicycles	E-Bikes	Incl. Bicycle rail 128 cm long	Incl. Bike Block	Item no.	Price
① VW T5 Reimo Exclusive product, Silver	50 kg	9,2 kg	2	3		2 x Premium	1+ 3	440700	468,-
② <b>NEW:</b> VW T5 2003 - 2015, silver	60 kg	9,1 kg	2	4	2	2 x Plus	Pro 1+ Pro 3	440415	427,-
③ VW T4 1991 - 1996, silver	60 kg	8,3 kg	2	4		2 x Rail Quick Pro	Pro 1+ 3	440840	440,-
④ VW T4 Reimo Exclusive 1991 - 2003, silver	50 kg	7,4 kg	2	3		2 x Rail Quick	1+ 3	44500	360,-
⑤ <b>NEW:</b> VW T4, double door 1991 - 2003, silver	35 kg	7,9 kg	2	2		2 x Plus	Pro 1+ Pro 2	440417	467,-
⑥ <b>NEW:</b> VW T5/T6/T6.1 double door, silver ≥ 2003	35 kg	7,1 kg	2	2		2 x Plus	Pro S 1+Pro S 2	440433	522,-
<b>NEW:</b> VW T5/T6/T6.1 Double Door, Deep Black ≥ 2003	35 kg	7,1 kg	2	2		2 x Plus	Pro S 1+Pro S 2	440434	647,-
⑦ VW T2 < 1980, silver	35 kg	7,0 kg	2	2		2 x Rail Quick Pro	Pro 1+ Pro 2	440250	364,-
⑧ VW T3 "Bulli" ≤ My. 1990; silver	50 kg	6,5 kg	2	3		2 x Rail Quick Pro	1+ 3	440693	384,-



### ① Restyling Carry-Bike for VW Caddy

New version of the Carry-Bike for VW Caddy, equipped with the new Rail Plus rails. Now also suitable for 2 E-Bikes.

**NEW**  
2023



① 440418 VW Caddy



② 44455 VW Caddy

### ② Carry-Bike for VW Caddy

Bike rack for the Volkswagen Caddy. The upper articulated structure allows precise adjustment of the position of the Bike block for fixing the Bikes, the practical lower clamping system allows secure attachment of the Carry-Bike to the vehicle.



### ③ Carry-Bike VW T6/T6.1 Reimo in noble Deep Black

- Suitable for the transport of 4 wheels
- Rails Rail Premium

The carrier is suitable for up to 4 bikes (i.e. telescopic support bracket), but is equipped as standard for the transport of 2 bikes.



③ 440223 VW T6.1/T6



576,-



④ **NEW:** 440416 VW T6/T6.1 without fig. 440225 VW T6/T6.1

### Carry-Bike for VW T6/T6.1

- Also Caravelle ,Multivan, California (≥ 2014)

### Restyling of the Carry-Bike VW T5 Pro & T6/T6.1 Pro

- Visually improved and technically strengthened
- Easy assembly and installation
- Tailgate can be opened with Carry-Bike mounted, without bikes

Solid anchoring to the reinforcement points of the tailgate. Also suitable for models with raised roof. T5 version without plastic covers.

### Carry-Bike VW T5 Pro and T6/T6.1 Pro

- Elegant design, adapted to the vehicle lines
- Easy operation of the tailgate

Shock absorber to absorb shocks and vibrations while driving. Optimal fastening of the wheels by precisely fitting locking blocks and quick straps. The frame is extendable for maximum 4 wheels.

**NEW**  
2023



727,-

⑤ 440429 VW T5

⑥ 440404 VW T6/T6.1



⑦ 440219 VW T5

⑧ 440221 VW T6/T6.1

Carry-Bike Model	Max. Load capacity	Weight	Number of Bicycles	Maximum Bicycles	E-Bikes	Bicycle rail 128 cm long	BikeBlock	Item no.	Price
① <b>NEW:</b> VW Caddy	60 kg	11,7 kg	2	4	2	2 x Plus	Pro 1+ 3	440418	562,-
② VW Caddy	60 kg	10,0 kg	2	4	-	2 x Premium	Pro 1+ 3	44455	551,-
③ VW T6/T6.1 Reimo Exclusive Product	60 kg	12,5 kg	2	4	-	2 x Premium	Pro S D1+Pro S D2	440223	576,-
④ <b>NEW:</b> VW T6/T6.1*	60 kg	9,2 kg	2	4	2	2 x Plus	Pro 1+ 3	440416	448,-
VW T6/T6.1* (without ill.)	60 kg	9,2 kg	2	4	-	2 x Premium	Pro 1+ 3	440225	
⑤ <b>NEW:</b> VW T5 Pro, Deep Black*	60 kg	13 kg	2	4	2	2 x Premium	Pro S 1+Pro S 3	440429	727,-
⑥ <b>NEW:</b> VW T6/T6.1 Pro, Deep Black*	60 kg	13 kg	2	4	2	2 x Premium	Pro S 1+Pro S 3	440404	752,-
⑦ VW T5 Pro	60 kg	14 kg	2	4	-	2 x Premium	Pro S D1+Pro S D2	440219	728,-
⑧ VW T6/T6.1 Pro, Deep Black	60 kg	14 kg	2	4	-	2 x Premium	Pro S D1+Pro S D2	440221	833,-

\*even with raised roof

Accessories for Carry-Bike VW T5 and T6/T6.1 Pro	For Carry-Bike Model	Item no.	Price
Rail Rail Premium for 3rd/4th. Wheel	③	441193	89,-
Rail Rail Premium S for 3. Wheel	④ ⑤ ⑥ ⑦ ⑧ ⑨	440690	111,-
2-piece rail Kit Rail Premium 48 silver for 4. Wheel	④ ⑤ ⑥ ⑦ ⑧ ⑨	440692	70,20
2-piece rail Kit Rail Premium 48 Deep Black for 4. Wheel	④ ⑤ ⑥ ⑦ ⑧ ⑨	440695	87,20
Bike Block D2 Deep Black	④ ⑤ ⑥ ⑦ ⑧ ⑨	441364	43,20
Bike Block D4 Deep Black	④ ⑤ ⑥ ⑦ ⑧ ⑨	441363	47,50

**Conversion kit for bike carrier Carry-Bike + Carry-Bike Pro**  
With these adapters the T5 carrier + Pro is suitable for the T6/T6.1 convertible for T6 **440230 175,-**



Fiamma advises against the installation of bicycle racks for electric tailgates.



## Carry-Bike Backpack - for SUV, off-road and multi-purpose vehicles

① 441510

416,-

### Carry-Bike Backpack

The Bike rack can be easily and quickly attached to SUVs and vans with the universal straps. Not suitable for rear doors with glass fiber reinforced plastic.

② 441511

### Carry-Bike Backpack 4x4

Practical bike rack for SUV, which can be mounted and dismounted in no time to the rear spare wheel thanks to the practical straps. Removal of the hard cover of the spare wheel is required for assembly.



③ 440419



⑤ 440413

E-Bikes



⑥ 440226

E-Bikes

1327,-

④ 440420

819,-

### Carry-Bike PSA Vans

Suitable for: Citroen Jumpy III gen, Spacetourer, Campster/Vanster (≥2016) / Opel Vivaro C (≥2019), Zafira Life 2019 & Vivaro Life (≥2019) / Peugeot Expert III gen., Traveller (≥2016) / Toyota Pro Ace II, Pro Ace Verso (≥2016).

### Carry-Bike Merc. V-Class + Vito (>2014) Premium

- Mounting of the support bracket in 2 pos. In the lowered position, the installation of a license plate carrier with light group Licence Plate Carrier is required.

### Carry-Bike Mercedes V-Class + Vito Lift E-Bike(≥ 2014)

Lowering makes it easy to load and unload the Bikes. Support bracket can be lowered up to 77 cm. Standard with license plate strip with light group.



498,-

⑦ 440341



⑧ 440405

513,-

E-Bikes



⑨ 440871

### For Mercedes Benz Vito ≤ 2003

### For Mercedes Benz Vito ≤ 2003

### For Mercedes Benz Viano and Vito 2004-2014

Model	Max. Load	Weight	Number of Bicycles	Maximum Bicycles	E-Bikes	Incl. Bicycle rail 128 cm long	Incl. Bike Block	Art. No.	Price
① Carry-Bike Backpack off road	50 kg	8 kg	2	3	-	2 x Rail Quick C	Pro 1+ Pro 3	441510	416,-
② Carry-Bike Backpack 4x4 Off Road Vehicle	35 kg	7,8 kg	2	2	-	2 x Rail Strip C	Pro 1+ Pro 2	441511	416,-
③ <b>NEW:</b> Carry-Bike PSA Vans Silver	60 kg	11,3 kg	2	4	2	2 x Plus	Pro 1+ Pro 3	440419	601,-
④ <b>NEW:</b> Carry-Bike PSA Vans Deep Black	60 kg	11,3 kg	2	4	2	2 x Plus	Pro 1+ Pro 3	440420	663,-
⑤ <b>NEW:</b> Carry-Bike Mercedes V-Class ≥ 2014	60 kg	18,3 kg	2	4	2	2 x Plus	Pro 1+ Pro 3	440413	819,-
⑥ Carry-Bike Lift E-Bike Mercedes V-Class ≥ 2014	60 kg	20,5kg	2	2	2	2 x Premium	Pro 1+ Pro 3	440226	1327,-
⑦ Mercedes Benz Vito ≤ 03 (previous version)	60 kg	8,7 kg	2	4	-	2x Rail Quick Pro	Pro 1 + Pro 3	440341	498,-
⑧ <b>NEW:</b> Mercedes Benz Vito ≤ 03	60 kg	9,2 kg	2	4	2	2x Rail Plus	Pro 1+ Pro 3	440405	503,-
⑨ Mercedes Benz Viano & Vito 2004-2014	50 kg	10,0 kg	2	3	-	2 x Rail Quick	Pro S1+ Pro S3	440871	660,-

Accessories for Carry-Bike VW T5 and T6/T6.1 Pro	For Carry-Bike Model	Item no.	Price
Rail Rail Premium for 3rd/4th. Wheel	③ ④ ⑤	442141	68,-
Rail Rail Quick S for 3. Wheel	① ②	44137	51,-
Bike Block Pro2	① ②	441320	22,80




**NEW**  
2023

① 440430



**513,-**




**NEW**  
2023

② 440432



**532,-**



### For Renault Traffic, Opel Vivaro and Fiat Talento with tailgate

Renault Traffic II Series / Opel Vivaro A / Vauxhall Vivaro A / Nissan Primastar I-II Series (2001-2014 - H1) / Renault Traffic III Series / Nissan NV300 / Fiat Talento (2014 - H1) / Opel Vivaro B / Vauxhall Vivaro B (2014-2018 - H1). The use of the license plate holder with lighting Licence Plate Carrier is required.

### For Renault Traffic, Opel Vivaro and Fiat Talento D with split rear doors

Renault Traffic II Series / Opel Vivaro A / Vauxhall Vivaro A / Nissan Primastar I-II Series (2001-2014 - H1) / Renault Traffic III Series / Nissan NV300 / Fiat Talento (2014 - H1) / Opel Vivaro B / Vauxhall Vivaro B (2014-2018 - H1). This structure leaves the third brake light of the vehicle free, which can thus be seen by other vehicles.



③ 440371

**437,-**

### Carry-Bike Ford Transit 2000 - 2011

- To attach to the tailgate
- Secure bicycle attachment due to sturdy RailQuick quick-release fasteners



④ 440408



### Ford Transit Custom Nugget / Nugget Plus with high roof ≥ 2012

The calendered profile, which follows the shape of the vehicle, ensures optimum adhesion to the lower part of the tailgate.



⑤ 440407



**628,-**

### Ford Custom ≥ 2012 - H1

For vehicles with one-piece rear door and also for models with pop-up roof. The calendered Profi I, which follows the shape of the vehicle, ensures optimum adhesion to the lower part of the tailgate.

Model	Maximum Load	Weight	Number of Bicycles	Maximum Bicycles	E-Bikes	Bicycle rail 128 cm long	Included BikeBlock	Art. No.	Price
① <b>NEW:</b> Renault Traffic/Vivaro/Talento tailgate	60 kg	9,1 kg	2	4	2	2x Rail Plus	Pro 1 + Pro 3	440430	513,-
② <b>NEW:</b> Renault Traffic/Vivaro/Talento D split door	35 kg	7,3 kg	2	2	2	2x Rail Plus	Pro 1 + Pro 3	440432	532,-
③ Ford Transit tailgate 2000-2011	50 kg	7,1 kg	2	3	-	2x Rail Quick Pro	Pro 1 + Pro 3	440371	437,-
④ <b>NEW:</b> Ford Transit Custom & Custom Nugget Plus Deep Black	50 kg	8,4 kg	2	3	2	2x Rail Plus	Pro 1 + Pro 3	440408	628,-
⑤ <b>NEW:</b> Ford Custom Deep Black > 2012-H1	50 kg	8,6 kg	2	3	2	2x Rail Plus	Pro 1 + Pro 3	440407	628,-

### Accessories for Carry-Bike



#### Dust Guard

The Dust-Guard is a seal for the Fixing Bar, the Carry-Bike as well as the Ladders Deluxe. Keeps the lasts clean.

441671

41,70


#### Licence Plate Carrier - Aluminum license plate lights

These can be easily and safely mounted on the Carry-Bike when the Bikes cover the rear lights or license plate.

Complete with 13-pin connector and brackets.

Silver 440363 224,-

Deep Black 440373 239,-







## EuroCarry universal bike rack for VW T5 / VW T6

- Practical universal carrier
- Universally expandable with optional accessories for mounting skis/snowboards, transport box, spare wheel
- The assembly takes place without drilling and is therefore quick and easy to perform

The carrier is hooked onto the tailgate at the top and sides via clamping claws and thus fixed and secured.

The basic carrier can be used as a high loader (height approx. 126 cm) or optionally with lighting strip as a low loader (height approx. 97 cm).

Powder coated aluminum tube in matte black Ø42 mm. Boom incl. 2/4 aluminum bike rails 137 cm, each with 2 wheel cups and 2/4 mounting claws.

Loading: up to 4 bikes/pedelecs or E-Bikes possible (max. 2 pieces), max. 60 kg. Approx. dimensions : W 141 x H 130 x D 57 cm, weight approx. 13.6- 17.6 kg.

### ① Universal carrier\* "Adventure Rack" for 2 wheels

VW T6	44560	769,-
VW T5	44559	769,-

### Universal rack\* "Adventure Rack" for 4 wheels:


VW T6	44562	953,-
VW T5	44561	953,-

\* Base frame incl. outrigger

### Optional accessories:

Crossbeam required for use of the additional components

Cross member	44563	222,-
② Ski / snowboard holder	44566	285,-
③ Surffit	42139	232,-
④ Transport box/luggage box	44567	972,-
⑤ Insert tray for 44559, 44560	44569	433,-
Insert tray for 44561, 44562	44570	423,-
⑥ Lighting bar, Black	441841	347,-
⑦ Spare wheel holder	44568	529,-



## EuroCarry-Bike rack for Ford Transit Custom


- Mounting takes place without drilling
- The carrier is hooked onto the tailgate via tensioning claws and fixed and secured laterally by tensioning elements
- Simple assembly

Aluminum frame with: 2 aluminum bike rails 125 cm long each with 2 wheel cups and tensioning straps, 2 mounting claws, 2 tensioning brackets, 1 mounting rail with 2 retaining claws.

Load: max. 2 bikes E-Bike suitable, max. 40 kg.

Approx. dimensions: W 155 cm, H 95 cm, D. 76 cm, Weight: approx. 10.8 kg (not suitable for Nugget with high roof, 42037 not for Custom)

Black, ≥ 2012	44557	726,-
Anodized, 2000-2013 (o. Fig.)	42037	509,-



## Euro Carry bicycle carrier Citroën Spacetourer

Also for Peugeot Traveller, Toyota Proace, Opel Zafira ≥ 2019

- Sturdy aluminum bike carrier for 2 wheels
- To attach to tailgate
- With adjustable wheel wedges
- Sturdy bike mounting claws
- 1 bike rail 125 cm + 1 bike rail 137 cm

Load capacity: 40 kg, weight: approx. 7 kg

Silver	441848	539,-
Black	44548	640,-


**649,-**

### Bike carrier tailgate for VW T6.1/T6 Thule WanderWay

- Wheels are securely fastened via the wheel holders with ratchet function
- The trunk can be opened without mounted bikes
- Platform folds flat for easy transport when not in use
- Tail lights and license plates are visible at all times

Thule WanderWay is quick and easy to install thanks to its precise fit for the VW T6 minivan. The load capacity is two bikes and can be increased to 4 bikes using adapters. Alternatively, the robust design can carry two E-Bikes with a total weight of up to 60 kg. Dimensions: open 91 x 152 x 111 cm, folded 91 x 152 x 47 cm. Weight: 12.4 kg, for frame sizes 22-80 mm, suitable for wheel sizes up to 3 inches.

Bicycle carrier	443400	649,-
3. Bike Adapter	443401	151,-
4. Bike Adapter	443402	151,-
Fatbike Rail Black (page 579)	44554	117,-



### Bike carrier rear doors Thule Elite Van XT for Fiat Ducato ≥ 2007 / VW Crafter and now new for Ford Transit H3 ≥ 2014

- Door can be opened with loaded bicycles
- Easy and safe loading of bicycles
- Quick to install and easy to remove when not in use
- For 2 bikes, not expandable

The Bike rack is attached to the vehicle with clamps and PU glue, no drilling is required. Distance between the rails for easier loading of the Bikes. Rim retaining straps with ratchet function for convenient attachment of the wheels. Easily secure Bikes with removable Bike retention arms with lockable Thule AcuTight torque limiter knobs that click when optimum torque is reached. Bicycle platform in 3 height positions. Height adjustable base frame. Length bike rails: 126 cm.  
For 2 bikes, max. load: 35 kg, max. weight per bike: 19 kg. Weight: 10.5 kg



#### Fiat Ducato, Jumper, Boxer ≥ 2007

Alu	441980	619,-
Black	441984	659,-

#### VW Crafter ≥ 2017

Black	441985	659,-
-------	--------	-------

#### VW Crafter ≤ 2017/ Sprinter ≥ 2006

Black	443403	659,-
-------	--------	-------

#### **NEW:** Ford Transit H3 ≥ 2014

	441983	659,-
--	--------	-------


#### Fatbike Rail

Black (page 579)	44554	117,-
------------------	-------	-------



Completely black - perfect for sporty offroad look





Sprinter E-Bike



Sprinter 3 Bikes

## Bike carrier Carry-Bike Frame for Mercedes Sprinter

- New bike rack for Mercedes Sprinter ≥ 2018 - high roof and super high roof
- With stainless steel exterior bracket and structure
- Double version: for transporting 3 standard bikes or 2 E-Bikes
- Mounting of the external bracket in 3 positions: Standard, Middle and Lowered

Mounting of the external bracket in 3 possible positions: Standard, Medium and Lowered. Variable distance to the ground per vehicle configuration.

Fig:	Model	Maximum Load	Weight	Number of bicycles (standard)	E-Bike	Bicycle rail	Bike Block	Art. No.	Price
①	Sprinter 3 Bikes	50 kg	19,7 kg	3	-	Rail Quick Pro	Pro S 1/S2/S3	445308	1262,-
	Sprinter 3 Bikes Deep Black	50kg	19,7 kg	3	-	Rail Quick Pro	Pro S 1/S2/S3	445309	1346,-
	Sprinter E-Bike	50 kg	19,7 kg	2	2	Rail Premium	Pro S D1/S D1	445310	1262,-
	Sprinter E-Bike Deep Black	50 kg	19,7 kg	2	2	Rail Premium	Pro S D1/S D1	445312	1346,-



For 3 Bikes  
or 2 E-Bikes

For Fiat Ducato  
≥ 2006 - H2/H3

from 1151,-



For VW Crafter  
and Man Tge ≥  
.. 2017 - H3/H4



## Bike carrier Carry-Bike Frame for Fiat Ducato ≥ 2006 and VW Crafter ≥ 2017 with split rear door

- For transport of 3 bicycles or 2 E-Bikes
- Restyling of the structure for better adaptation to the vehicle
- Attaches to the rear wall of the vehicle
- Mounting of the external bracket in 3 positions: Standard, Middle and Lowered
- Standard for two bikes, can carry up to 3 bikes or 2 E-Bikes by adding the optional Rail Quick Pro rail and optional Bike-Block Pro 2

The solid stainless steel frame can be screwed onto the standard door hinges. It allows the safe transport of up to three bicycles, or up to 2 E-Bikes. The double rear door can still be opened even when a bicycle carrier is mounted.


**Scope of delivery:** Bike carrier with 3 Rail Quick Pro rails, 1 Bike-Block Pro S 1, Bike-Block Pro S2 + Bike-Block Pro S3. Mounting brackets.



Support  
bracket in 3  
positions



Version for 2 E-Bikes



Version for 3 bikes

Fig:	Model	Maximum Load	Weight	Number of bicycles (standard)	E-Bike	Bicycle rail	Bike Block	Art. No.	Price
①	Fiat Ducato 3 Bikes Deep Black	50kg	21 kg	3	-	Rail Quick Pro	Pro S 1/S2/S3	445307	
②	VW Crafter 3 Bikes Deep Black	50kg	19,7 kg	3	-	Rail Quick Pro	Pro S 1/S2/S3	445303	1346,-
③	VW Crafter E-Bike	50 kg	19,7 kg	2	2	Rail Premium	Pro S D1/S D1	445300	1151,-



Kit Frame for Sprinter (440474) and Crafter (440474)



Kit Frame for Fiat Ducato (440473)



Carry-Bike Frame



Carry-Bike Frame complete





Vehicle specific mounting frames







Bike rack also available in Deep Black





**Carry-Bike Series Frame - for Fiat Ducato, Mercedes Sprinter and VW Crafter**

- For 2-3 bikes or 2 E-Bikes
- The geometric alignment of the Carry-Bike allows the rear door of the vehicle to be opened even when loaded with bicycles


New handling for the Carry-Bike Frame series: one Bike carrier and 3 different special frames for each type of vehicle, to be purchased separately.


**Bike rack:**

Silver	440426	463,-
Deep Black	440427	562,-
+		
<b>Mounting frame for vehicle to order:</b>		
Kit Frame DJ Ducato ≥ 06 (H2/H3), Silver	440473	893,-
Kit Frame DJ Sprinter ≥ 06/Crafter ≥ 06 ≤ 16 (HD/SHD) Silver	440474	826,-
Kit Frame DJ Crafter ≥ 17 (H3/H4), Silver	440475	826,-

from 509,-






**R-BIKE CARRIER**

- For maximum 2 E-Bikes or 3 bikes
- Mounting on the vehicle can be done without drilling on the door panel

The cross members are attached to the right rear door with side clips and glue.  
An additional rail for a third bike (no E-Bike) is possible.  
Dimensions: W 1328 x H 1259 x D 564 mm.  
Maximum load 40 kg, weight 10 kg.



Accessories:  
3. Rail, Black  
4403021 47,50

For car model	① color silver Art. No.	Price	② color black Art. No.	Price
For Fiat Ducato ≥ 2006	440302	509,-	440303	550,-
For Mercedes Sprinter ≥ 2020	440304	637,50	440305	637,50
For Ford Transit ≥ 2014	440306	649,99	440307	728,99
For Volkswagen Crafter ≥ 2017	440308	639,99	440309	719,99




## Vehicle specific mounting profiles

## Carry-Bike DJ bike rack

## Carry-Bike DJ complete

**NEW**  
2023



## Carry-Bike Series DJ for 2 bikes

For Fiat Ducato/MB Sprinter/VW Crafter ≥ 06 and VW Crafter ≤ 16/≥ 17

New line-up and additional models for the Carry-Bike 200 DJ series.

One structure for all models and special mounting profiles for each type of vehicle, which can be purchased separately.

### Order mounting profiles for vehicle:

Kit Bars DJ Ducato ≥ 06 Silver	440476	182,-
Kit Bars DJ Ducato ≥ 06 Deep Black	440477	198,-
Kit Bars DJ Sprinter ≥ 06/ Crafter ≥ 06 ≤ 16 silver	440478	215,-
Kit Bars DJ Sprinter ≥ 06/ Crafter ≥ 06 ≤ 16 Deep Black	440479	240,-
Kit Bars DJ Crafter ≥ 17 Silver	440480	215,-
Kit Bars DJ Crafter ≥ 17 Deep Black	440481	240,-
Kit Bars DJ Transit ≥ 14 Silver	440482	215,-
Kit Bars DJ Transit ≥ 14 Deep Black	440483	240,-

+

### Carry-Bike DJ bike rack:

Silver	440423	388,-
Deep Black	440424	446,-



## Carry-Bike 200 DJ for panel van with split rear door

- For 2 bikes
- For the right rear door
- Mounting with Fixing Bar

For Fiat Ducato II / Citroën Jumper / Peugeot Boxer I (≥ 2000 ≤ 2006 - H2) / Mercedes Sprinter, series / Mercedes Benz T1N (≥ 1995 ≤ 2006 - H2)  
Load capacity: 35 kg, weight: 9 kg **Scope of delivery:** Bike carrier, 2 bike rails Premium 128 cm, 1 Bike Block Pro 1 + Pro 2 each

440368

572,-



## Carry-Bike 200 D for older panel vans with split rear door

- For 2 bikes
- For the right rear door

Fiat Ducato and Peugeot J5 ≤ 1999, Ford Transit (standard/raised roof), Mercedes MB 100, Citroën Jumper and Peugeot Boxer, Citroën C25 ≤ 1999, VW LT (standard and raised roof).

Upper bracket only 34 mm wide, mounting with drilling and screws.  
Load capacity: 35 kg, weight: 6.9 kg.

**Scope of delivery:** Bike carrier, 2 bike rails Quick Pro 128 cm, 1 each Bike Block Pro1 + Pro 2

440414

418,-

**NEW**  
2023



## Laundry dryer Easy Dry for rear rack

- Can remain mounted while driving
- Foldable, travel possible when closed
- Replaces at least 8 m clothesline

Laundry dryer for mounting on the support bracket of many bike racks (tube Ø 35 mm). Easy installation without drilling, as the end pieces snap onto the support bracket. Foldable frame made of anodized aluminum. Can remain mounted while driving.  
Weight approx. 1.2 kg.

440662

114,-



## License Plate Light Licence Plate

Necessary for lowered support bar, if the bicycles cover the vehicle rear lights or license plates.


With 13-pin socket. Weight approx. 2 kg  
Dimensions: L 131 x H 16.5 x D 7.5 cm

Silver	440363	224,-
Deep Black	440373	239,-

Select the mounting rail model that is best suited for your bikes and meets your requirements.  
They can all be adapted to all Carry-Bike models!

**Bicycle rail Rail Plus** - 128 cm long  
**Bicycle rail Rail Plus XL** - 139 cm long

Rail Plus, the new bike rail that promises a special torsional and stiffness due to its geometry, making it technically even more powerful. More space for the transport of all types of bicycles.



**Rail Plus Silver**  
**Rail Plus XL Silver**

440537  
440539

60,-  
68,-

**Rail Plus Deep Black**  
**Rail Plus XL Deep Black**

440538  
440540

68,-  
77,-



**Bicycle rail Rail Premium - 128cm long**

To push the support against the tire of the Bike and tighten the strap. Together with the rubber support, the Bike is thus securely fixed on the rail.

**Rail silver** 442141 68,-  
**Rail Deep Black** 441193 89,-

**Bicycle rail Rail Premium XL - 139cm**

**Rail silver** 441192 92,-  
**Rail Deep Black** 441194 101,-



**Bicycle rail Rail Premium S - 128 cm long**

Rail can be moved transversely and longitudinally. The distance between the Bike rail can be varied. With locking blocks for the rims and quick release straps.

**Rail silver** 440690 111,-  
**Rail Deep Black** 440600 123,-



**Bicycle Rail Premium S Fat Bikes**  
**128 cm long - 40 cm extended strap**

Tire thicknesses up to 4.8 inches, strap extended by 40 cm to 5 inches on Fiamma bike racks.

**Rail silver** 440691 123,-  
**Rail Deep Black** 440694 134,-



**Bicycle rail Kit Rail Premium 48 - 47.5 cm long**  
Additional 4. Rail for the Bike carrier models Carry-Bike VW T5 Pro and T6 Pro.

**Rail silver** 440692 70,20  
**Rail Deep Black** 440695 87,20



**Bicycle Rail Quick Pro - 128cm long**

Robust and reinforced rail with double bottom with two Quick-Safe straps.

**End caps black** 44426 57,-  
**End caps blue** 44427 55,80  
**End caps gray** 44429 55,80



**Bicycle rail Rail Quick C with quick release - 101-167 cm long**

**End caps red** 44137 51,-



**Additional rail Rail Strip Pro with strap attachment - 128 cm long**

**End caps black** 44428 38,70



**Kit Upgrade E-Bikes - 128cm long**


Now you can convert your Carry-Bike Pro, Pro M or Pro C(< 2023) into a bike rack for E-Bikes by purchasing the new Kit Upgrade E-Bike. 440040 251,-



**Kit Premium S** Kit for converting Rail Quick and Premium rails into Premium S rails. The rails can thus be moved vertically and horizontally and adapt to the dimensions of different models of bicycles.

**Black** 440696 40,60

## Bike straps and accessories for Carry-Bike



① **Quick release rim lock** slides in the Carry-Bike Bike rails  
44128 6,70

② **Rim mounting strap**  
Stainless steel buckle. 2 pieces length 39 cm,  
Red 44237 10,60  
Black 442377 10,60

③ **Bicycle Strap Security Strip** for bicycle attachment L 200 cm  
442378 9,90

④ **Bracket**  
Fixation of the frame to the beam  
44236 10,40

⑤ **Knurled nut** For Bike Block  
44117 7,60

⑥ **Rail end cap, Red**  
44118 7,40

⑦ **Spacers**  
For mounting bike racks + awnings  
Dimensions: 28 x 24 x Ø 8.4 mm (hole)  
A5408453 5,16

⑧ **Cable lock**  
steel cable to secure the Bikes on the carrier. PVC coated with steel lock and 2 keys in black, length 2.5 m  
44127 30,80



① **Pro 1 for 1. Wheel**  
Length: 12.5 cm

② **Pro 2 for 2. Wheel**  
Length: 23 cm

③ **Pro 3 for 3. Wheel**  
Length: 38 cm

④ **Pro 4 for 4. Wheel**  
Length: 53.5 cm

⑤ **Pro D1 with red plastic**  
min. 10 - max. 44.5 cm

⑥ **Pro D2**  
min. 16 - max. 63 cm

⑦ **Pro D3**  
min. 19 - max. 81 cm

from 19,-

from 19,-

**NEW**  
2023

Now also available in deep black

## Bike spacer Bike Block Pro

The reliable fastening system for your bikes


- For round and oval tube frames from 25-100 mm
- Quick clip quick fasteners for the Bike frame
- For all beams with a tube diameter of 28-40 mm

**NEW**  
2023



⑧ **Bike Frame Adapter:** Secure attachment through the additional bar between the saddle and handlebars  
**441512 46,60**

		Bar silver + color choice of end caps / knobs						Color complete Deep Black	
BikeBlock	Length cm	Red	Blue	Gray	Price	Black	Price		Price
① Per 1	12,5 - 17,0	44131	441310	441300	18,70	441311	19,-	440441	23,70
② Per 2	24,0 - 28,0	44132	441320	441301	22,80	441321	22,70	440439	27,-
③ Per 3	38,5 - 42,0	44133	441304	441302	24,60	441331	24,60	440440	28,90
④ Per 4	54,0 - 57,0	44134	441340	441303	26,90	441341	26,90	440456	44,90
⑤ Per D1	10,0 - 44,5	-	-	-	-	441360	38,40	-	
⑥ Per D2	16,0 - 63,0	-	-	-	-	441364	43,20	-	
⑦ Pro D3	19,0 - 81,0	-	-	-	-	441363	47,50	-	



**NEW**  
2023

Pro S1-4 now available in deep black



## Bike attachment Bike-Block Pro S

- Handle favorable fastening of the spiral screw
- Color in silver/black or completely in Deep Black
- Deep Black = tube black
- Round & Oval Tubes 25-100mm

The wheels are securely fastened by the Quick-Clip quick release. Suitable for many bikes. Also for oval tubes. Ø 25-100 mm

① min 12.5 cm - max 17 cm

② min 28 cm - max 32 cm  
min 24 cm - max 28 cm

③ min 38.5 cm - max 42 cm  
min 42 cm - max 48 cm

④ min 54 cm - max 57 cm  
min 58 cm - max 74 cm

⑤ min 10 cm - max 44.5 cm

⑥ min 16 cm - max 63 cm

⑦ min 26 cm - max 79 cm

BikeBlock	Silver	Price	Deep Black	Price
① Per S1	441520	25,80	<b>NEW:</b> 440454	30,60
② Pro S2	441521	35,30	<b>NEW:</b> 440455	40,50
③ Pro S3	441522	37,-	<b>NEW:</b> 440453	41,80
④ Pro S4	441523	40,10	<b>NEW:</b> 440456	44,90
⑤ Pro S D1	441524	55,90	441528	58,30
⑥ Pro S D2	441525	58,30	441529	60,60
⑦ Pro S D3	441526	60,60	441530	63,80



## AGITO VAN rear carrier system for Fiat Ducato and Ford Custom

- Pivotal - even when loaded
- Folding transport bridge - carrier can remain on the vehicle to save space without interfering with maneuvering
- Free access to the tailgate
- Tool-free disassembly of the transport bridge with swivel arm
- Only for vehicles with double doors
- Max. Opening angle of the doors 90

With a payload of 60 kilograms, the AGITO VAN easily transports two bicycles or E-Bikes. As with the predecessor model, access to the rear doors is always possible thanks to the swivel function. This can be done comfortably even when loaded. When the Bike rack is not in use, the transport bridge can be folded upwards to save space. This allows the carrier to remain on the vehicle without interfering with maneuvering. However, should disassembly be necessary, this can be done quickly and completely without tools.

With the set-up kit for a transport box, the AGITO VAN can easily be transformed into a practical storage space extension. Retrofitting a hitch is also possible without any problems on the base crossbar.

The carrier is suitable for FIATDucato, Ford Westfalia Nugget and Ford Tourneo Custom. For vehicles with rear view camera, please consult your dealer.

### ① BASE SUPPORT

Swivel arm & transport bridge	440350	1502,-
-------------------------------	--------	--------

### ② VEHICLE-SPECIFIC CONNECTION - CROSSBAR & CLAMPING CAGE

Fiat Ducato/Peugeot/Citroen from My. 2006	440352	328,-
Ford Transit/Tourneo Custom	440353	328,-

### ③ SETUP SETS

2 bikes - not mountable together with 440355	440354	309,-
Box Ultra 360 - not mountable together with 440354	440355	697,-

### Other accessories

#### Detachable trailer hitch for retrofitting to existing AGITO VAN

Fiat Ducato/Peugeot/Citroen from My. 2006	440356	236,-
Ford Transit/Tourneo Custom	440357	312,-

#### Electric cable harnesses 13 pol.

Ford Custom	4403501	219,-
Fiat Ducato/Peugeot/Citroen from My. 2006 - today	4403502	219,-
Mercedes Sprinter from My. 2018	4403503	219,-

Bicycle rail for retrofitting 175 cm long	440045	45,-
---	--------	------



## Rear carrier system FUTURO E-LIFT Fiat Ducato & Peugeot Jumper

- Pivotal - even when loaded
- Transport platform can be lowered, folded and locked by 110 cm via radio remote control
- Swivel bracket lockable
- Suitable for H2 roof variant
- No lighting repetition required
- Only for vehicles with double doors
- Max. Opening angle of the doors 90

If the FUTURO E-LIFT is not needed, the transport platform can be folded up.

Dead weight without setup set approx. 60 kg. Load capacity up to 60 kg. For payload on the vehicle, or when changing vehicles, you should always ask SAWIKO customer service for the max. permissible carrier payload.

The carrier is suitable for FIATDucato, Peugeot Jumper from model 2006. For vehicles with rear view camera, please consult your dealer.

### FUTURO E-lift with setup kit


2 E-bikes	440001
3 bikes	440002



Lowered



Radio remote control



Pivotal, even with load



2 E-Bikes or 3 bikes





## EuroCarry universal carrier "Adventure Rack" available for Fiat Ducato, Peugeot Boxer and Citroën Jumper ≥ 2006 (not for 270° doors)

- Practical universal carrier
- Expandable with optional accessories for mounting bicycles, skis/snowboards, transport box, spare wheel, surfboard
- The assembly takes place without drilling and is therefore quick and easy to perform

The support is attached to the mounting points of the door hinges.

Powder coated aluminum tube in matte black Ø42 mm. Outrigger incl. 2/4 aluminum bike rails 137 cm, each with 2 wheel trays and 2/4 mounting claws.

Loading: up to 4 bikes/pedelecs or E-Bikes possible (max. 2 pieces), max. 60 kg. Loading height 67 cm.

Dimensions approx. : W 182 x H 152 x D39-76/91 cm, weight approx. 22,5-27,5 kg.

Universal carrier for 2 bikes	44564	1580,-
Universal carrier for 4 bikes	44565	1780,-

### Accessories (for illustrations, see page 581):

Ski / snowboard holder	44566	285,-
Surfkit	42139	232,-
Transport box / luggage box	44567	972,-
Insert tray for 44564	44569	433,-
Insert tray for 44565	44570	423,-
Spare wheel holder	44568	529,-



## EuroCarry for Fiat Ducato, Peugeot Boxer and Citroën Jumper ≥ 7/2006, MB Sprinter, VW Crafter and Renault Master ≥ 2010

- For 2 bikes, convenient to load
- Loading height approx. 1 m (in connection with a lighting bar)
- Opening of the rear doors is possible with mounted carrier

The base carrier can be used as a high loader or with the optionally available lighting bar as a low loader.

Max. Load capacity 35 kg, weight 11.0 kg. Dimensions: W 139 x H 134 x D folded up 25, unfolded 57 cm

### Scope of delivery:

Bike carrier with 2 bike rails 125 cm each with 2 wheel trays and 2 tension belts, 2 mounting claws (19 and 42 cm) and 2 tension rails for mounting on the vehicle.

<b>For Fiat Ducato, Peugeot Boxer and Citroën Jumper ≥ 07/2006</b>		
Silver	44546	526,-
Black	44547	628,-

### For MB Sprinter ≥ 2018

Silver	44540	526,-
Black	44541	628,-

### For VW Crafter ≥ 2016

Silver	44551	526,-
Black	44552	628,-

### Renault Master ≥ 2010

Silver	44572	526,-
Black	44573	628,-

**Lighting bar** with license plate repeat (additionally necessary if you use the carrier as a low loader), fit all EuroCarry-Bike carriers.

Silver	440791	250,-
Schwarz	441841	347,-



## EuroCarry-Bike rack for Fiat Ducato, Peugeot Boxer, Citroën Jumper and Mercedes Sprinter My. 1994 until 2006

- Made of aluminum, approx. 9 kg light
- For mounting on the tailgate
- With adjustable rim mounts
- Robust frame brackets for maximum 2 wheels

Load capacity 40 kg, weight 9 kg

**Scope of delivery:** Base frame made of anodized aluminum tube, 2 aluminum bike rails 125 cm each with 2 wheel cups and 2 tension belts, 2 mounting claws, 2 tension rails for mounting on the vehicle

44029	485,-
-------	-------

## EuroCarry-Bike rack for Fiat Ducato, Peugeot Boxer, Citroën Jumper from My. 7/2006, MB Sprinter ≥ 06/2006, VW Crafter ≥ 2006 and Renault Master ≥ 2010

- Completely pre-assembled! Mounting without drilling on the already existing holes of the door hinges
- Short assembly time
- To open the rear doors, the Bike carrier can be swung sideways to the right (max. door opening 90°, not for 270° doors)

The loading height in the basic version is 1.39-1.47 m, depending on the vehicle. Dimensions:  
W 177 x H 116 x D folded up 25/ folded up 76/90 cm  
Powder coated aluminum tube in black matt, Ø 42 mm

### Fiat Ducato, Peugeot Boxer and Citroën Jumper ≥ 07/2006

- |                                 |              |               |
|---------------------------------|--------------|---------------|
| ① For 2 wheels, Weight: 17,1 kg | <b>44550</b> | <b>1270,-</b> |
| ② For 4 wheels, weight: 22.1 kg | <b>44542</b> | <b>1499,-</b> |

### MB Sprinter ≥ 06/2006 & VW Crafter 2006-2016

- |                                 |              |               |
|---------------------------------|--------------|---------------|
| ① For 2 wheels, Weight: 15.9 kg | <b>44533</b> | <b>997,-</b>  |
| ② For 4 wheels, weight: 21.0 kg | <b>44532</b> | <b>1233,-</b> |


### VW Crafter ≥ 2016

- |                                 |              |               |
|---------------------------------|--------------|---------------|
| ① For 2 wheels, Weight: 16,4 kg | <b>44537</b> | <b>1270,-</b> |
| ② For 4 wheels, weight: 21.5 kg | <b>44536</b> | <b>1499,-</b> |

### Renault Master ≥ 2010 incl. lighting strip

- |                                 |              |               |
|---------------------------------|--------------|---------------|
| ① For 2 wheels, Weight: 19,1 kg | <b>44574</b> | <b>1580,-</b> |
| ② For 4 wheels, weight: 24.0 kg | <b>44575</b> | <b>1810,-</b> |

Lighting bar, Black **441841** **347,-**



## EuroCarry electrically lowerable for MB Sprinter, VW Crafter & Fiat Ducato

The rail boom can be electrically lowered to a comfortable loading height (The adjustment travel is 110 cm!)

### Fiat Ducato, Peugeot Boxer and Citroën Jumper ≥ 07/2006

- |                              |              |               |
|------------------------------|--------------|---------------|
| for 3 wheels, black/anodized | <b>44544</b> | <b>3240,-</b> |
| for 2 wheels, black/anodized | <b>44545</b> | <b>3020,-</b> |

### MB Sprinter ≥ 06/2006 & VW Crafter 2006-2016

- |                              |              |               |
|------------------------------|--------------|---------------|
| for 3 wheels, black/anodized | <b>44534</b> | <b>3197,-</b> |
| for 2 wheels, black/anodized | <b>44535</b> | <b>2990,-</b> |

### VW Crafter ≥ 2016

- |                              |              |               |
|------------------------------|--------------|---------------|
| for 3 wheels, black/anodized | <b>44538</b> | <b>3240,-</b> |
| for 2 wheels, black/anodized | <b>44539</b> | <b>3020,-</b> |



## Euro Carry E-Bike Carrier for Fiat Ducato / Citroën Jumper / Peugeot Boxer ≥ 2006


- Mounting on the vehicle chassis
- The carrier is foldable up
- Can also be swung away from the vehicle when loaded
- Mounted with supplied adapter
- For 2 e-bikes, max. load 80 kg

Assembly only by an authorized specialist company! Socket on the vehicle necessary. Not suitable for vehicle length 636.3 cm.

Weight carrier: 23 kg, weight



Adapter: 22 kg **44351** **1995,-**

### E-Bikes





### Thule Elite G2 for Motorhome and caravan back wall - for maximum 4 bikes



### Elite G2 One Bike - for 1 bike

Model with shorter platform for transporting only one Bike. Specially designed for the needs of caravan users. Allows the caravan to be loaded evenly with two bikes: one Bike on the back wall of the vehicle and one Bike on the drawbar.



Model	Max. Load	Weight	Number of Bicycles	Maximum Bicycles	E-Bikes possible	Sliding rails	Mounting height	Item no.	Price
① Thule Elite G2 Short	60 kg	9,5 kg	2	4	yes	right-left	50 - 80 cm	44346	439,-
② Thule Elite G2 Standard	60 kg	10,1 kg	2	4	yes	right-left	80 - 150 cm	44345	439,-
Thule Elite G2 Hymer	60 kg	10,1 kg	2	4	yes	right-left	80 - 150 cm	44347	439,-
③ Thule Elite G2 One Bike	30 kg	6,7 kg	1	1	yes	right-left	80 - 150 cm	442900	419,-



#### Safety belt for wheels

To secure the bicycles and the Bike rack while driving. Tensioning strap with steel insert and buckle protected by protective rubber cover. Length: 3.00 meters

442791

56,-



#### Knob with lock

To secure the bicycles on the Bike rack, retrofit kit: twist handle incl. lock and key  
2 piece

442694



#### Brake Straps - brake lever straps

Tie the straps around the brake levers of the Bike to prevent lateral movement during transport. Length: 46.5 cm each

6 piece

44279

21,-



#### Cable Lock cable lock

Lockable cable lock for securing bicycles and bike racks with lock and 2 keys. Length: 180 cm

442790

54,-

#### Additional rod between seatpost and handlebars



##### Bracket for ladies bikes

For better attachment of bike racks to the carrier. Suitable also for bikes with special frame geometry and ladies bikes. Length of the rod adjustable.

442792

38,-

#### Bike Holder Spacer

- Rotatable in all directions
- With hole for cable lock to secure the Bikes
- Padded attachment

1. Wheel, 140 mm, Ø: 25-90 mm silver 44260 34,-
2. Wheel, 280 mm, Ø: 25-90 mm silver 44261 37,-
3. Wheel, 420 mm, Ø: 25-90 mm silver 44262 42,-
4. Wheel, 560 mm, Ø: 25-90 mm silver 44263 46,-



#### Frame protector for carbon wheels

Adapter for the safe transport of bicycles with carbon frame. The clamping force of the fastener is distributed over a large area to minimize the risk of damage to the frame.

442793

29,-



#### Bike Holder Spacer

##### ③ Bike Holders with AcuTight Lock

Easily secure Bikes with detachable Bike arms with lockable Thule AcuTight torque limiter knobs that "click" when optimum torque is reached.

##### Color silver anodized:

Bike Holder 1	443404	46,-
Bike Holder 2	443405	59,-
Bike Holder 2.5	443406	61,-
Bike Holder 3	443407	67,-
Bike Holder 4	443408	50,-

##### Color Black:


Bike Holder 1	443409	49,-
Bike Holder 2	443410	61,-
Bike Holder 2.5	443411	63,-
Bike Holder 3	443412	69,-
Bike Holder 4	443413	52,-




For Thule Excellent, Elite G2 and Sport G2

2.5 Silver o.Fig. 442690 57,20

- ① 2. Wheel, 28 cm Black 442697 57,20
- ② 3. Wheel, 42 cm Black 442699 60,-

**Thule Sport G2 for motorhome and caravan back wall - for maximum 3 bikes**

**Thule Sport G2 Compact - for 2 bikes**


Compact bike rack suitable for vans with split tailgate and vehicles with curved surfaces. Mounting on the right or left rear door. Doors can be opened without removing the Bikes.



Model	Max. Load	Weight	Number of Bicycles	Maximum Bicycles	E-Bikes possible	Sliding rails	Mounting height	Item no.	Price
① Thule Sport G2 Short	50 kg	7,9kg	2	3	+ accessories E7410	right-left	40 -70 cm	44296	309,-
② Thule Sport G2 Standard	50 kg	8,2 kg	2	3	+ accessories E7410	right-left	80 - 150 cm	44295	309,-
③ Thule Sport G2 Compact	35 kg	7,2 kg	2	2	-	-	80 - 150 cm	441982	339,-

**Thule Excellent for the rear wall of motorhome and caravan**

Available in two versions: standard and short. Both carriers are suitable for normal bikes as well as mountain bikes and electric bikes thanks to the load capacity of up to 60 kg.



Model	Max. Load	Weight	Number of Bicycles	Maximum Bicycles	E-Bikes possible	Item no.	Price
① Thule Excellent Short	60 kg	10,6 kg	2	4	yes	44265	559,-
② Thule Excellent Standard, silver	60 kg	10,6 kg	2	4	yes	44264	559,-
Thule Excellent Standard, black	60kg	10,6 kg	2	4	yes	442641	599,-

**Thule Esse4 CD for 3 wheels**


Basic equipment:

3 bikes

Extension to

4 bikes possible

Mounting for Carado, Sunlight and Dethleffs.

The Bike carrier was specially designed for Sunlight motorhomes from My. 2015 adjusted. Mounting height: 80 - 150 cm. Weight: 10,4 kg

44327 399,-

Extension set 4. Wheel

Rail + adapter + spacer

443271 117,-

**Extension kit for Elite G2 + Excellent**


Extension set 3. Wheel for Thule Elite G2

Rail and spacer, weight 3 kg

44348 107,-

Extension set 3. Wheel for Thule Excellent

Rail and spacer, Silver. Weight. 3 kg

44266 117,-

Rail and spacer, Black

442661 122,-

Extension set 4. Wheel for Thule Excellent / Elite G2

Rail and spacer, Silver. Weight. 3 kg

44267 127,-

Rail and spacer, Black. Weight. 3 kg

442671 132,-

**Replacement rail "Fatbike Rail" for Sport G2, Excellent, Superb + WanderWay**

Fatbike Rail for Thule WanderWay

Length: 147.5 cm, height 9 cm, weight: 174 g

44554 117,-

Fatbike Rail for Thule Sport G2 + Excellent

Length: 147.5 cm, height 12 cm, weight: 170 g

44555 117,-

Fatbike Rail for Thule Superb

Length: 2x 57.5 cm, height 9 cm, weight: 144 g

44556 117,-

**Extension kit for Sport G2 + Sport G2 Garage**


Extension set 3. Wheel for Thule Sport G2

Rail and spacer, weight 3 kg

442981 87,-

Extension set 4. Wheel for Thule Sport G2 Garage

Rail and spacer, weight 3 kg

442982 97,-

**Mounting rails for Thule Bikes**

Mounting rail

Now the Bike carrier can be easily removed from the rear wall and attached to another motorhome, for example

Fits Thule Bike rack Excellent, Elite G2, and Sport G2 long+short.

Upper mounting rail, weight 2 kg

44268 46,-

Bottom mounting rail, weight 2 kg

442681 49,-





max 3 wheels

## Carry-Bike UL - for 2 wheels

Expandable up to 3 wheels.  
For the motorhome back wall  
Weight: 5.6 kg **44073** 294,--



max 3 wheels

## Carry-Bike CL- for 2 wheels

Expandable up to 3 wheels.  
For mounting under the window  
Weight: 5.6 kg **44074** 294,--



## Carry-Bike L Series - lightweight yet robust


Standard for 2 bikes. Expandable up to 3 bikes. High load capacity up to 50 kg. Bicycle rails Rail-Quick Pro with high quality quick connectors. The Bikes are attached to the frame with 2 Bike Blocks.

**Carry-Bike UL:** for the motorhome rear wall,  
**Carry-Bike CL:** is mounted under the window.

**Scope of delivery:** 1 base rack, 2 Rail-Quick bike rails, 1 Bike Block 3, 1 Rackholder, 1 Strip, 1 Security Strip.

### Accessories:

For 3. Wheel you need: 1 Rail Quick Pro	<b>44426</b>	<b>57,--</b>
Bike Block 3. Wheel Pro 2	<b>44133</b>	<b>24,60</b>



## For Trigano - Scooter Team


- For 2 bikes
- Max. 3 wheels expandable
- Load capacity 50 kg

### Special version

Special version to attach to the Fiamma bracket already on the vehicle from the factory

**Scope of delivery:** carrier, 2 bike rails Rail-Quick Pro, 1 bike spacer each Bike Block Pro 3

Weight: 5.2 kg **44448** 279,--



## For Hymer & Dethleffs motorhomes

- For 2 bikes
- Expandable up to max. 4 wheels
- Load capacity 60 kg

① **Carry-Bike PRO Hymer** For Hymer adapters. Plastic parts

**Scope of delivery:** Carrier, 2 adapters for Hymer, 2 bike rails Rail-Quick-Blue, 2 Bike Block Blue 1+3, two Rack Holder, 1 Security Strip, in blue.

Weight: 8.2 kg **44444** 390,--

② **Kit for Dethleffs motorhomes,**  
2 upper adapters

until 2010	<b>440721</b>	<b>39,20</b>
from 2010	<b>440722</b>	<b>42,--</b>



from **350,-**



**Rail Plus:**

New design for higher torsional and flexural strength



**Telescopic support bracket:**

Aluminum, light and oval Profile, increased safety



**Tubes:**

Aluminum 6060, oval cross section

**Carry-Bike PRO series -  
for 2 to 4 bikes or 2 E-Bikes**

- Aluminum tubes with oval cross section
- Height adjustable frame
- For transporting up to 4 standard bicycles or 2 E-Bikes
- New Rail Plus rails

The new Pro series allows the unification of standard and E-Bike models thanks to the introduction of oval tubes and Rail Plus rail, both structurally more powerful

**Scope of delivery:**


1 base carrier, 2 bike rails (see table), 1 Bike Block Pro 1 + Pro 3 each, 1 Rackholder, 1 Security Strip.



①

**Carry-Bike PRO**

With height adjustable structure for heights between 80 and 150 cm



②

**Carry-Bike PRO (previous version)**

For the motorhome back wall.  
For heights between 80 and 150 cm



③

**Carry-Bike PRO C**

This Carry-Bike is more compact and height adjustable for heights between 40 cm and 80 cm. It is suitable for motorhomes with rear windows.

Model	Max. Load capacity	Weight	Number of Bicycles	Maximum Bicycles	E-Bikes	Incl. Bicycle rail 128 cm long	Incl. Bike Block	Item no.	Price
① <b>NEW:</b> Carry-Bike PRO	60 kg	10,2 kg	2	4	2	2 x Plus	Pro 1 + Pro 3	<b>440409</b>	<b>387,-</b>
<b>NEW:</b> Carry-Bike PRO N* (without fig.)	60 kg	10,2 kg	2	4	2	2 x Plus	Pro 1 + Pro 2	<b>440410</b>	<b>350,-</b>
② Carry-Bike PRO	60 kg	8,4 kg	2	4	-	2 x Rail Quick Pro	Pro 1 + Pro 3	<b>440214</b>	<b>360,-</b>
③ <b>NEW:</b> Carry-Bike PRO C	60 kg	7,4 kg	2	3	2	2 x Plus	Pro 1 + Pro 3	<b>440411</b>	<b>387,-</b>
<b>NEW:</b> Carry-Bike PRO CN* (without fig.)	60 kg	7,4 kg	2	3	2	2 x Plus	Pro 1 + Pro 3	<b>440412</b>	<b>350,-</b>

\* Version without brackets, for vehicles with pre-installed Fiamma brackets.

**Accessories:**

**For the 3rd and 4th. Wheel you need:**

1 rail each Rail Quick Pro  
For Carry-Bike ① and ③ one Rail Plus each

**44426** 57,-  
**440537** 60,-

**Frame attachment for the Bike**

Bike Block 3. Wheel Pro 2 black **44132** 22,80  
Bike Block 4. Wheel Pro 4 **44134** 26,90





## Carry-Bike Lift 77 - manually lowerable Bike carrier



- Lowerable Bike rack - raises and lowers 77 cm
- For 2-4 bikes or 2 E-Bikes
- With swing support bracket
- Incl. Crank
- Load capacity 60 kg

Made of anodized aluminum with 35 mm round tubular structure and with solid stainless steel support bracket for absolute stability. For 2 bikes, expandable to 4 bikes. Maximum load per rail: 30 kg or, 15 kg for 4 bikes. Weight: 16.3 kg

### Scope of delivery:

1 Base Carrier, 1 Crank, 2 Bike Rails Rail Premium, 2 Bike Spacers Bike Block PRO 1 + 3, 2 Rack Holders, 1 Security Strip, Mounting Brackets.

440428 1025,--



## Fixing Bar Carry-Bike

- Mounting rails for unstable back walls

For secure attachment of the Carry-Bike bicycle carrier to the rear wall.

2 reinforcing profiles, can be shortened as required.

Length: 240 cm 44166 198,--



12V

## Motor Lift 77 for 2 to 4 bikes or 2 E-Bikes

- Folding support bracket motorized
- Lowering 77 cm
- Height adjustable structure
- 12 V power supply


Motorized Carry-Bike for motorhomes, the support bracket can be lowered by 77 cm for effortless loading and unloading of bicycles.

This new version is a complement to the manually operated Carry-Bike Lift 77. Maximum load capacity 60 kg.

### Scope of delivery:

1 base carrier, 12 V motor, 2 bike rails Rail Premium, 2 bike spacers Bike Block PRO 1 + 3, 2 Rack Holder, 1 Security Strip, mounting brackets.

440425 1107,--



### Swing support bracket

Can be lowered by 77 cm to load and unload the Bikes



### Drive

Through push button for easy Ascent and descent



### Rail Premium Rail

With bicycle support block for tires up to 2.8"



### Tension belt

To raise and lower the Support bracket

## Electric bike lift with 12 volt motor in 4 variants

**Rail:** For vehicles that are already equipped with Fiamma or Thule Rail

**Short:** For motorhomes with smaller free rear wall (e.g. with window or hinged door)

Maximum mobility with the electric bicycle lift Convenient loading and unloading of bicycles

- With the 12 volt motor, the platform of the Bike lift can bridge a height of 110 cm
- Emergency operation
- On many motorhomes, the platform can be lowered to the ground
- No tedious lifting of the Bikes
- Lowered it is the perfect parking for your wheels
- Maximum load of 60 kg
- Suitable for 3 bikes or 2 E-Bikes

### Bike-Lift - lowerable bike carrier 12 Volt

lowerable up to 110 cm


Weight: approx. 20 kg. Current consumption: 8 A.

① Bike lift standard	44350	1419,-
② Bike-Lift Standard Rail*	44354	1419,-
③ Bike Lift Short**	44359	1419,-
④ Bike Lift Short Rail	44361	1419,-

\*Only for vehicles already equipped with FIAMMA or Thule Rail

\*\*Only for motorhomes with a smaller free rear wall (e.g. if there is a window or a hinged door on the rear wall).


Product video




### VORDERSEITE




### SEITE



### ① BIKE LIFT STANDARD ② BIKE LIFT RAIL



### ③ BIKE LIFT SHORT ④ BIKE LIFT SHORT RAIL



ThE-Bike lift for maximum comfort and safety with low entry

## Accessories for Bike-Lift 12 Volt

Would you like to operate your "Bike Lift" even more comfortably?

All versions of the "Bike Lift" are now also available in a version available with remote control. A simple push of a button and the "Bike Lift" neatly lifts your bikes up or down. Do you already own a "Bike Lift" with switch operation? This solution can be perfectly retrofitted.

**Remote control** 443527 90,95



**Safety lock for wheel holder**  
443503 27,95



**Mounting bracket for existing mounting rails on the vehicle**  
443505 101,95




**Mounting kit for 3. Wheel:**  
1 V-rail, 2 wheel holders, 1 holding arm  
443501 85,95







12V



Thule Lift V16  
length bike  
rails 126 cm

Thule Lift V16  
with lowered  
platform

Thule Lift V16  
for 3 wheels  
length bike  
rails 126 cm

Manual	With 12 volt motor
• 2 wheels expandable to 3	• 2 wheels expandable to 3
• Weight 17kg	• Weight 18kg
• Maximum load 50kg	• Maximum load 50kg




Thule Lift V16 3. Rail Kit for  
mounting a third bike  
44357 107,--

Thule Lift V16 - Easy raising and lowering

Manual or with motor. Easy loading: platform can be lowered by 70 cm, which allows easy access to the bicycles and thus easy loading or unloading. Suitable for motorhomes and caravans with vertical rear wall. The **12 volt motor** is designed for intensive use and raises or lowers the platform within 40 seconds.


Thule Lift V16 manual lowering	44355	989,--
Thule Lift V16 with 12 V motor	44356	1179,--
Extension set 95-150 cm	44358	107,--



Thule Sport G2 Universal -  
Universal rear rack for caravans

- For 2 bikes (not expandable)
- Rails can be adjusted without tools
- Load capacity 38 kg
- Load per rail max. 19 kg
- Recommended for limited space through windows or bumpers

Weight 8,0 kg  
44297 369,--



Thule Sport G2 W 150 Hobby -  
Bike rack for rear wall

- For Hobby Caravan ≥ 2004
- For 2 bikes
- Expandable up to max. 3 wheels
- Rails can be adjusted without tools
- Load capacity 50 kg
- Load per rail max. 19 kg

Can be mounted in addition to the window awning  
Omnistor W 150.  
Weight 6.8 kg.  
44299 329,--



Thule Sport G2 Tour - For rear wall  
of motorhome and caravan

- For 2 bikes
- Expandable up to max. 3 bikes
- Rails can be adjusted without tools
- Load capacity 50 kg
- Load per rail max. 19 kg

Weight 6,8 kg  
44298 339,--



**Maximum  
3 wheels**

Can also be completely folded down with wheels for full access to the luggage compartment



### Thule Caravan Superb Standard - Foldable Bicycle carrier

For safe transport of bicycles on the caravan drawbar. With platform lock that automatically returns to its original position. With low center of gravity. The carrier Superb is suitable for 2-3 bikes or 2 E-Bikes. Also for drawbars with plastic cover. Tilt angle stop.

**Scope of delivery:** base carrier, 2 bike rails, 2 spacers

**Weight:** 9.7 kg

Silver	443431	439,-
XT Black	443435	479,-
Fatbike Rail Black (p.579)	44556	117,-



### Extension kit for Thule



#### Extension set 3. Wheel for Thule Superb

Rail + spacer, weight: 3 kg, Silver	E5316	97,-
Black	443437	107,-


### Thule Caravan Smart for 2 bikes

- Compact, swiveling carrier
- Designed for mounting on the A-frame

For 2 bikes.  
Short and long drawbars,  
e.g. Adria Aviva.  
Plastic cover suitable,  
Tilt angle stop.

**Weight:** 8.9 kg

443432 429,-



### Thule Caravan Superb Short for 2 bikes

- For normal and short drawbars
- Easy to load thanks to lowered platform

Suitable for 2 bikes, plastic cover,  
tilt angle stop

**Weight:** 6.6 kg

Silver	443434	439,-
XT Black	443436	479,-
Fatbike Rail Black (p.579)	44556	117,-




Also available in black

**Weight only  
4.7 kg**



**194,-**



### Thule Caravan Light

- For 2 bikes
- Short and long caravan drawbar
- With foam protection pad and fastening straps for safe Bike transport

Bracket partially tiltable. Bikes usually have to be removed to open the bow storage area. Weight 4.7 kg.

44342 194,-

### Adapter - U-bracket for AL-KO Vario X chassis

Adapter set for mounting a Thule drawbar bike carrier on the AL-KO Vario X chassis.

In set with 4 U-bolts.

443051 19,-






## BICYCLE CARRIER FOR CARAVAN DRAWBAR AND REAR



**169,-**

### Drawbar carrier POLO

- Inexpensive Bike carrier for 2 wheels
- Upper part swivels forward
- Attaches to the drawbar without drilling
- Load capacity up to 35 kg



Suitable for wider and standard drawbars and AL-KO drawbars. Upper part can be swiveled forward, making the gas box easily accessible. Stable base frame, well padded bike holder frame. Bicycle rails with stable strap attachment for rims and wheel frames.

**Scope of delivery:** Bike carrier with mounting material for the drawbar, 2 bike rails 128 cm with strap attachment and 2 straps for attaching the Bike frames.

44105

169,-



max 2 wheels



### Carry-Bike Caravan Rear Carrier Universal

- For 2 bikes, not expandable
- Load: up to 35 kg
- Weight: 7,5 kg

This bike rack is designed to be mounted on the supporting frame of the caravan (Bürostner, Chateau, etc.). Top and bottom mounting is done with self-tapping screws, but does not require through holes. Height adjustable from 100 cm to 180 cm.

**Scope of delivery:** 2 Rail Quick Pro bike rails 128 cm, 1 Bike Block Pro 1 + Pro 3 each

44453

382,-



max 3 wheels



### Rear carrier for Hobby caravans ≥ 2003

- Complete with upper special suspension
- Positioning under the profile of the rear window
- Lower bracket rests centrally for even more stability
- Load: up to 50 kg
- Weight: 5.6 kg


**Scope of delivery:** 2 Rail-Quick bike rails 128 cm, 1 each Bike Block Pro 3 blue, 1 Rack Holder, 1 Strip bike belt blue

For 2 bikes 44452

306,-



max 2 wheels



### Rear carrier Simple Plus 200

- For caravans with unstable or sloping rear walls
- Upper brackets are fixed in the existing keder strip above the rear window
- With receptacle for lower bracket
- Height adjustable from 112-150 cm
- Load: up to 35 kg
- Weight: 6,4 kg

**Scope of delivery:**

2 Rail Quick bike rails 128 cm, 1 Bike Block Pro 1+2 each, 1 Rack Holder

For 2 bikes

44454

317,-

## Carry-Bike Caravan for the caravan drawbar

- Due to the folding mechanism of the bracket, the tiller box can be opened even with the bicycles mounted (except XL)
- Loading the wheels is simple and safe.

- No drilling is required when attaching to the standard drawbar
- Easy positioning of the wheels by moving them horizontally

### Caravan carrier XL A Inexpensive and compact



① 44449 silver  
44465 silver + blue end caps

### Carry-Bike Caravan XL A PRO



② 44466 Silver  
444501 Deep Black

### Carry-Bike Caravan XL A PRO 200



③ 440421 Silver 440422 Deep Black

44467 silver + blue end caps  
④ 444511 Deep Black

### Carry-Bike Caravan XL A PRO 300




⑤ 440435 Silver

⑥ 440436 Deep Black

### Carry-Bike Caravan Active + Active E-Bike

- Simple and safe
- Support bracket engages automatically
- Access to the gas box possible from both sides
- Automatic securing of the support bracket



⑦ 440406

Straps steplessly forward swing away



⑧ 440647

Model	Max. Load	Weight	Number of Bicycles	Maximum Bicycles	E-Bikes	Incl. Bicycle rail 128 cm long	Incl. Bike Block	Art. No.	Price
① Caravan XL A Silver	35 kg	5,3 kg	2	2	-	2 x Rail Quick Pro	Belt	44449	189,-
Caravan XL A Silver* (not shown)	35 kg	5,3 kg	2	2	-	2 x Rail Quick Pro	Belt	44465	194,-
② Caravan XL A Pro Silver*	50 kg	9,0 kg	2	2	-	2 x Rail Quick Pro	Strip + Pro 3	44466	415,-
Caravan XL A Pro Deep Black (without fig.)	50 kg	9,0 kg	2	2	-	2 x Rail Quick Pro	Strip + Pro 3	444501	518,-
③ <b>NEW:</b> Caravan XL A Pro 200 Silver	50 kg	9,4 kg	2	2	2	2 x Rail Plus	Strip + Pro 2	440421	409,-
<b>NEW:</b> Caravan XL A Pro 200 Deep Black (not shown)	50 kg	9,4 kg	2	2	2	2 x Rail Plus	Strip + Pro 2	440422	512,-
Caravan XL A Pro 200* Silver (not shown)	50 kg	7,5 kg	2	2	-	2 x Rail Quick Pro	Strip + Pro 2	44467	417,-
④ Caravan XL A Pro 200 Deep Black	50 kg	7,5 kg	2	2	-	2 x Rail Quick Pro	Strip + Pro 2	444511	524,-
⑤ <b>NEW:</b> Caravan XL A Pro 300 Silver	50 kg	9,0 kg	2	3	2	2x Rail Plus	Strip + Pro 3	440435	473,-
⑥ <b>NEW:</b> Caravan XL A Pro 300 Deep Black	50 kg	9,0 kg	2	3	2	2x Rail Plus	Strip + Pro 3	440436	542,-
⑦ <b>NEW:</b> Caravan Active Silver	50 kg	11,2 kg	2	3	2	2 x Premium	Strip + Pro S 3	440406	637,-
Caravan Active Silver (without fig.)	50 kg	7,5 kg	2	3	-	2 x Rail Quick Pro	Strip + Pro S 3	440646	612,-
⑧ Caravan Active E-Bike Silver	60 kg	10,0 kg	2	2	-	2x Rail Premium	Strip + Pro S 2	440647	517,-

\*Rails with blue end caps



## BICYCLE CARRIER FOR THE TRAILER HITCH



### Premium II Plus bike rack

- For 2 bikes
- Folding mechanism with foot pedal
- Incl. Transport bag
- Lockable and foldable

Theft-proof due to lockable frame holders for mounting the Bikes, 13-pin plug

**Dimensions:** W115 x D 61 x H 67 cm open,

Pack size: 30 x 62.5 x 67 cm Weight: 17 kg

440621

628,-

628,-



E-Bike

### Coupling bike rack with roller drawer

Smooth-running roller drawer  
Wide-opening tailgates without problems

**Strada DL2 for 2 wheels** E-Bikes  
max. 3 wheels

Load capacity: 45kg, weight: 12.5 kg

44283 595,-

**Strada DL3 for 3 wheels** max. 4  
wheels

Payload: 63 kg, weight: 14.5 kg

44280 775,-

Set 4. Wheel 44281 182,-



Extension f. 4. Wheel



### Mounting for drawbar bike carrier

#### Adapter for caravan drawbar

to install a bike rack for max. 2 bikes on the caravan drawbar. Fastening on the drawbar with U-bolt, clamping plate and self-locking nuts. Observe the manufacturer's drawbar load.

L75.5 x W7 x D23 cm, approx. 4.35 kg

44248

83,90



### Coupling carrier for mopeds up to 90 kg

- Stable aluminum carrier
- With stabilizing element
- Rail with front wheel limiter
- Incl. Access ramp
- Weight only approx. 17.5 kg
- Payload 90 kg with the carrier braced

Fits almost any trailer hitch. For stabilization, a coupling element is screwed to the ball neck (included in delivery).

46360

1508,-



Put on support arm



Ready for loading



Slide on the carrying unit and  
fasten the lighting



Please note the  
permissible drawbar  
load of your vehicle

### Heavy duty hitch carrier for mopeds up to 120 kg

- Stable aluminum carrier with aluminum ramp
- Front wheel limit
- Galvanized T-bar with padding
- Weight approx. 17.5 kg
- Anti-theft device included

Motorcycle carrier for the trailer hitch

46361

1711,-

Bicycle carrier attachment UT2020 for 2 bikes

E5832

336,-



### Carry Moto - Motorcycle rail and ramp

- Stable motorcycle rail with stop bar for the front wheel
- Sturdy straps to secure the motorcycle (L: 2.02 x W: 14 cm)
- A ramp rail, is connected to the motorcycle rail when loading.

Scope of delivery: 1 carrier rail (L: 180 x W: 15 cm), 1 drive-on ramp, 2 ratchet straps with pawl to fix the motorcycle. Suitable for motorcycles/scooters up to 200 kg

Carry Moto

44170

417,-



### Carry Moto Pro Slide-in motorcycle rail

- Slide in aluminum motorcycle rail
- Sliding roller mounted rail, therefore very smooth running
- Loadable up to 200 kg
- 2-stage extendable up to 90 cm

Scope of delivery: 1 carrier rail (L: 180 x W: 15 cm), 1 slide-in drive-on rail (length 155 cm), 2 ratchet straps with pawl to fix the motorcycle. Suitable for motorcycles/scooters up to 200 kg

Carry Moto Pro

44228

644,-



### Locking system for front wheel

- For the rear garage
- Stabilizes the scooter
- Screwed to the bottom
- For tire width up to 165 mm

MotoWheel Chock F for the front wheel

Incl. Mounting kit and 2 ratchet straps

471702

100,-



### Locking system for rear wheel

- For the rear garage
- Stabilizes the scooter
- Screwed to the bottom
- For tire width up to 165 mm

MotoWheel Chock R for the rear wheel

Easy to remove with the help of 2 wing screws

471703

144,-



Two carry ramps allow loading of quads and wheelchairs.



### Carry Ramp - 2 rails with anti-slip coating

- Aluminum rail with special adhesive coating
- Easier retraction of the vehicle
- Drive-on rail can be easily attached and detached
- Collapsible and extendable up to 175cm
- With side strap for transport
- Ideal for wheelchairs when using 2 drive-on rails

Weight: 7 kg, loadable up to 130 kg. Maximum tire width 15 cm

441701

285,-





## Rear garage retracts for Motorcycle/scooter and bicycle

### Motorcycle/scooter retracts

#### Electrically operated feeder



- Electric loading and unloading of motorcycles or scooters into the rear garage
- Control via the radio remote control
- For tire sizes from 8" to 21"
- Front wheel attachment with quick crank
- 12 Volt/6 A - quiet motor running
- Maximum load: 160 kg

#### Technical data:

Rail dimensions: L2000/1900 x B110 x H 70 mm, Dimensions front wheel support: H400 x W580 x D350mm Weight approx. 16 kg, max. load 160 kg.

#### Scope of delivery:

Rail with pre-mounted 12V motor, carriage for holding motorcycle/scooter tires with Quick crank. Incl. Radio remote control. (Folding drive-on rail 46396 not included)

#### Rail length 190 cm

Guide rail right	442257	1333,-
Guide rail left	442258	1333,-

#### Rail length 200 cm

Guide rail right	44225	1333,-
Guide rail left	442251	1333,-

#### Manually operated feeder



- Manual loading and unloading of motorcycles or scooters into the rear garage
- Precise guidance is ensured during insertion and removal
- For tire sizes from 8" to 21"
- Front wheel mounting with knurled screw
- Maximum load: 160 kg

#### Technical data:

Rail dimensions: L 2000/1900 x W 110 x H 70 mm, Dimensions front wheel support: H 400 x W 580 x D 350 mm Weight approx. 11 kg, max. load 160 kg.

#### Scope of delivery:

Rail with manual feed device. Carriage for holding motorcycle/scooter tires with knurled screw. (Folding drive-on rail 46396 not included)

#### Rail length 190 cm

Guide rail right	442254	657,-
Guide rail left	442256	657,-

#### Rail length 200 cm

Guide rail right	442252	657,-
Guide rail left	442253	657,-

### Accessories for electric and manual feed




#### Folding drive-on rail

For driving motorcycles or scooters into the rear garage. Length: 226 cm, loadable up to 340kg. Can be compactly stored when folded.


46396 234,-

#### Bicycle conversion set for electric and manual retraction Carriage for 2 bicycles (for conversion). right/left

442298



### Bicycle indents



#### Manually operated feeder

- Manual loading and unloading of 2 bikes, E-Bikes or fatbikes
- Including bicycle lifting handle for loading without ramp

#### Rail length 190 cm

Guide rail right	442268	719,-
Guide rail left	442269	719,-

#### Rail length 200 cm

Guide rail right	442266	719,-
Guide rail left	442267	719,-

#### Accessories for bicycle retracts

**Motorcycle/scooter conversion kit** Sled for motorcycle/scooter. Front wheel attachment in the carriage with knurled screw.

(Folding drive-on rail 46396 not included)

Guide rail right 442293 385,-



## SmartRail - Electric to the rear garage

- With the SmartRail electric garage retractor, a scooter can be safely stored in the garage in no time at all and without additional helping hands
- The front wheel of the scooter (max. 150 kg) is inserted into the wheel holder of the Smart Rail via a drive-on rail and fixed in place using the handlebar tensioning strap supplied
- Pulling into the garage with electric version via a toothed belt by means of a wired remote control
- Rail: length 1900 mm, height 60 mm, width: 280 mm

### SmartRail manual garage retraction for scooters up to 150 kg

**Scope of delivery:** Rail system with carriage, drive-on rail, 1 handlebar tensioning strap, 2 tensioning straps for rear attachment.

442441 1049,-

### SmartRail electric garage retractor 12 V for scooters up to 150 kg

Almost no loss of storage space.

**Scope of delivery:** rail system with carriage, wired remote control, drive-on rail, 1 handlebar tensioning strap, 2 tensioning straps for rear attachment.

44244 1599,-

The payload depends on the slope of the ramp rail.



1599,-



## Findus - light load carrier with high payload

- Lightweight aluminum beam in modular system
- Low loading height
- Load bearing frame extension required
- Equipped with quick release fasteners for tool-free assembly and disassembly
- Can be combined with Linnepe trailer hitch
- Payload up to 150 kg
- Weight approx. 28 kg

These load carriers from Linnepe allow the transport of various two-wheelers, depending on the version. Thus, E-Bikes, bicycles or scooters can be transported as desired.

**Findus - Load carrier** for transporting a motor scooter complete with ramp rail, retaining bracket, lashing straps, and wedges. Weight: approx. 27 kg, Low projection: 490 mm, little change in vehicle length. Width: 2000 mm, Depth: 490 mm, Rail dimensions: L 1900 x W 190 mm

46649 1299,-

### Accessories for Findus load carrier

**Electric kit with AFC module** 46699 169,-

**Electric kit with Canbus system** For Fiat Ducato, Peugeot Boxer + Citroën Jumper from My. 7/06 466991 219,-

Suitable for all common motorhomes with load-bearing frame extension and / or Alko chassis.



1299,-

## E-Bike



### Findus 2.0 bike rack

Ideal for 2 bikes. Very suitable also for heavy E-Bikes. No great effort required due to low loading height.

Rail width: Inside 60 mm/Outside 80 mm Rail length: 1900 mm

#### Scope of delivery:

Retaining bracket, bike rails and mounting hardware for two bikes.

#### Technical data:

Payload: up to 80 kg, weight: approx. 27 kg, low projection: 490 mm, width: 2000 mm

466492 1149,-



## E-Bike

### Bicycle holder Plus for load carrier Findus/Findus 2.0

For transporting 2 additional bicycles max. payload 25 kg, weight approx. 6 kg; scope of delivery: 2 bicycle rails, 2 extensions, 2 holding arms

466494 349,-





### Load carrier GiroVan

- Transport of 2 bicycles/E-Bikes
- Pivotal: allows the rear doors to be opened when loaded
- Can be combined with Linnepe trailer hitch
- Equipped with quick release fasteners for tool-free assembly and disassembly
- Can be folded up without tools when unloaded (approx. 25 cm shorter)
- Dimensions approx. W 175 x D 63/38 cm
- Payload up to 80 kg
- Weight approx. 47 kg

The swiveling GiroVan was specially developed for the Fiat Ducato, Citroën Jumper and Peugeot Boxer panel vans from model year 07/2006. It impresses first and foremost with its elegant design and the flexibility it offers.

#### Scope of delivery:

Load carrier including mounting elements and fastening material.  
Rail width: Inside 60 mm/outside 80 mm. Rail length: 1350 mm

GiroVan short overhang (L1, L2 + L3)	466501	2099,-
GiroVan long overhang (L4)	466502	2199,-



### Slide-Port & Trigger - Duo for panel van

- The ideal carrier for panel vans type Fiat Ducato and identical in construction
- Slideport: platform can be pushed to the left to the side for access to the rear door with roller
- Equipped with quick release fasteners for tool-free assembly and disassembly
- Can be combined with detachable Linnepe trailer hitch
- With EC type certificate - no entry in the vehicle documents

#### Simply load ...

The load carriers are supplied with drive-on rail for loading. The rail disappears into a drawer under the carrier when not in use, out of the way when the tailgate is opened.

#### ... just take off

Like all Linnepe load carriers, the Trigger and SlidePort are removable. The platform carriers can be removed without tools and in just a few moments thanks to the special quick-release attachment to the vehicle.

**Technical datapayload:** 170 kg, (Trigger with certificate 200 kg possible).  
**Weight:** Trigger approx. 51 kg, SlidePort approx. 59 kg, D: 650 mm, L: 2000 mm.  
**Rail dimensions:** L 1900 x W 190 mm

**Scope of delivery:** Load carrier including mounting elements and fastening material.

**Slide port with short overhang, movable**  
For Fiat Ducato length: 6.00 m **46625** **2199,-**

**Slide port with long overhang, movable**  
For Fiat Ducato length: 6.40 m **46626** **2299,-**

**Trigger with short overhang, not movable**  
For Fiat Ducato length: 6.00 m **46725** **1749,-**

**Trigger with long overhang, not movable**  
For Fiat Ducato length: 6.40 m **46724** **1849,-**

**Electric kit for load carrier Slide-Port**  
13-pin with AFC module **46699** **169,-**  
Fiat Ducato X250/X290 with Canbus system **466991** **219,-**

**Bicycle holder Plus**  
To expand the carrier with 2 bikes **46672** **299,-**

**Bike holder Basic**  
System for transporting 2 E-Bikes **46672** **299,-**

**Retaining bracket for motorcycle carrier** **466251** **240,-**



Bicycle holder Basic

## Load carrier XtraFold

- For a scooter
- Load bearing frame extension required
- Equipped with quick release fasteners for tool-free assembly and disassembly
- Can be folded up without tools (approx. 40 cm shorter)
- Can be combined with Linnepe trailer hitch
- Material: steel/aluminum
- Dimensions: 2000 x 600/300 mm
- Payload up to 150 kg,
- Own weight approx. 39 kg

The XtraFold load carrier is so robustly constructed that it can carry scooters and smaller motorcycles weighing up to 150 kg and can also be folded up. Rail dimensions: L 2000 x W 160 mm

**Scope of delivery:** Load carrier including mounting elements and fastening material.

466500

1599,-

1599,-



## Porto - motorcycle carrier - the cheap

- Material mix of steel and aluminum
- Load bearing frame extension required
- Equipped with quick release fasteners for tool-free assembly and disassembly
- Can be combined with Linnepe trailer hitch
- Payload max. 150 kg
- With EC type approval

**Scope of delivery:** Load carrier including mounting elements and fixing material Depth: 650mm, Length: 2000mm, Rail dimensions: L 1900 x W 190 mm Weight: approx. 41 kg

46627

999,-

**Electric kit** 13-pin with AFC module

46699

169,-

**Electric kit** Fiat Ducato X250/X290

with Canbus from 7/06\*, \*

also for Peugeot Boxer + Citroën Jumper

466991

219,-

Suitable for all common motorhomes with load-bearing frame extension.



Quick release fastener  
"Assembly without tools"

## Scout motorcycle carrier - light weight, clear look

- Shock resistant, visually appealing aluminum light bar
- Expandable for additional transport of up to 2 bicycles
- Equipped with quick-release clamps for tool-free assembly and disassembly
- Viable frame extension required
- Can be combined with Linnepe trailer hitch
- Payload up to 150 kg
- Weight approx. 39 kg



Bicycle holder Plus

### Scout motorcycle carrier

Load carrier including mounting elements and fixing material Depth: 550mm, Length: 2000mm, Rail dimensions: L 1900 x W 190 mm

Weight: approx. 39 kg

46679

1879,-

**Electric kit** 13-pin with AFC module

46699

169,-

**Electric kit** Fiat Ducato X250/X290 with Canbus as of 7/06\*

\*also for Peugeot Boxer + Citroën Jumper

466991

219,-

Suitable for all common motorhomes with load-bearing frame extension.



### Bike holder Plus Scout for 2 bikes

For transporting 2 wheels (payload up to 25 kg) next to a motorcycle or scooter;

**Scope of delivery:** 2 wheel rails, 2 extensions, 2 holding arms Weight: approx. 6 kg.

466791

299,-



# MOTORCYCLE CARRIER / TRAILER COUPLINGS

## Cate rear rack for vans and panel vans

- With TÜV approval
- Up to 300 kg payload (see table)
- Foldable - for easy loading



### Removable motorcycle carrier

With lighting device and 13-pin plug. Assembly instructions included.

Necessary parts: Adapter, base carrier, accessories

### Basic carrier I for station wagon and panel van

For all vehicles included in the above list

D600 x W1400 mm, 20 kg	46321	1084,-
D800 x W1400 mm, 24 kg	46322	1195,-

### Adapter for box and station wagons


Vehicle	Year	Payload	Wheelbase	Hitch clut.		Art.No.	Price
				yes	no		
VWT5/T6	> 4/03	250 kg	all		x	46324	661,-
VWT5/T6	> 4/03	250 kg	all	x		46325	606,-
Sprinter/Crafter*	> 4/06	300 kg	all	x		463431	606,-
Sprinter/Crafter*	> 4/06	300 kg	all		x	463421	606,-
Fiat Ducato**	> 07	250 kg	all		x	46391	672,-
Fiat Ducato**	> 07	250 kg	all	x		46392	550,-

\* Not for short wheelbase with AHK (trailer coupling)

\*\* Fiat Ducato identical m. Peugeot J5, Citroën C 25, Peugeot Boxer, Citroën Jumper

## Accessories

- ① **Rear guard** Protects against slipping of the load, facilitates the attachment of the motorcycle **46353R 249,-**
- ② **Transport floor** Protects motorcycles from dirt from below.  
Depth: 600 mm **46357 385,-**  
Depth: 800 mm **46358 457,-**
- ③ **Motorcycle rail set** Consists of stand and ramp rail, made of aluminum checker plate. Incl. Fastening material  
For light motorcycles up to 150 kg **46350 495,-**  
For heavy motorcycles up to 300 kg **46351 672,-**
- ④ **Lashing strap** With ratchet and steel hook, length approx. 4 m.  
Recommended 4 lashing straps per motorcycle  
Lashing strap, 1 piece **46352 13,40**



## Trailer couplings for motorhomes with up to 2 t/3 t towing capacity

Available for almost all motorhome bodies. All metal parts are KTL-coated, the crossbeam is additionally powder-coated. The frame extension for vehicles without or with non-load-bearing frame extension is supplied in maximum length. It can be shortened to fit the particular overhang. Complete disassembled assembly unit with EC type approval. The maximum towing capacity is 2 t.

### Trailer hitches for Fzg. with frame extension, 2 t towing capacity

e.g. load-bearing high/low frames, pay attention to trailer load

- ① **12.5 kN with load-bearing extension. Weight 70 kg**  
**46654 599,-**

### Trailer hitches for Fzg. without frame extension, 2 / 3 t towing capacity

12.5 kN without load-bearing extension. Weight 30 kg

- ② **Ball head fixed, 2 t towing capacity** **466541 944,-**



## Trailer couplings for panel vans with Eurochassis

Trailer hitch specially designed for Fiat Ducato, Citroen Jumper and Peugeot Boxer > 07/2006, available with two different ball heads. The trailer hitch with fixed ball head is powder coated and the one with removable ball head is hot dip galvanized.

Complete disassembled assembly unit with EC type approval. The maximum trailer load is 3 t.

### Trailer couplings for panel vans with Euro chassis, 3 t towing capacity

Weight: approx 20 kg

- ③ **NEW: Ball head fixed for Fiat Ducato 8 type X250&X290**

Also suitable for folding bike racks. Support load 100 kg

	<b>E10700</b>	<b>379,-</b>
③ <b>Ball head fixed</b>	<b>46578</b>	<b>469,-</b>
④ <b>Ball head removable</b>	<b>465781</b>	<b>546,-</b>



## Electric cable sets 13-pole for vehicles

Is needed for both the towbars and the load carriers from Linnepe

with mechanical flasher relay	<b>465787</b>	<b>99,80</b>
with electronic flashing control	<b>465788</b>	<b>142,50</b>
with Can-Bus interface	<b>465789</b>	<b>229,-</b>
<b>NEW: for Citroen/Peugeot/Fiat Jumper/Boxer/Ducato &gt; 02/11, also for Ducato 8</b>	<b>466993</b>	<b>219,-</b>

## Ordering information trailer hitch

Please always specify point 1 - 6 when ordering towbars or frame extensions, otherwise correct delivery is not possible:

1. FIN = chassis number
2. Base vehicle
3. Bodybuilder
4. Model/type designation
5. Year of manufacture
6. Item number

### Motorhome without frame extension



### With frame extension and AHK





## VARIO & VARIO Light - high quality, flexible and functional

- Payload: up to 150 kg
- EC type approval available
- For 1 scooter, 4 bikes or 1 scooter + max. 2 bikes
- Mostly aluminum
- Removable without tools
- High-quality, user-friendly design
- Variable loading depth from 620 - 800 mm as standard
- Platform with folding function
- Bicycle rails and support arms with ratchet quick release fastener
- Incl. Standard receptacles

The VARIO is mostly made of aluminum and consists of high quality components such as the Bike rails and support arms adapted to E-Bikes or the crossbar made of stainless steel. Can be folded up in a few simple steps and thus remain space-saving on the motorhome. In addition, the VARIO has a variable loading depth and can be extended from 620 to up to 800 mm. Dimensions: W 2011 x D 937 mm. Motorcycle rail dimensions: width: outside 206/inside 91 mm, length 2000 mm. Weight off. 31 kg

Complete system for 1 scooter + 2 bikes	440005	1609,-
Complete system for 2 bikes	440028	1436,-
Complete system for 3 bikes	440029	1699,-
Complete system for 4 bikes	440009	1609,-




Vario system



Vario Light System

The VARIO Light is equipped with the same high-quality components as the VARIO. The properties of the two carriers are identical. The light carrier design is a little different, making it look a little lighter and a little cheaper.

Complete system for 1 scooter + 2 bikes	440030	1645,-
Complete system for 2 bikes	440031	1500,-
Complete system for 3 bikes	440032	1599,-
Complete system for 4 bikes	440033	1688,-



## VELO III load carrier for E-Bikes or bicycles

This folding bike rack has an extremely low weight of only 16 kg. The Bike rails are specially designed for E-Bikes. With ratchet quick release. Load capacity 80 kg.

**Scope of delivery:** Fold up carrier, with mounting hardware for E-Bikes or bikes. With light carrier.

### VELO III load carrier

for 2 bikes / E-Bikes	440348	1019,-
for 3 bikes	440349	1095,-

Reinforcing parts and frame extension on request

Suitable for vehicles with load-bearing frame extension and/or ALKO chassis







## MFT carrier system for Rear box and bike

- Simple, fast and tool-free assembly
- State-of-the-art SMD LED lighting technology
- Up to 185 cm inner length possible due to optional interchangeable inserts
- High strength, glossy and scratch resistant plastic
- Foldable for problem-loose trunk access
- Payload up to 57 kg



155,-

### MFT BackCarrier base carrier

Whether the daily shopping, the complete ski / golf equipment or bicycles, with the BackCarrier system you are variably positioned. Various attachments can be mounted. The Backpower bike rack, the Backbox, the BackPack or the BackWork.

#### BackCarrier base carrier

Weight approx. 10 kg, max. load 82.5 kg, foldable and lockable.

440011 155,-



### MFT BackBox rear box

The BackBox accompanies you in all activities that require a little more storage space. The BackBox is attached to the BackCarriers and is also foldable when loaded. Of course, it is lockable. The LED illumination is connected via the 13-pin connector.

**BackBox** for BackCarrier base support, L 53 x W 154 x H 74 cm, volume 300 l, Weight approx. 19.5 kg, max. load 57 kg, lockable.

Silver	440012	790,-
White	440013	890,-
Black	440014	890,-



### MFT BackPower bike rack

The BackPower bike rack is specially designed for transporting 2 E-Bikes up to 30 kg and is expandable to 4 normal bikes. The BackPower is attached to the BackCarriers. The LED illumination is connected via the 13-pin connector.

**BackPower bike rack** for BackCarrier, Space for 2 bikes, weight about 16 kg, L 54 x W 132 x H 90 cm, max. load 66 kg.

	440019	385,-
Extension for 3. Wheel	440020	99,-
Extension for 4. Wheel	440021	141,-



### BackWork carrying frame

for BackCarrier base carriers, Weight approx. 3 kg, L 30 x W 100 x H 32 cm.

440026 90,-



2<sup>he</sup>  
SET

**Widenings** for BackBox. For left & right. Widening by approx. 36 cm. Volume +26 l.

Silver	440015	139,-
White	440016	139,-
Black	440017	139,-



### BackPack transport platform

for BackCarrier base carriers, Platform with aluminum floor. Weight ca. 14 kg, L65xW136xH32 cm, loading area 54 x 130 cm.

440027 329,-



### BackSupport folding aid

for BackBox, for easier folding of the box when loaded.

440018 75,-



### Carry-Bike VW T6/T6.1 Pro

- Visually improved and technically strengthened
- Easy assembly and installation
- Tailgate can be opened with Carry-Bike mounted, without bikes

Solid anchoring to the reinforcement points of the tailgate. Also suitable for models with raised roof.

**Carry-Bike Pro VW T6/T6.1 tailgate,**

Deep Black 440404 752,-



### VeloSlide Bike carrier for rear garages

- For 2 electric bikes
- Robust safe posture
- Very space-saving when not in use, the carrier can be compl. be taken out
- Load capacity 70 kg
- Retractable and extendable up to 1.35 m by one-hand operation

Weight Standard/Short: approx. 20.9/19.9 kg, (without mounting rails),

**Standard:** Dimensions L195xH80xW40 cm **44353 1079,-**

**Short:** Dimensions L180 x H80 x W40 cm **443002 1079,-**

#### Install Set (mounting rails)

70 cm 3 pcs . **443531 78,-**

140 cm 3 pcs . **443532 157,-**

### Accessories: THULE VeloSlide Fork Mount Adapter Kits

- Lowers bicycle handlebars (-15cm)
- Replaces front wheel with thru axle
- 2 different kits depending on the axle mount

#### ① Quick Release Adapter

compatible with standard 9 mm quick release systems

**443535 97,-**


#### ② Thru-Axle Adapter

For through axles , with additional adapters (12x100/110, 15x100/110, 9x100)


**443536 97,-**



**1079,-**



**Standard model**







## Universal bike rack for interior, trunk, rear garage

- Suitable for all types of vehicles: station wagon, minivan, van, caravan, motorhome
- Simple and reliable solution for transporting their bikes
- Innovative concept for the transport of 1-4 bicycles
- Intelligent rail system
- Adjustable fork carriage for displacement over the entire length
- Fork carrier with 360° rotation for the perfect positioning of your bike on the rail
- Easy installation without tools
- Made of natural and blue anodized aluminum



### ① Bicycle carrier EASY IN CLASSIC:

Highly stable rail with anti-slip coating, length: approx. 99 cm, width: 16 cm, thickness: 2.9 cm, weight: 3.8 kg (without accessories)

Scope of delivery: 1 rail, 2 fork carriage

**44580 289,-**

### NEW: EASY IN CLASSIC 2:

Material: polyurethane + aluminum

**445801 229,-**

### ② Bicycle carrier EASY IN Pro:

Rail equipped with 2 adjustable lateral fixations, length: 103 - 180 cm, width: 6 cm, thickness: 2,9 cm, weight: 3,5 kg (without accessories)

Scope of delivery: 1 rail, 2 fork carriage

**44581 379,-**

### NEW: EASY IN PRO 2:

Material: polyurethane + aluminum

**445811 319,-**

### ③ Zusher Fork carriage

with 20 mm axle for each axis (see adapter)

Material: Aluminum

**44582 75,-**

### NEW: Fork carriage 2:

Material: polyurethane + aluminum

**445821 42,-**

### Booster for lifting the fork carriage

④ Booster 60 by 60 mm

**44589 27,50**

⑤ Booster 250 by 250 mm

**445891 39,-**

### ⑥ Wheel support

Compatible with all wheel axles, 2 recesses for quick release fasteners, fixation by clamping knob

**44583 79,-**

### ⑦ Wheel cover

For transport, material 100% polyester. Shoulder strap and handles. Ø 75 cm.

**44588 69,-**

### ⑧ Adapter AD 9 x 100 for open forks

For all wheel axles with Ø 9 mm and length 100 mm

**44587 25,90**

⑨ Adapter AD 15 x 100 for closed forks. For all wheel axles with Ø15mm and length 100 mm

**44584 14,90**

⑩ Adapter AD 15 x 110 for closed forks (BOOST standard). For all wheel axles with Ø15mm and length 110 mm

**44585 14,90**

⑪ Adapter AD 12 x 100 for closed forks (ROAD DISC BRAKE). For all wheel axles with Ø12mm and length 100 mm

**44586 16,90**

\* We recommend the additional fixation of the Bike holder in the vehicle.




## Carry-Bike Garage Standard for max. 3 bikes

- Secure mounting
- Requires little space
- Support bracket can be folded up
- Wears only about 4 cm

For 2 wheels, expandable up to max. 3 wheels, load capacity: 50 kg  
With 2 rails Rail Strip, Bike Block 1+3  
Weight: 4.8 kg

Bicycle rail for 3. Wheel  
per piece 44428 38,70

44461 232,-



For safe standing of your wheels in the rear garage



Standard - up to max. 3 bikes



## Carry-Bike Garage Plus for max. 4 bikes

- Secure mounting
- Requires little space
- Support bracket can be folded up
- Wears only about 4 cm

For 2 wheels, expandable up to max. 4 wheels,  
Load capacity: 60 kg  
With 2 rails Rail Quick, Bike Block 1+3  
Weight: 5.6 kg


Bicycle rail for 3. resp. 4. Wheel  
per piece 44426 57,-

44460 271,-

So 4 wheels are safely in the rear garage



Plus - up to max. 4 bikes



## Bike rack Sport G2 Garage

- For 2 bikes, maximum 4 bikes
- Rails can be adjusted without tools
- Load capacity 50 kg
- Fold up when not in use
- Load per rail max. 19 kg

Weight 5,6 kg 44340 279,-



279,-



Extension set 3. Wheel for Thule Sport G2

Rail and spacer, weight: 3 kg 442981 87,-

Extension set 4. Wheel for Thule Sport G2 Garage

Rail and spacer, weight: 3 kg 442982 97,-



## Garage Slide Pro Bike Extendable Bike rack for the rear garage

Pull out bike rails, 7.5 cm high, for 2 bikes. Smooth running aluminum rails on nylon ball bearing casters. Height adjustable from 9-13 cm, weight: 8.4 kg

436801 621,-



height adjustable from 9-13 cm








**Kit Eye Premium / Corner, 2 additional eyelets**  
**441717 12,-**




**Kit Eye 2 additional eyelets**  
**44144 12,-**

## Rail systems for the rear garage



**① Floor/wall rail Garage Bars Premium 60**, Scope of delivery: 2 rails L: 60cm 2 fastening straps  
**441715 110,-**



**① Floor/Wall Rail Garage Bars Premium 200**, Scope of delivery: 2 rails L: 200 x W: 6.6 x H: 1.3 cm 4x KitEye Premium 8 pieces  
**441714 208,-**



**② Fixing for the garage wall Garage Bars**, Scope of delivery: 2 rails L: 200 x W: 6.6 x H: 1.3 cm + 5x KitEye 10 pcs  
**44143 135,-**



**Corner 200**, Scope of delivery: 2 rails L: 200 x W: 5 x H: 5 cm + 4x KitEye Premium 8 pcs.  
**441716 209,-**

**③ Corner holding rail Garage Bars**



## Cargo Strap lashing system

**① Cargo Strap**, scope of delivery: 2 plastic rails, 2 tensioning straps + 24 screws Load capacity: 20 kg  
**44227 37,-**

**② Cargo Accessory Kit**, 4 additional hooks and 2 tension straps  
**442271 18,-**



## Clothes rail

**Carry Rail clothes rail** in elegant design. Anodized aluminum tube, stainless steel end pieces. Length 100 cm, can be shortened. **44183 68,-**



## Support rail for roof mounting in the rear garage Making good use of storage space in the rear garage













2 ceiling rails for mounting e.g. ladders, awning crank and div. Camping items incl. webbing with 2 fast-click gliders



**Scope of delivery complete set:** 2 carrier rails, 2 pairs of webbing straps, 2 pairs of Fast-Click gliders, 4 pcs roof fasteners, 4 star grip nuts, 4 pcs bolts





Rail length 750 mm **443991 285,90**  
Rail length 1030 mm **44399 309,90**

## Holding and lashing eyes




 <p><b>Metal closure bracket</b>, Hole spacing 53 mm, 2 pcs .  <b>29471</b> <b>8,50</b>  <b>29471L</b></p>	 <p><b>Retaining lugs kit</b> stainless steel  35 x 30 x 20 mm  4 pieces <b>44176</b> <b>22,-</b></p>	 <p><b>Lashing trough</b>, recessed installation with D-ring and lug, L: 104 mm, H: 12 mm  <b>44313</b> <b>13,95</b></p>	 <p><b>Aluminum lashing plate for fitting</b>  400 daN, Ø44.5mm, height 10.2mm.  <b>44312</b> <b>12,90</b></p>
 <p><b>Fitting eyelet</b>  Load capacity 300 daN Ø Inside: 29.5 mm  <b>44320</b> <b>8,40</b></p>	 <p><b>Triangle ring eyelet</b>  Load capacity 400 daN Ø Inside: approx. 28 mm  <b>44317</b> <b>16,60</b></p>	 <p><b>Lashing plate</b>, Load capacity: 200 daN, Height: 11 mm  <b>44316</b> <b>3,60</b>  <b>Tab for D-ring</b>, Hole spacing 45 mm  <b>44315</b> <b>3,20</b></p>	 <p><b>Kit Eye Premium / Corner</b>, 2 brackets to lash with a practical quick release, for Fiamma Garage-Bars Premium and Garage-Bars Corner  <b>441717</b> <b>12,-</b></p>
 <p><b>Lashing plate</b>, Load capacity: 200 daN, Height: 11 mm  <b>44314</b> <b>10,30</b></p>	 <p><b>Tension rubber with plastic hook</b>  1 piece  60 cm <b>44221</b> <b>4,10</b>  100 cm <b>44222</b> <b>9,95</b></p>	 <p><b>Tensioning rubber with steel hook</b>  1 piece,  60 cm <b>44219</b> <b>2,15</b></p>	 <p><b>Quick release Jet Rope</b> with ratchet function for tents, windbreaks and more. Useful length approx. 1.90 m, can be loaded up to max. 30 kg  <b>93649</b> <b>7,90</b></p>

## System rails and accessories - Secure hold for your equipment

Professional, high security, system rails for walls, corners and on the floor, lightweight and compact, easy handling, high lashing strength, versatile accessories, suitable for wheelchair attachment.

 <p>① <b>Recessed corner rail</b> for corner mounting or recessed installation L: 200 cm, W: 49 x H: 16 mm  Weight: 2 kg <b>44301</b> <b>89,95</b>  GP*44,98 / 1 m</p>	 <p>② <b>Screw-on rail semicircular</b> for wall and floor mounting. Rounded edges L: 200 cm, W: 50 x H: 11.5 mm  Weight: 1.52 kg <b>44300</b> <b>64,50</b>  GP*32,25 / 1 m</p>	 <p>③ <b>Extra wide rail</b> For screwing on or gluing. For wall and floor mounting. L: 200 cm, W: 65 x H: 11 mm  Weight: 1.6 kg <b>44302</b> <b>71,-</b>  GP*35,50 / 1 m</p>	 <p>④ <b>Extra narrow rail</b> For screwing on or recessing. For wall and floor mounting. L: 200 cm, W: 34,5 x H: 13,5mm Weight: 1,8 kg  <b>44303</b> <b>82,-</b>  GP*41,00 / 1 m</p>
---	--	---	--

## Fasteners for system rails ① to ④

 <p>⑤ <b>Heavy duty ring eye</b>  Load capacity: 100 daN  <b>44324</b> <b>28,70</b></p>	 <p>⑥ <b>hook fitting</b>  suitable for wall and ceiling rails, load capacity: 50 daN, do not use as lashing point. <b>44325</b> <b>22,60</b></p>	 <p>⑦ <b>Holder for rectangular tubes</b>  Load capacity: 800 daN, with aluminum profile, for 65 mm squared timber or rectangular tubes  <b>44326</b> <b>40,20</b></p>	 <p>⑧ <b>Bolt with stop - nut M8</b> Clamping range 0-54 mm, galvanized steel 500 daN  <b>44322</b> <b>13,20</b></p>	 <p>⑨ <b>Screw fitting with sheet metal nut M8</b>  Clamping range 0-20 mm, galvanized steel 160 daN  <b>44321</b> <b>15,90</b></p>	 <p>⑩ <b>Spacer sleeves</b> So that the wall does not compress when screwed tight. Made of plastic. Ø: 24 mm, length: 28 mm, hole Ø: 8.4 mm Per pc.  <b>A5408453</b> <b>5,16</b></p>
--	--	---	---	--	--



### Adapter

- Can be used on any rail
- 1-lever handling (steel)

For fastening cabinets, walls, containers.  
Dimensions: 400 x 35 x 44 mm  
Holes M8, 1500 daN  
**44330**



## PRODUCTS FOR THE REAR GARAGE



**NEW**  
2023

**FIAMMA**  
home is everywhere



### Arrangement systems for the rear garage

#### Garage Pack Plus - for 2 - 3 bikes

**Load securing device** with 2 aluminum bars 198 cm long. For mounting on the rear garage wall, with 8 rings for lashing cargo,

**Organizing system:** 2 aluminum strips for mounting 1 Utensilo S Height: 84 x Width: 50cm and 1 Utensilo for 10 pairs of shoes.

**Scope of delivery for transport of 2 wheels:** Per 2 aluminum bars 63 cm, 79 cm, 198 cm, 2 reinforced rails Rail Quick Pro, 1 support bar for mounting the Bike-Blocks 1x Pro D1+ 1x Pro D2, Organizer S, Organizer Shoes, 8 galvanized rings, 1 rubber  $\varnothing 0.8 \times 180$  cm, 4 strip for fixing the wheels. Weight: 10,5kg

440512

454,-



**NEW**  
2023



#### Garage Pack - for 2 - 3 bikes

The variable and flexible lashing rail module system for the rear garage. **Load securing device** with 1 wall rail 198 cm long, with 2 rings for lashing cargo. For mounting on the rear garage wall, with mounting material, Rail Quick Pro, weight: 4 kg

440511

164,-



**HINDERMANN**

### Storage space system for panel vans

- Zippers are arranged in such a way that the furniture only needs to be pushed in or pulled out
- Exterior mesh pocket provides additional storage space
- Made of padded sturdy black polyester fabric

With this portable storage and storage space, your camping furniture is always handy and safely stored in your vehicle. The bag has 5 side mounted tabs with LOXX snaps. Size: 116 x 30 x 66 cm

927074

142,50



189,-



### Zoombox 1 + 2 - the dust box under the bed

- Easy mounting under the rear bed
- Dimensionally stable due to HDF shelves
- Ideal use of space

The Zoombox can be easily mounted under the rear bed and allows a new order in the motorhome. With the help of the 12 loops it can be optimally fixed. The 3-fold partition allows the table and chairs to be stored separately.

The securing strap with high-quality click fastener is used to fix bulky camping furniture. The extremely tear-resistant plastic fabric is dirt-resistant and washable.

- ① **Zoom box 1**, 20-38 cm height adjustable

Dimensions: 75 cm wide,

91943

189,-

- ② **Zoombox 2**

Dimensions: 25 cm wide, 65 cm

91944

189,-

### Folding closet / closet

- For installation in the garage of caravans or motor homes
- Very simple to assemble and lightweight

This folding cabinet has 8 rings to attach it to the walls or floor to prevent it from slipping. The stabilizers on the feet also allow use outside the garage.

Ideal for use in winter, as it can be positioned on the output of the heater in the garage, so wet clothes will dry very easily. Folding dimension: 104 x 52 x 13 cm, dimension open: 104x52x50 cm, weight: 3,62 kg

926292

95,-



**Clothes rail for the rear garage** The clothes rail is available in two lengths: from 85 - 150cm and from 115 - 220cm, long version (1150 x 40 x 40 mm) 44505 44,-

### E-Bike foldable "FIETE"

- 20" wheel size
- Battery 36 V/10.4 Ah
- Rear-wheel drive
- Bike computer with LC display
- 250 W motor/36 V, iD54
- 6-speed Shimano SIS gears
- Tektro disc brakes
- Magnetic closure
- Max. Payload 120 kg
- StVZO compliant



**NEW** Color "Henri"

The 20 inch folding E-Bike in a sporty look is a real eye-catcher. The sturdy magnesium frame can be folded in no time thanks to the intelligent quick-release folding mechanism with magnetic lock. Thanks to its small dimensions, the folding bike is perfect for car, camper, boat, ... "FIETE" has high quality Tektro disc brakes and 6-speed Shimano SIS gears for a comfortable ride. The bicycle computer with LC display controls the 3-stage pedal assistance up to 25 km/h. The Li-Ion battery integrated into the frame with 36 V and 10.4 Ah convinces with a range of up to 70 km (depending on loading, riding style and area of use). The battery can be removed and charged separately. The 250 W motor is inconspicuously installed in the rear wheel.

Dimensions opened: L152 x W57 x H104 cm folded: L80 x W43 x H60 cm, Weight incl. battery: approx. 21 kg

<b>NEW</b> Color "Henri"	908961	1699,-
<b>NEW</b> Spare battery	908962	475,-



### E-Bike foldable "FRANZI"

- Low-entry with coaster brake
- Aluminum frame
- Front-wheel drive
- 20" wheel size
- Battery 36 V/10.4 Ah removable/lockable, charging time 4-6 hours
- Max. Load capacity 110 kg
- 5 level pedal support
- Suspension seatpost
- 3-speed Shimano hub gears
- 250 W motor/36 V, iD65
- StVZO compliant



The low-entry model is ideal for those who find it too difficult to get on conventional bikes, but do not want to give up cycling. It has a front motor and front and rear brakes that can be operated by the levers on the handlebars, as well as a convenient coaster brake. The Shimano hub gear supports with 5 selectable levels. With the removable battery, you can travel up to 80 km (depending on loading, driving style and area of use).

Color: Titanium matt, Dimensions: opened: L150 x W58 x H114 cm folded: L81 x W46 x H69 cm, Weight incl. battery: approx. 22 kg

	908962	1799,-
<b>NEW</b> Spare battery (3 kg)	9089622	460,-



### City E-Bike foldable "FRIDA"

- 24" wheel size
- Rear-wheel drive
- Battery 36 V/10.4 Ah removable/lockable, charging time 4-6 hours
- 6 speed derailleur
- Disc brakes front and rear
- Aluminum frame
- 250 W motor/36 V, iD65
- Max. Load capacity 110kg
- StVZO compliant



The foldable city E-Bike with 24 inch in elegant design is an eye-catcher. The large wheels, 6-speed derailleur and disc brakes make the Bike ideal for longer, leisurely bike rides, but also for an environmentally friendly shopping trip. Thanks to sophisticated mechanics, it can be folded in no time. The carrier offers space for a basket or additional luggage, underneath is the removable battery, with which you can travel up to 80 km (depending on loading, riding style u. Einsatzbereich). Due to the robust double stand, the Bike always has a secure stand.

Color: Lava gray matte, Dimensions: opened: L170 x W60 x H120 cm folded: L90 x W45 x H84 cm, weight incl. battery: approx. 22.5 kg

	908963	1699,-
<b>NEW</b> Spare battery (3 kg)	9089622	460,-



Accessories on page 258



## BICYCLE COVERS

HINDERMANN



### Basic Zwoo bicycle cover for motorhomes

3-D molded cover, which is pulled up from the rear front facing the vehicle and thus also protects the bottom of the Bike rack, but is not completely closed. At least one bicycle handlebar must be placed transversely. With rubber clamps. Glass clear bag for warning sign.

For max. 3 wheels, L:1,88m x H:1,70m x D:0,46m **44286** 85,-  
For max 4 wheels, L:1,88m x H:1,70m x D:0,66m **442861** 89,-

HINDERMANN



### Concept Zwoo All Around Bicycle Protective Cover

The Bike rack and the Bikes are protected from rain and dirt. Two zippers for the brackets are placed at different heights. Adaptation to different carriers is possible. Simple and convenient assembly. With reflective stripes. Clear glass pocket for warning sign.

For max 3 wheels, L:1.93m x H:1.90m x D:0.41m **44287** 95,-  
For max 4 wheels, L:1.93m x H:1.90m x D:0.61m **442871** 109,-  
For max. 2 E-Bikes, L:2,14m x H:1,90m x D:0,64m **442872** 105,-

HINDERMANN



### Bicycle cover City

- Material: polyester 210D, back with high quality PU coating

#### Optimized for use on panel vans

High-quality protective cover, which is pulled up from the rear to the vehicle and thus also protects the underside of the Bike rack from dirt. Back with 2 rubber clamps already retracted. Standard with sewn-on clear glass pocket for warning sign, which can also be used to attach ADDITIONAL BELTS Serves. (Warning plate not included in the scope of delivery)

Color: graphite gray 2-3 bikes **442851** 69,-



### Bicycle cover Universal Zwoo

- Universal protective cover
- Can be used over the caravan drawbar or rear carrier
- For E-Bikes or scooters
- Incorporated elastic

High quality cover to protect their bikes during transport. Integrated pocket for warning sign. Along the bottom edge is a hemstitch for incorporated the loosely enclosed elastic. Color: Grey

For 2 E-Bikes ca.. W 214xH 131xD 680 cm **442852** 89,-  
For 3 Bikes ca.. W 200xH 131xD 490-930 cm **442853** 95,-

THULE



### Bike Cover - Bike cover

- With integrated pocket for warning sign
- Waterproof ripstop polyester

High quality cover to protect their bikes during transport. Integrated pocket for warning sign, incl. packing bag for stowage.

Color: Black For 2 - 3 wheels **44278** 110,-  
For 4 wheels **44277** 120,-

HINDERMANN



### Accessories for a secure hold

- ① **Adjustable straps for bicycle carriers, with hooks** With hooks on both sides for hooking into the eyelets of the warning plate pockets. Length adjustable. Set: 2 pieces. **442863** 12,50
- ② **Adjustable straps for bike carrier, with snap hooks** For circumferential attachment with snap hooks. Length adjustable, universal use. Set: 2 pieces. **442864** 12,50

# BICYCLE PROTECTION COVERS FOR BIKE RACKS AND WARNING SIGNS



**CARBEST**  
INNOVATIONS FOR MOBILE LIFE

## Bicycle covers

- Very durable
- No more dirtying the Bikes
- Protection against weather influences
- Easy to install
- Very light, extremely tear-resistant plastic fabric

For 2 - 3 wheels, Grey	440750	59,-
For 4 wheels, Grey	44075	64,-



**CARBEST**  
INNOVATIONS FOR MOBILE LIFE

## Bike Cover - Bicycle cover for motorhomes

- Including pocket for warning sign with flap
- Waterproof with waterproof seams
- Elastic band with hook

Waterproof seams. Material: Polyester. Packing bag included. Black color.

For 2-3 wheels, Weight 1,2 kg	440754	39,-
For 4 wheels, Weight 1,4 kg	440755	46,-



**CARBEST**  
INNOVATIONS FOR MOBILE LIFE

## Bike Cover - Bicycle protection cover for the caravan drawbar

- For 2-3 bikes
  - Waterproof seam
- With inner band for fixation. Waterproof seams. Material: Polyester. Packing bag included. Color dark gray.

**29,95**

**440756 29,95**

## Bike Protectors Bike Cover S & Premium S



- No soiling during the ride
- Protection against weather influences
- Made of reinforced, resin-coated, water-repellent and lightweight polyester
- Standard with sewn-in pocket for the optional warning sign

### ① BIKE COVER S:

Adapts to any volume thanks to the adjustable straps.

Until 3 wheels	44469	60,60
For 4 wheels	44470	69,10

### ② BIKE COVER PREMIUM S:


Same features as the Bike Cover S, with self-lubricating Zippers on the sides and thus completely covering. Back with Velcro closure.

For 4 wheels	44471	89,40
--------------	-------	-------

**Note:** Not suitable for bike racks whose profile (or the Bikes to be carried) exceeds the vehicle width or covers the rear lighting.



Self-lubricating  
Zippers



## Bike Cover bicycle protection cover for caravan drawbar

- Protects the wheels from dirt
- Elastic band with stopper for secure lacing
- Made of reinforced, resin-coated, water-repellent and lightweight polyester

Hood system for the Caravan/XLA and Active series of Carry-Bike. For 2 wheels, Color: Gray

44472	55,90
-------	-------


## Warning signs for rear carrier and protruding load



Always mount warning signs so that the inscription is legible.



**12,20**



Duty in Italy



Duty in Spain

**Warning sign 50 x 50 cm** Light plastic version with four reflectors, non-reflective surface. For protruding loads. Not approved for Italy and Spain.

47116	12,20
-------	-------

**Aluminum warning sign 50 x 50 cm for Italy.** For bike carriers and extra-long loads. Five stripes. Reflective surface. Easy to install.

47117	31,45
-------	-------

**Aluminum warning sign 50 x 50 cm for Spain.** For bike racks and extra long loads. Three stripes. Reflective surface. Easy to install.

471171	39,90
--------	-------

### Reversible warning sign for Italy & Spain

Aluminum, 50 x 50 cm.. For bike racks and extra long loads. Five and seven stripes respectively. Reflective surface. Easy to install.

471174	41,95
--------	-------



## TENSION BELTS



### ① Tension straps

With metal buckle. Loadable up to 100 daN. Width 2.5 cm.

Length 1.10 m	2 pcs.	442011	4,70
Length 2,50 m	2 pcs.	442012	6,30
Length 5,00 m	1 pc.	442013	4,50

### ② REIMO tension belts, loadable up to 150 kg

With stable metal buckle, width 2.5 cm. Price per piece. Length 0,60 m

for sleeping roofs	44208	4,90
Length 0,80 m for gas cylinders	740091L	4,80
Length 1,10 m for gas cylinders	74009	4,95
Length 2,20 m	44216	6,20
Length 6,00 m	44207	7,30
Strap, linear meter without buckle	29443	1,30
Buckle, for webbing 25 mm	29442	2,30

### ③ Belt for sleeping roofs 60 x 2.5 cm

Black, stainless steel buckle, 1 piece 442081 5,30

### ④ Rubberized tension straps 2.0 m x 1.5 cm

High adhesion to the webbing, 2 pcs. 44200 11,95  
44200L

### Straps for quick attachment

suitable e.g. for bike racks. Width 1.3 cm.

⑤ L 2.00 m, Red with stainless steel buckle	1 pc.	442378	9,90
⑥ L 0,40 m, with nylon buckle	1 pc.	44232	1,95
⑦ L 0.4 m, Red with stainless steel buckle	2 pcs.	44237	10,60
L 0.4 m, Black, Stainless steel buckle	2 pcs.	442377	10,60



## Lashing and ratchet straps for optimal belt tensioning

100 daN = approx. 102 kg

- High tensile load
- Perfect load securing in the twinkling of an eye

### ① Ratchet straps

With steel hook and rubberized ratchet handle. Width 2.5 cm.

Length 2.5 m, loadable up to 250 daN.	1 pc.	442010	5,95
Length 5.0 m, loadable up to 250 daN.	1 pc.	44201	6,50

### ② Heavy duty ratchet strap 3.0 m x 5.0 cm

With steel claws, loadable up to 500 daN

Weight 1.64 kg. 1 pc. 44332 37,-

### ③ Ratchet strap 4.0 m x 2.5 cm

With ratchet and steel hook, 180 daN. 1 pc. 46352 13,40

### ④ Ratchet strap 5.0 m x 2.5 cm

With ratchet and steel hook. Webbing with Reimo logo. 1 pc.

44205 8,99

## Mounting straps for scooter and motorcycle

### Brace scooter or motorcycle on a load carrier

The belt loops are placed over the handlebars and tightened by means of ratchets. For all load carriers to which the ring lugs can be attached.

Weight: 1.8 kg,  
Tractive force: 1500 kg

44203 56,50



## CARBEST

INNOVATIONS FOR MOBILE LIFE

## Rubber tensioner with metal hook

- Package with 20 pieces

Length 38 cm	442202	19,-
Länge 53 cm	442203	20,95



## Tensile strength daN

daN, decanewton (10 Newton) is a unit used

e.g. in lifting technology or load securing to indicate the load capacity or breaking strength of ropes/belts (DIN 61360: Safe use of slings).

100 daN = approx. 102 kg

## The nylon luggage box - weatherproof and small stowable

- Made of tear-resistant, resin-coated nylon
- Water repellent with nylon closure straps
- Quick assembly and disassembly
- Very small foldable
- Space saving storage

### Cargo Back Luggage Box

For transporting tents, camping chairs and much more.  
The box adjusts to the size of the contents. Concealed YKK zippers. Dimensions: approx. L 120 x D 35 x H 70 cm  
Capacity: 285 liters **44468** **124,-**

### Kit Frame Cargo Back

Facilitates the loading of the Cargo Back. Aluminum tubes that can be plugged together are used for stiffening. When not in use, they can be stored compactly. Dimensions open: L 119 x D 32 x H 69 cm,

Dimensions closed: L 69 x D 7 x H 17 cm


Weight: 1 kg. **441451** **77,40**

**Specified payload of your bike carrier minus tare weight of the box = Max. Payload**



**124,-**

### Luggage box with 320 litres



### Rear luggage box Ultra Box 320

Width: 100 cm, height: 70 cm,  
Depth: 53 cm, weight: approx. 12 kg.

**44022** **642,-**



### The largest - with 500 liters




### Ultra Box 500 - with 500 liters XXL storage space

- Huge 500 liter XXL box
- For alcoves and semi-integrated motorhomes
- Stainless steel hinges
- With seals against water ingress

Robust and impact resistant made of high quality ABS plastic. Strong wall and resistant to aging. With safety net to secure the luggage  
With mounting kit for bike carrier **44019** **827,-**

### Spacious luggage box with 360 liters



### Rear luggage box Ultra Box 360

- Luggage Boxes for Motorhomes & Minibuses
- Made of high quality ABS Plus plastic
- Shockproof and weather resistant
- Safety net included

### Ultra Box 360

Width: 147, height: 70, depth: 38 cm,  
Weight: approx. 14 kg.

**44027** **725,-**



# MULTIRAIL RAIN GUTTER AND ROOF RACK ATTACHMENT

## Multirail - rain gutter, sun sail and roof rack attachment in one



- Rain gutter for awning and roof rack
- Easy attachment of awning and awning with clamping rod or pull-in keder
- Easy installation of the self-adhesive spoiler profiles
- The aluminum rail is already pre-drilled
- Absorption of roof loads up to 100 kg
- For keder thickness 7-8,5 mm

In conjunction with conventional roof rack, you can use it to transport bulky goods such as kayaks, bicycles or surfboards. It is also possible to install the **Multirail** on vehicles with sleeping or pop-up roofs. Here the maximum roof load is 50 kg, approved by VW. The **Multirail** protects you from rainwater running off when the side windows and doors are open by means of the spoiler profile (please order separately).

The Multirail is attached to the vehicle with a special adhesive (Sikaflex 252i, see left page).

Vehicle type	Model	Multirail Art.No.	Price <sup>1</sup>	Spoiler set* Art.No.	Price
For VW T4/T5/T6, special version	KR/SWB Left (driver side)	901561	256,-	90154	69,60
	KR/SWB Right (passenger side)	90156	256,-	90155	69,60
	LR/LWB Left/Right	90157	282,-	90154 links 90155 Right	69,60 69,60
For Mercedes Vito, Viano, V-Class, Marco Polo, Metris, vehicle length 4990/5140 mm, all as of 2003	Left (driver side)	901851	356,-	90154	69,60
	Right (passenger side)	90185	356,-	90155	69,60
For Renault Trafic, Nissan NV 300, Fiat Talento, from My. 8/2014 and Opel Vivaro B, My. 8/2014 - 3/2019 all KR	Right (passenger side)	90184	255,-	901550	39,90
For Citroën Spacetourer/Jumpy, Peugeot Traveller/Expert, Toyota Proace, all from 3/2016; Opel Vivaro C/Zafira Life from autumn 2019 and Pössl Campster/Vanster/Campy vehicle length 4950 mm	Left (driver side)	901780	399,-	90154	69,60
	Right (passenger side)	90178	399,-	90155	69,60
Multirail Universal, shortenable	Left or right	90153	199,-	901550	39,90

<sup>1</sup> = Plus. Freight flat rate Multirail (1 - 10 pieces) V25 25,90

\* Spoiler set consisting of front spoiler, rear end (self-adhesive), stainless steel screws and assembly instructions must be ordered separately.

### VW Caddy Keder rail for pulling in v. awning or bus awning

Fits for **Caddy My. 2003-2020** with and without sleeping roof. If sleeping roof is present, it only needs to be unlocked to retract the piping into the rail. The plastic rail is glued in place with Sikaflex 252i. For keder Ø 7.5 mm length 3 meters

901151 24,70

**Special adhesive - Sikaflex 554** - 300 ml absolutely necessary for assembly!

Black. GP\* 79,83 / 1 liter 294113 23,95

Adhesive cleaner 0,25 Ltr. GP\* 107,80 / 1 liter 29415 26,95



# Atera

**NEW**  
2023


## ATERA SIGNO - ROOF/RAIL BASE CARRIER

- Atera Signo is the perfect base for sports equipment attachments such as ski and bike racks, roof boxes and roof tents
- The complete sets - support legs with support tubes - are pre-assembled in the package ready for use
- Surface protection due to rubberized clamping jaws

**Material:** Fiberglass reinforced plastic / aluminum / rubber lips.  
**Maximum load capacity:** 100 kg



Ideal for mounting roof tents. All roof tents on pages 72 to 77.



### Atera Signo fixed carrier ASF - basic carrier for the vehicle roof:

Highly stable roof support system for precise attachment to mounting points on the car roof specified by the vehicle manufacturer. Support tube and loading width selection.

### Atera Signo Fixed Carrier DXT - Basic carrier for the roof of the vehicle:

The fixed beam DXT is the successor of the current fixed beam ASF. It is lockable on all 4 support legs and has been modified in design. The corresponding keys are supplied.

### Atera Signo special carrier ASS - base carrier for freestanding railing:

Compact roof rack system for any carrier attachment and roof box. Different carrying tubes and loading widths to choose from. Mounting on the overlying roof profile / small railing.

The Atera four-tooth wrench puts the Atera carrier systems on the roof and under lock and key at the same time. With a coded toothed ring, the carriers are fastened without tools and are theft-proof at the same time.

Fig.	Mounting	Type	Support tube	Vehicle type	Item number	Price
③	Fixed point support	DXT	Aeroprofile	Citroën Jumpy >16, Citroën Spacetourer >16, Opel Vivaro/Zafira Life >19, Peugeot Traveller >16, Toyota Proace >16	41282	296,-
①	Fixed point support	ASF	Aluminum	Citroën Berlingo >18	41283	296,-
⑤	Special carrier railing	ASS	Aeroprofile	Citroën Berlingo >18 (with railing)	41284	308,-
③	Fixed point support	DXT	Aeroprofile	Ford Transit Custom (normal roof) >12, Ford Tourneo Custom >13	41285	296,-
④	freestanding railing	ASS	Aluminum	Mercedes Benz Viano >03 (with railing)	41286	296,-
①	Fixed point support	ASF	Aluminum	Renault Kangoo 97-21 (also for long version)	41288	296,31
②	Fixed point support	ASF	Aeroprofile	VW Caddy 15-20 (without railing)	41293	308,21
⑤	freestanding railing	ASS	Aeroprofile	VW Caddy 15-20 (with railing)	41294	301,07
⑤	freestanding railing	ASS	Aeroprofile	VW Caddy >20 (with railing)	41295	301,07
③	Fixed point support	DXT	Aeroprofile	VW T5/6/6.1	41296	369,94

Other carriers available upon request

# THULE

## Thule Fixpoint Evo roof rack system

- Easy to install roof rack set
- Removable system
- Available in 2 heights + optional elevation set
- Modern design

Easy to (de)install roof bar set, Ergonomic torque limiter indicates when the carrier is securely and properly attached to your vehicle. Attaches to your vehicle with Thule One-Key locks (included).

Add the 30mm elevation kit to also mount the beam over a skylight or solar panels.

ProBar and roof rack feet can be easily removed. The rest of the set can be provided with an aesthetic cover.



**NEW**  
2023

### Scope of delivery:

- 2x Thule ProBar 1.50 m, 4x Fixpoint Evo Foot, 4x Fixpoint Evo Kit, 4x Fixpoint Evo Kit Cover, 1x torque wrench, 1x One-key lock set (4 pieces).

Fixpoint Evo High for SmartClamp System	41021	414,-
Fixpoint Evo for Ford Transit H3	41023	414,-
Fixpoint Evo Extra-High Extension Kit 30 mm	41026	24,-
Kit Cover	41027	17,-



Use of a Midi Heki is possible



Base rails for flexible positioning of the roof racks.

SmartClamps for fastening the beams to the fixed points

Height: 14.8 cm or 17.8 cm

## SmartClamp roof rack system for Fiat Ducato




- 2 aluminum side member rails for mounting 2 or more load cross members
- Attach to the original mounting points with the SmartClamps without drilling
- The longitudinal rails ① allow flexible positioning of the carrier system
- Suitable for FiatDucato/CitroënJumper/Peugeot Boxer and Opel Movano ≥ 2006 with high roof H2
- Possibility to fix Thule awning 6200/6300

**Scope of delivery:** 2x base rails 1.64 m, 4x SmartClamps, 2x awning connection plates and mounting material

② **Thule ProBar crossbar** for mounting on SmartClamp base rail set, 2x carrier 1.5 m.

Height 10 cm 41106  
Height 13 cm 41107



KFZ	L2 (5400) 		L3 (6000) 		L4 (6400) 	
	Without awning	With awning 3.25 m	Without awning	With awning 3.75 m	Without awning	With awning 4.00 m
	Base rails 4 point system max. load 100 kg (2x Thule ProBar)					
Art.no.	41067					
Price	399,—					
	Base rails 6 point system max. load 150 kg (4x Thule ProBar)					
Art.no.	41083	41103	41083	41103	41083	41103
Price	469,—	429,—	469,—	429,—	469,—	429,—
	Rails 8 point system max. load 200 kg (6x Thule ProBar)					
Art.no.			41084	41104	41085	41105
Price			539,—	469,—	549,—	479,—



**Thule Snow Pack 324, carrier for 4 pairs of skis or 2 snowboards** For mounting on the above roof rack. Safe transport due to ultra-soft rubber pads. Easy to open even with gloves due to large button. One-Key system to secure the skis and the carrier to the roof. For 4 pairs of skis or 2 snowboards.

41077 222,-



**Thule Force XT Roof Boxes** Make the most of your space with this black, lockable roof box. Thanks to the PowerClick quick mounting system, assembly is simple. Convenient opening and closing thanks to locking button. Easy access from both sides of the vehicle.

**S (300 liters)** - L 139 x W 89.5 x H 39 cm, weight: approx. 14.3 kg. 40012 454,-

**M (400 liters)** - L 175 x W 82 x H 45.5 cm, weight: approx. 16.4 kg. 40013 549,-

**L (450 liters)** - L 190 x W 84 x H 46 cm, weight: approx. 18.7 kg. 40014 599,-



**Thule Hullavator Pro, kayak carrier with lift support** Kayak carrier for mounting on above Thule Roof Rack system (requires cross and side member) mounting right and/or left on the system. With the fold-out arms, the carrier can be lowered up to 1 meter. The lift support allows comfortable handling of the kayak. The built-in gas struts take 18 kg of weight off your shoulders. 8 padded support points provide max. protection of the kayaks. Provides space for 1 kayak with a max. width of 80 cm and a max. weight of 35 kg

41086 904,-

## Thule Roof Rack Retrofit Kit

for subsequent roof awning installation (type 6300, page 162) with existing Roof Rack basic. Set of adapter, connectors and sealing tape.

Car 5,4 m 430094 154,-  
KFZ 6/6,4 m 430095 164,-



**Awning adapter** for this carrier system Thule awnings see page 165

## One key for all your Thule products

Replace the lock cylinders and use a single key for all Thule products.


pack of 4 442794 41,-  
pack of 6 442795 48,-  
pack of 8 442796 56,-  
pack of 12 442797 84,-  
pack of 16 442798 110,-



# Reimo active support systems for pop-up and flat roofs



- Flat aluminum profile
- Harmoniously adapted to the roof contour
- Minimum change in overall height
- Serves as a receptacle for roof racks
- For retrofitting on Reimo sleeping roofs
- Base support hardly visible
- Is screwed and glued with stable counter profile



- ① **Active support profile 198 cm long** For mounting on sleeping / high roofs. Rod undrilled. 1 piece **41300 59,10**
- ② **Active support profile 40 cm, set of 4**  
For mounting on Reimo sleeping / high roofs, e.g. T4/T5 Superflat. Drilled and countersunk, with counter plate and stainless steel screws  
Set: 4 rails, 4 sheets, screws **41303 290,-**



## Basic equipment for all types of vehicles with Reimo active carrier profile

- ③ **Adapter plates** allow the attachment of Thule fixed points in the Reimo active rails **Scope of delivery:** 4 adapter plates, Adapter plate Thule roof rack 64 mm **41304 51,90**
- ④ **Thule Artificial fixed point 543** The artificial fixed points replace the pick-up points on car roofs. Set with 4 pieces incl. mounting material **41082**
- ⑤ **Thule support foot Rapid 753, load capacity 100 kg**  
Foot height 7.2 cm, set of 2 **41093 74,95**
- ⑥ **Thule support foot Rapid 751, load capacity 100 kg**  
Foot height 11,5 cm, set of 2 **41092**
- ⑦ **Thule Wingbar 135 cm, 1 piece 410969 140,-**  
**Thule Wingbar 150 cm, 1 piece (w/o fig.) 410967 140,-**
- ⑧ **Thule Slidebar 127 cm, 1 piece 410964 290,-**



## Roof rack for Reimo Multirail

Support feet (2 pieces) especially suitable for Reimo Multirail rail, Reimo Active rail and for rain gutter mounting. Max. load 100 kg. Pair of support feet: Height 20 cm

**41180 89,95**

**Support tube:** Length 165 cm for above support foot. Square tube 32 x 22 mm, black plastic coating. TÜV tested. Before opening the sleeping roof, the roof rack must be removed.

per piece **41125 41,90**






## ROOF RACK SYSTEMS



### Euro Carry Reling Future

- For all common motorhomes
- Length: 260 cm, can be shortened as desired
- Is glued and screwed with Sikaflex
- Support legs can be painted in the color of the car
- 100 kg load capacity per cross beam pair, max. load 200 kg

- ① **Roof rails for all common motorhomes** Scope of delivery: 2 aluminum roof rail profiles with 3 support feet each and mounting hardware **42157 530,-**
- ② **Cross member, 2.40 m long** For railing 42157, can be shortened as desired. Suitable for holding surfboard holders, solar panels, etc. Price per pair **42149 232,-**



### Roof rails for Fiat Ducato, Citroën Jumper, Peugeot Boxer from My. 07/2006

Easy mounting on the existing mounting points on the vehicle, thus no drilling work on the roof necessary. Universally expandable with optional accessories such as crossbars, planks, roof box, spare tire holder, kayak and surf kit, work lights.

Powder coated aluminum tube in satin black. Weight approx. 12 kg, load capacity: 200 kg distributed on 4 cross beams.

- ① **Roof rails, width approx. 1670 mm**
- |                |               |               |
|----------------|---------------|---------------|
| Length 3000 mm | <b>42169</b>  | <b>1199,-</b> |
| Length 3600 mm | <b>421691</b> | <b>1499,-</b> |
- ② **Cross member, 1600 mm, price per pair** **421692 241,-**
- ③ **Plank, length 2930 mm for 42169** **421693 131,-**  
**Plank, Length 3530 mm for 421691** **421694 142,-**



### Roof rails Style for Ducato panel van from My. 2007

- Aerodynamic shape
- Without drilling
- Any number of crossbars (optional)
- Awning mounting Thule Series 5 & Fiamma F45 possible
- Aluminum
- 100 kg load capacity per pair of cross beams
- Max. Load capacity 200 kg

- ① **Roof rails**
- |                    |              |               |
|--------------------|--------------|---------------|
| Wheelbase: 4035 mm | <b>42151</b> | <b>1299,-</b> |
| Wheelbase: 3450 mm | <b>42152</b> | <b>1299,-</b> |
- ② **Cross member, 2 pieces** aluminum, incl. mounting material **421521 186,-**
- ③ **Adapter for mounting the wall awning** Thule 5 series & Fiamma F45 (Please order Thule and Fiamma awning adapter) **421522 113,-**
- ④ **Increase cross member Height: 60 mm** 1 set **42159 63,30**

### Roof rails for Fiat Ducato, Citroën Jumper and Peugeot Boxer panel van



- Mounting on standard mounting points of the vehicle roof - without drilling
- With 3 or 4 support feet and 4 cross beams
- Load capacity (distributed) 100 kg
- Aluminum
- Suitable for awning mounting Omnistor Series 6 without adapter

- ① **Railing for Fiat Ducato from My. 2006**
- |                         |              |              |
|-------------------------|--------------|--------------|
| Vehicle length: 5990mm. | <b>42155</b> | <b>969,-</b> |
|-------------------------|--------------|--------------|
- ② **Extension for roof rails**
- |                                      |              |              |
|--------------------------------------|--------------|--------------|
| From vehicle length 5990mm to 6360mm | <b>42158</b> | <b>42,20</b> |
|--------------------------------------|--------------|--------------|



### Walkway plank

- Made of non-slip checker plate
- Length: 250 cm Width: 25 cm
- Load capacity 100 kg

Stable walkway plank made of aluminum. For roof rails with crossbars. Complete with mounting hardware. Load capacity 100 kg, weight 5 kg

**42145 262,80**




### Accessories for roof rails

- ① **Surfboard carrier kit** For existing roof rails with crossbars. Scope of delivery: 2 surfboard holders, 2 mast pickups with tensioning straps, mounting hardware **42139 232,-**
- ② **Kayak carrier kit** Rubber coated steel with steel mast pickup. Suitable for crossbars of the roof rails. Scope of delivery: 2 kayak holders, 2 tension straps, 2 mast holders with tension straps, mounting material **42143 219,50**

### Universal roof railing for motorhomes

- Easy to shorten
- Load capacity 70 kg
- Anodized in aluminum



- ① **Roof rails with oval profiles**
- |                            |              |              |
|----------------------------|--------------|--------------|
| Standard length: 3 meters. |              |              |
| A White                    | <b>41116</b> | <b>229,-</b> |
| B Gray                     | <b>41117</b> | <b>229,-</b> |
- ② **Cross member**
- |   |              |              |
|---|--------------|--------------|
| For roof rails ① aluminum. Length 2.25 meters. Easy to shorten. 2 piece | <b>41118</b> | <b>229,-</b> |
|---|--------------|--------------|

## Support bars Fixing Bar Pro L

- Ideal for solar panels or roof boxes
- Length 240 cm, can be shortened as desired
- Made of extruded aluminum
- Mounting directly on the vehicle
- Load capacity: 80 kg per pair



**Suitable for mounting awning F65.  
See kit for Fixing Bar No. 43470 in  
the awnings section**

**Scope of delivery:** Profile with 2 fasteners, painted white.

41114

**77,-**



## Roof Rails for Caravans & Motorhomes

### ① Roof Rail Roof Rail

- **Elegant railing bars, 300 cm, can be shortened as desired**
- **Incl. Plastic end pieces**

**Scope of delivery:** 2 railing parts (300 cm long) with end pieces and mounting material

Gray	41100	286,-
------	-------	-------



② **Matching accessories:**

## Fixing Bar Rail

- Length 245 cm, can be shortened as desired
- Load capacity: 50 kg per pair
- Also suitable for Roof Rail Pro 3 and 4


**Scope of delivery:** 2 support bars with 2 mounting blocks each and mounting material.

Gray	41101	207,-
------	-------	-------




## Roof rack incl. adapter f. awning F65 on box van


- For short and long wheelbase
- Railing shortenable
- Mounting on the original points
- Mounting without drilling
- For roof awning F65 right side
- With 4 crossbars
- Load capacity 100 kg



## H2 series high roof



### H3 Maxi high roof



- |  |              |              |
|--|--------------|--------------|
| ① <b>Roof rack</b> for Fiat Ducato, Peugeot Boxer and Citroën Jumper from My. 2006 | <b>41099</b> | <b>786,-</b> |
| <b>Black</b>   | <b>41009</b> | <b>957,-</b> |

**Roof rack** for Fiat Ducato, Peugeot Boxer and Citroën Jumper from My. 2006 Long wheelbase

410991 927,-

- ② **Roof rack** for Fiat Ducato, Peugeot Boxer and Citroën Jumper from My. 2006 with H3 roof

	<b>410990</b>	<b>961,-</b>
Auxiliary adapter for awning F65/F85	<b>43716</b>	<b>141,-</b>

1. Simplified loading

- ② **Roller Roof Rail** Simplifies loading canoe, kayak or other items onto roof racks. Cannot be used with round tube. **41102 175.-**



**PROFIT TIP**

**Mounting of awnings  
left and right pos-  
sible with additional  
adapter  
(Art.-No.: 43716)**





## FIAMMA Organizer

**Organize the items with style**

The new Fiamma Organizers in engaging and up-to-date design. A new division of space and introduction of new functional elements such as mesh pockets (Organizer S, Organizer Seat and Toiletry) and lower pocket with double compartment (Organizer S) thus allow to use the space ideally.

Pictures: © Fiamma Company



### Organizer S

Dimensions: W 50 x H 84 cm,  
weight: 0.4 kg

**441781**

**40,-**



### Organizer L

Dimensions: W 88 x H 39 cm,  
weight: 0.5 kg

**441782**

**34,-**



### Pack Organizer Mix

- Suitable for any location
- Made from polyester fabric
- Pop-up closure for minimal space requirement when closed
- Secure and quick to close by zipper
- Incl. 4 clips for fastening the garbage bag

Thanks to the shape and simplicity it is suitable for a variety of items such as toys or laundry, this practical storage container. The 4 included bag clips also allow the use as a trash can. Dimensions: Ø 28 cm x H 40 cm, weight: 0.3 kg

**440472**

**53,-**



### Shoe organizer

- Foldable container
- Waterproof
- Simple suspension
- Elegant cover

Open: W 54 x H 84 x D 2 cm

**441783**

**50,-**



### Seat organizer

Dimensions: W43 x H66 cm, weight:  
0.3 kg

**441784**

**27,-**



### Bathroom organizer

For storing your bathroom utensils. With hooks for mounting on doors, windows or in storage spaces. Weather resistant and waterproof. Opened: W 30 x H 118 x D 11 cm, Closed: W 30 x H 37 x D 11 cm

**441785**

**41,-**



### PACK ORGANIZER BOX

Extremely practical and spacious bag that is versatile and takes up little space when folded. Dimensions: W60xH36xD31 cm, weight 2.5 kg

**44432**

**77,-**

### Carry Rail clothes rail

In elegant design. Anodized aluminum tube, stainless steel end pieces. Length 100 cm, can be shortened.

**44183**

**68,-**



### Mega Bag Smart L



With 195 cm particularly long, so that e.g. also skis can be transported. Equipped with internal Velcro hooks to block the skis and rivet holes to allow small accumulations of water to escape.

Dimensions: 195x25x25 cm, weight: approx. 1 kg

**443973 87,-**

## Compact foldable extension ladder 2.10 m high

- Material: Aluminum
- 6 levels
- Load capacity: 150 kg
- Dimension opened: 210x44,5x6 cm
- Dimension closed: 210x6x6 cm
- Weight: ca.3,8 kg
- Non-slip step - 6 cm wide

A dream for every motorhome and caravan driver. A ladder that fits into any niche. Compact, stable and high quality. With a length of 2.10 meters, it can be stored in the rear garage. When unfolded, it is a fully functional and stable extension ladder. Loadable up to 150 kg.

44005

89,90



89,90

You can find more ladders and dropouts on our homepage at [www.reimo.com](http://www.reimo.com)

## Access ladders for sleeping roofs

- Foldable aluminum ladders in 2 sizes Fits between driver and operator seat
- Small to store, ideal for travel
- Loadable up to 100 kg


**Short ladder with 4 steps:** L 145 x W 29 cm,  
Pack size: L 89 x W 29x H 9,5 cm,  
Weight ca. 2.8 kg **42131 146,50**

**Long ladder with 6 steps:** L 208 x W38 cm,  
Pack size L 121 x W 38x H 9,5 cm,  
weight ca. 5 kg **42132 159,50**

Quick hook-in  
function



from **146,50**



## Foldable aluminum ladder with heavy duty bracket for sleeping roof

- Foldable aluminum ladders in 2 sizes: For VW T5/T6 camper vans or for Reimo van sleeping roofs (Fiat Ducato, MB Sprinter or similar)
- Fits between driver and passenger seat
- Small to store, ideal for travel
- Loadable up to 100 kg

**LIPPERT**

from **158,50**

**For VW T5/T6 with 5 steps:**

L 145 x W 29 cm,  
Pack size: L 84 x W 29x H 8 cm,  
Weight ca. 2.8 kg **42121 158,50-**

**For maxivan sleeping roofs with 9 steps:**

L208xW38 cm,  
Packing size: L128xW38xH10.5 cm,  
Weight ca. 5 kg **42122 165,50**

Hook-in function  
with interlock




## Interior ladders for easy access to the alcove or high roof bed

- Aluminum ladders with 15° inclination
- Convenient access to the loft bed
- Hook for alcove bed

Total width 35 cm  
Step width 28 cm  
Step depth 5.5 cm

**Deluxe 4 with 4 steps**  
150 cm **42026 151,-**


**Deluxe 5 with 5 levels**  
165 cm **42027 167,-**



## Aluminum ladder with 5 steps

Total width 28 cm  
Step width 25 cm  
Step depth 5 cm

130 cm **420202 117,-**






## ALUMINUM OUTDOOR L ADDERS



**NEW**  
2023

Vehicle specific  
mounting profiles



### Deluxe DJ for van

New handling also for the special ladders for Sprinter, Crafter and Transit. A universal structure for all models and special mounting rods for each type of vehicle can be purchased separately.

#### Order fastening profiles for vehicle as well:


Kit Bars DJ Sprinter ≥ 06/Crafter ≥ 06 ≤ 16 Silver	440509	221,--
Kit Bars DJ Sprinter ≥ 06/Crafter ≥ 06 ≤ 16 Deep Black	440510	246,--
Kit Bars DJ Crafter ≥ 17 Silver	440505	221,--
Kit Bars DJ Crafter ≥ 17 Deep Black	440506	246,--
Kit Bars DJ Transit ≥ 14 Silver	440507	221,--
Kit Bars DJ Transit ≥ 14 Deep Black	440508	246,--

+

#### Ladder without mounting profiles

Deluxe DJ Silver	440437	315,--
Deluxe DJ Black	440438	374,--

### For alcove and semi-integrated motorhomes



#### ① Deluxe 8, length 246 cm with 8 steps

- Foldable with body protection
  - Non-slip profiling of the steps
- Step width 28 cm, external dimension 35 cm, weight 5.5 kg.

4416011 336,--



#### ② Folding ladder with 10 steps

- Length 245 cm
- Very light, weight only 6 kg

Ladder/step width 30/24 cm, in-folds 125 cm long, ladder depth 29 cm

42021 369,--



### Ladder for Fiat Ducato, Citroen Jumper and Peugeot Boxer ≥ 7/2006

- Very sturdy ladder with 7 ladder steps
- For the left rear door
- Not suitable for 270° doors!

7-rung ladder, completely pre-assembled, pre-formed license plate cut-out, for mounting on the left rear door. The clear width of the rungs is 22 cm.


Equipment: aluminum ladder, anodized, 7 rungs, 2 tension rails.

Dimensions: W 83 x H 210 x D 20 cm

Own weight: 10 kg, max. load: 100 kg

Also mountable in conjunction with bike carrier

Art.No. 44029 420351 499,--




### High ladder Deluxe DJ for Fiat Ducato ≥ 6/06

- Secure mounting and high load capacity
- Wide mounting brackets for optimum load distribution
- For the left rear door

Fiat Ducato ≥ 2006 step width inside 28 cm

Silver	44437	467,--
Deep Black	44440	548,--



### The long rear ladders

- Aluminum For most rear doors
- For Sprinter, LT, Crafter, Vivaro, Traffic, Movano, Master, Transit

(length/width/step width)

① Thule 6-step  
(145 / 30 / 24 cm)  
42024 249,--

② 5-stage  
(150 / 28 / 23 cm)  
42002 159,--

③ 6-step  
(180 / 28 / 23 cm)  
42019 174,--



### Van ladder - 4-stage

- For tailgate vehicles
- Very stable due to the curved shape
- Height 126 cm
- Step width ca 30 cm

(Does not fit VW T3)

42023 229,--



### ACCESSORIES TIP Safe Ladder

- Lockable ladder safety device
- Protection against unauthorized access
- Suitable for double and single steps

Robust, secure and lockable theft protection for motorhome ladder. With lockable lock.

Dimensions 23 x 78 cm.

42028 127,--

**CARBEST**  
INNOVATIONS FOR MOBILE LIFE

## Escali - The multifunction ladders with max. 3,2 m height!

- Ideal for loading the roof box or cleaning the caravan and motorhome
- 11-stage, extended height max. 3.20 m!
- Compactly foldable, fits comfortably in the trunk or in the rear garage
- Loadable up to max. 150 kg, weight approx. 9.1 kg

**Safety note:** According to TÜV regulations, the Escali multifunctional ladder must protrude 70 cm above the slinging height!

### Escali multifunction ladder

Approved according to EN 131-6.

Packing size: H ca. 77cm, W ca 44/46 cm

440130

169,-



### Thule Van Ladder + Magnet Adapter

#### Telescopic ladder, 9 steps

Stable stand on all surfaces  
Safe insertion of the ladder due to air pressure system.

Dimensions open:

49 x 264 x 7 cm

Dimensions closed:

49 x 75 x 7 cm

Weight: 8.1 kg

The magnetic adapter bracket must be attached to the body to securely fix the ladder.

Transport bag included

**Scope of delivery:** Ladder, magnetic adapter and packing bag

45098

389,-



#### Magnet adapter holder

Reliable adapter for attaching an Anstell ladder to the body of the vehicle.

Ratchet straps are used to fix the ladder (also Escali ladder) to the bracket. This protects your vehicle and provides safety when climbing the ladder.

Organizers can be attached to the bracket.

Pack bag included

45099

148,-