


Motorhome technology



MORE DRIVING COMFORT FOR THE FIAT DUCATO THROUGH THE AIR SUSPENSION SYSTEM

NEW
2023

CARBEST by ESI
INNOVATIONS FOR MOBILE LIFE



Air suspension system Basic 6"

467631 665,--

Air suspension system Basic 8"

467632 815,--

All information on Page 503

Additional air springs/additional springs.....	500 – 503	SMART ROOM Slide-Out.....	528
Lifting supports/support trestles	504 – 506	Locks for motorhome & caravan.....	529 – 533
Compensating wedges/ramps.....	507 – 511	Insect screen/door curtains.....	534 – 537
Compressor.....	511	Mosquito nets for doors & tailgates.....	538 – 543
Wheel trims/aluminum rims.....	511 – 512	Motorhome protective covers.....	543
Tire pressure monitoring/dirt trap.....	513	Rain gutters & profiles.....	544 – 545
EU guard/body protection.....	514 – 517	Bonding/sealing/repairing/protecting.....	546 – 551
Rear view mirror & accessories.....	518	Adhesive tapes/vehicle protection.....	552 – 553
Steps & Accessories.....	519 – 522	Vehicle Cleaning & Care.....	554 – 559
Motorhome / caravan doors.....	523 – 525	Cleaning awnings + tents.....	560
Case flaps.....	526 – 527	Dehumidifier.....	561



FIAT DUCATO X250
WITH 8" AIR BELLOWS

More safety for your vehicle:

- Safe and stable driving with high loads
- Optimum road holding, therefore less sensitive to crosswinds
- Constant height
- Spring force adjustable
- 2-circuit system with double bellows for the rear axle
- Effectively relieves the rear of the vehicle
- Reduces body roll, increases lateral stability
- Reduced load on the shock absorbers
- Load increase possible

★★★ BASIS SET

VB-SemiAir -

2-circuit additional air spring basic set

Our auxiliary air spring systems are generally 2-circuit systems. The basic set includes 2 air bellows that are not connected to each other and can thus be filled separately via a pressure valve (as with a car tire), e.g. at the gas station. 2-circuit systems ensure that small loading differences can be compensated for separately on the left and right. The air is filled once with the desired pressure and can then be released for adjustment if necessary. In leaf-sprung vehicles, an air bellows is mounted between the frame and the rear axle to support the existing leaf springs. For this purpose, the VB-SemiAir is supplied with drain/fill valve.

Scope of delivery basic system: 2 bellows (Ø see below) with mounting supports, filling valves, air couplings and connecting couplings, air line(s), brake adjustments (if necessary), assembly instructions, TÜV certificate.

Fiat Ducato from My. 6/06 and Ducato 8

(from 09/21 without electr. Handbrake):

X250 (and identical) from My. 6/2006, Ø 8 inch	46561	624,-
X244 / X230 (and identical) My. 94-06, Ø 8 inch	465610	659,-

MB Sprinter / VW Crafter (ab My.2006):

209-324 / 28-35, Ø 7,5 inch	465611	734,-
409-524 / 35-50, Ø 8 inch	465612	734,-

Ford Transit (Original Ford Chassis from My. 2006) :

with front wheel drive, single tires, Ø 6 inch	465613	584,-
with rear drive, single tires, Ø 6 inch	465614	584,-
with rear drive, twin tires, Ø 8 inch	465615	599,-

Renault Master / Opel Movano (ab My.2010)

Front wheel drive, single tires, Ø 8 inch	465616	599,-
Rear-wheel drive, single tires, Ø 8 inch	465617	659,-
Rear-wheel drive, twin tires, Ø 8 inch	465618	599,-

Renault Master / Opel Movano / Nissan Interstar:

from My. 98 - 10 Front wheel drive, single tires, Ø 8 inch	465619	734,-
--	--------	-------

ALSO AVAILABLE AS FULL AIR SUSPENSION
PLEASE CONTACT US!
(not for Ducato from My. 09/2021 suitable)

Pressure set: pressure control system with pressure gauge

To increase convenience, the basic set can be upgraded with 2 indicator pressure gauges. With this adjustment, you can better monitor the operating pressure of the auxiliary air suspension on 2 pressure gauges and pressure adjustments are more convenient.

Scope of delivery: 2 pressure gauges, operating part and T-pieces.

Pressure set 46563 109,-

Comfort control panel 2-circuit system with compressor

With the comfort control unit, you can regulate the air pressure of the basic set independently and even while driving (assuming a suitable mounting location). The air is filled into both air circuits via a special compressor. This makes it possible to adjust the vehicle height to the road conditions and the load at any time. This enhancement can be especially useful when dealing with major bumps, such as driving onto a ferry or passing a steep driveway, as well as frequently changing loading conditions. It is also possible, albeit to a lesser extent, to level the vehicle at the stand or to place it horizontally. In addition, the air pressure in the spring system can be permanently checked on 2 pressure gauges. A special pressure protection valve prevents the pressure in the system from becoming too high during inflation. This prevents overloading of the vehicle chassis and the resulting uncomfortable driving behavior.

Scope of delivery: Compressor with 2 pressure gauges, control panel, 2 control switches, pressure limiters (pressure protection valves), check valve, fuse, T-pieces and small parts. (Pressure set is included in the compressor set)

Compressor set 46542 599,-



Upgrading with VB-SemiAir

The possible weight increase due to the VB additional springs*:

Type	Art.No.	Axis	Total
X250 33 Light	46561	2250 kg	3500 kg
X250 35 Light	46561	2250 kg	3850 kg
X250 35 Heavy	46561	-	4250 kg
X250 40 Heavy	46561	2700 kg	4800 kg
X250 33 Light	46561	2250 kg	3500 kg
Master	465616/465617/465618	2400 kg	4000 kg

*Observe tire load index.

Comfortable and safe driving:

- Increases the spring travel, avoids side tilt
- Improves traction in front-wheel drive vehicles
- Significantly improved road holding and wind resistance
- Pre-assembled, vehicle-specific complete sets
- Controls adapted to the vehicle
- With pressure gauges and pressure control regulation
- Dual circuit system and quality compressor



COMFORT SET

VB-SemiAir - 2-circuit additional air spring comfort set

The comfort set for motorhomes basically consists of the same components as the basic set including the compressor set.

However, it is specially pre-assembled for the various vehicle types and includes vehicle-specific controls that significantly increase the ease of operation of the system.

Scope of delivery comfort system:

VB-SemiAir basic set plus: High performance compressor (cable and all valves pre-assembled) with 2 pressure gauges and 2 pneumatic control switches (pre-assembled), control panel to match dashboard or seat box, all mounting materials.

Fiat Ducato from My. 6/06 and Ducato 8 (from 09/21 without electr. Handbrake):

X250 (and identically constructed)	46712	1149,-
X250, UK version - right hand drive, (identically constructed Peugeot, Citroen) from My. 6/06-2014	467121	1149,-

MB Sprinter / VW Crafter (from year 2006):

209-324 / 28-35	467122	1169,-
409-524 / 35-50	467123	1169,-

Renault Master / Opel Movano (from year 2010):

Front wheel drive, single tires	467124	1074,-
Rear-wheel drive, single tires	467125	1099,-



Controls adapted to the vehicles are included in the scope of delivery

The controls are mounted in the dashboard or center console.



FIAT DUCATO X250
WITH 8" AIR BELLOWS

Fiat Ducato 250 My. 2006-2021



MB Sprinter / VW Crafter as of Bj 06





Renault Master / Opel Movano from 2010



Explanation: Difference between single-circuit and dual-circuit system

Single circuit system

Both air bellows are connected to each other. They are filled via a common pipe. In the 1-circuit system, only one pressure gauge is needed to monitor the total air pressure in the system. A 1-circle system is only suitable if the wheel loads on the rear axle are identical on both sides and the vehicle load is completely uniform.



Dual-circuit system

The air bellows on the left and right are both separate and can therefore also be filled with different pressures. 2 pressure gauges are required to monitor the pressure. The ability to vary the pressure separately makes it easy to compensate for load-dependent wheel load differences in 2-circuit systems. Imbalances can be compensated for.

VB - Reinforced coil springs - more comfort, more safety

The reinforced coil springs VB-CoilSpring ensure that the original vehicle level is achieved again. Mathematically, you get "residual spring travel" again. In most cases, the frame is almost at the bump stop; by increasing the remaining spring travel, the vehicle no longer bottoms out as quickly and becomes more comfortable.

VB-CoilSpring rear axle spring

(Also for Ducato 8 from My. 09/2021 suitable)

Fiat Ducato 250, from My. 06/2006, add. spring	46568	449,-
VW T5 Replacement spring	46569	449,-

VB-CoilSpring front axle spring

(Also for Ducato 8 from My. 09/2021 suitable)

Fiat Ducato 250, from 06/2006		
Light Version	46565	574,-
Heavy version	465652	574,-
Comfort version	465653	574,-
Fiat Ducato 244/230, Year . 94-06		
Light Version	46566	574,-
Heavy version	465662	574,-
VW T5	46567	574,-



ADDITIONAL AIR SPRINGS



AirLift Maxi

Additional air spring system for the rear axle for Fiat Ducato, MB Sprinter, Ford Transit and MAN TGE

- Significant increase in driving comfort and safety
- Reduction of crosswind sensitivity
- Additional ground clearance on the rear axle
- 2-circuit system for separate filling of the bellows

FOR THE
REAR AXLE



Now included Load increase certificate for Fiat Ducato and identical in construction with Eurochassis from year of construction 07/2006, VW Crafter, MAN TGE 04/2017, Ford Transit 05/2014, Ford Transit 05/2019 and Mercedes Sprinter 910.

The Linnepe auxiliary air suspension system provides more ride comfort and increased safety. The uncomplicated installation of the compressor-controlled AirLift Maxi is carried out on the rear axle while retaining the existing leaf springs. Driving behavior and ground clearance can be easily influenced from the driver's seat via the control panel in the cockpit. The AirLift Maxi is supplied as a 2-circuit system with compressor.

Fiat from 94-06 - Euro chassis (Ducato/Boxer/Jumper) Mod. 230/244
Two-circle 6" 467599 799,-

Fiat from 7/06 - Euro chassis¹ (Ducato/Boxer/Jumper) Mod. X250/X290
Two-circle 8" (without electric parking brake) 467600 949,-

NEW Fiat from 7/06 - Euro-Chassis¹ (Ducato/Boxer/Jumper) Mod. X250/X290

Two-circle 8 (with electric parking brake) 467613 949,-

MB Sprinter 906/907, RWD single tires
Two-circle 6" 467601 999,-

MB Sprinter 906/907, RWD dual tires
Two-circle 8" 467602 1299,-

NEW MB Sprinter 910, FWD single tires¹
Two-circle 6" 467614 1029,-

Ford Transit
Two-circle 6"
06/2006-03/2014 FWD single tire 467605 949,-
05/2014-04/2019 FWD single tire¹ 467606 949,-
05/2019- FWD single tire¹ 467607 949,-

Crafter Type 7C0/MAN TGE from 04/2017
Two-circle 8"-
Front-wheel drive/rear-wheel drive/4WD¹ 467608 1249,-

¹ Incl. Recharging expertise
Other versions on request



FOR THE
FRONT AXLE



ACS suspension system Comfort Suspension - for front axle Fiat Ducato X250, Peugeot Boxer, Citroën Jumper from Bj 2006

- Confident driving stability and increased driving safety
- Reduced noise in the vehicle interior
- No change in vehicle height
- Smooth running, no vibrations - Easy on driver and vehicle
- Assembly in 10 steps

Scope of delivery: 2 air springs (right and left), 2 locking plates, Mounting screws, 2 grommets, sealing rings, 2x 6m Rilsan tubes (red and black), 20 plastic clips, 1 pressure label, 1 assembly instruction.

Retrofit kit ACS for Fiat Ducato X250 panel van Replace the original struts on the front axle.

Type	Model year	Perm. front-axle load	Perm total weight
For 33 Light	from My. 2014 until 2016	1750 kg 466865	3300 kg 1899,-
For 35 Light	from My. 2014 until 2016	1850 kg 466866	3500 kg 1899,-

Retrofit kit ACS for Fiat Ducato X250 with AL-KO chassis Suitable for both 2-axle and 3-axle vehicles. Replace the original struts on the front axle.

Type	Model year	Perm. front-axle load	Perm total weight
For 33 Light	from My. 2014	1850 kg 466867	3500-3850 kg 1770,-
For 40 Heavy	from My. 2014	2100 kg 466868	4000-5000 kg 1770,-



Axle loads

The permissible axle loads and the total weight are used as a reference value for overloading, which means that if there is too much load on the rear or front axle, it is not the total weight that is decisive, but the overweight on the respective axle. If the total weight is exceeded, the weight is also considered exceeded.

CARBEST by ESI

INNOVATIONS FOR MOBILE LIFE

Air suspension system Basic and Premium for Fiat Ducato/Peugeot Boxer and Citroën Jumper >2014, also for Ducato 8 (> 09/2021) and for Opel Movano >2021

- 2-circuit system with separately fillable air bellows
- Significant increase in ride comfort
- Increased lateral stability and better roadholding
- Customized Ducato controls
- Mounting takes place on the rear axle

Air spring system with 2-circuit system with separately fillable air bellows. The air pressure is individually adjustable per side. This allows wheel load differences to be quickly detected and compensated for. With the help of the two pressure gauges in the interior, the air pressure can be monitored. This not only increases your driving comfort, but also significantly increases your safety while driving. Even with a heavier load, your motorhome can be steered safely and comfortably - thanks to higher suspension travel and less side tilt. The air pressure is controlled via the special Ducato control unit.

The system is only suitable for models without electronic handbrake.

Scope of delivery: Auxiliary air springs left and right with vehicle specific connectors, vehicle specific control panel with safety valves, 2 pressure gauges and switches, 12V compressor kit, Rilsan pipes, small hardware set for installation, specific and detailed installation instructions with illustrations for each step.

Air suspension system Basic 6"

2-circuit system with single filling of the air with subsequent independent left-right adjustment. Recommended for vans or motorhomes with wheelbase up to 3800 mm, with short overhang and without motorcycle carrier.

467631

665,-



Air suspension system Basic 8"

2-circuit system with single filling of the air with subsequent independent left-right adjustment. Recommended for motorhomes with wheelbase up to 3800 mm, with and without rear garages or rear carriers, especially for heavier loads.

467632

815,-



Air suspension system Premium 7.3"

2-circuit system with independent filling of the air with subsequent independent adjustment left-right. Recommended for motorhomes with and without rear garages or rear racks. Suitable for medium and long wheelbase.

467630


1146,-



We recommend installation by a specialist workshop.



Fig. shows
467630



Pressure
gauge

Adjust




Fig. shows
467632



CARBEST
 INNOVATIONS FOR MOBILE LIFE

AUTOLIFT

Fully automatic leveling system.
 Perfect alignment of the vehicle on uneven terrain.

12V

 MAX. 5 t
 SUPPORT
 LOAD

 INCL.
 REMOTE
 CONTROL

 Cockpit control
 panel

 Radio remote
 control

NEW
 2023

 New adapter kits for
 Ducato and
 Mercedes


- Fully automatic leveling of the vehicle
- For vehicles up to 5 tons
- 12 V power supply via the on-board network
- Operation via the cockpit control panel or by radio remote control
- Support base length 300 mm, extendable up to 420 mm
- Load capacity per support 2000 kg
- Emergency operation in case of power failure
- Waterproof motors and connections

Technical data:

Load capacity per support 2000 kg, total support load 5000 kg, support base length 300 mm - can be extended up to 420 mm, ground clearance must be ensured. Consumption in operation ca. 16/18 A.

Car lift with 4 lifting supports

465100

2489,-

Adapter complete set for Fiat Ducato and identical vehicles

Fiat Ducato X244 My. 2000-2006	465104	259,-
Fiat Ducato X244 Alko My. 2000-2006	465105	259,-
Fiat Ducato X250/290 My. 2007-2014	465102	259,-
Fiat Ducato X250/290 Alko My. 2007-2014	465103	259,-
NEW: Fiat Ducato X290 from 2015	465113	259,-
NEW: Fiat Ducato X290 Alko as of 2015	465112	259,-
NEU : Fiat Ducato X290 from 2015 (with spare tire below and tank in front of rear axle)	465116	255,-

Adapter complete set for Ford

Ford Transit from 2014	465107	259,-
------------------------	--------	-------

Adapter complete set for Mercedes Benz/Iveco/Renault

Mercedes Sprinter from 2018	465110	259,-
Iveco Daily from 2000	465108	259,-
Renault Master 3 from 2011	465109	259,-

Universal-Adapter rear

465111	146,-
--------	-------



Linnepe Autolift for vehicles up to 5.5 t

- Lifting supports with fully automatic control
- For vehicles up to 5.5 t total weight
- Reliable: With waterproof motors and connections
- Convenience: operation via the panel in the cockpit or by remote control
- 12 volt power supply, emergency operation in case of power failure
- Leveling takes place independently and fully automatically
- Safe: beep when the ignition is turned on

Technical data:

Load capacity per support 2000 kg, total support load 5500 kg, stroke 150 mm, support base length 300 mm - extendable up to 420 mm, weight per support 11 kg, max. 12 A

Autolift with 2 lifting supports (w/o automatic mode) **465164** **2399,-**
Car lift with 4 lifting supports **46516** **3499,-**

Adapter set for lifting supports, 4 pieces Universal **465163** **329,-**

Adapter kit for Fiat Ducato X250 from My. 2007, with existing frame extension, scope of delivery: 2 adapters for front axle and 2 universal beams for rear axle **465162** **399,-**

Adapter kit for Fiat Ducato X250 from My. 2007, without frame extension, 2x for front axle (without AdBlue) **465166** **329,-**
2x for front axle (with AdBlue) **465167** **329,-**


In addition to 465166 please order adapter bar for rear axle **E4956** **399,-**



Control & remote control of the Autolift with 4 lifting supports

Universal crank supports

- Supported in no time, even on uneven ground
- Support simply crank down with hand crank
- Position of drive axle variable due to integrated cardan joint
- Height presetting through detent holes
- Loadable up to max. 500 kg



Scope of delivery: 2 supports (for right and left), universal adapter, hand crank

Crank support length adjustable from 330 to 530 mm for Fiat Ducato, Peugeot and Citroën from 1994 onwards for rear, 1 pair **46523** **352,-**

Crank support length adjustable from 290 to 490 mm universal holder fits front and rear, 1 pair **46522** **329,-**



Quick Lift lifting support

Leveling without tedious cranking even on uneven ground. **Quick Lift** disengage with short pressure on the lever, fold down vertically, crank with one turn under load. Load capacity up to 500 kg. Locking is self-locking. Required installation height ca. 200 mm. Easy to assemble.
Not suitable for panel vans.

Scope of delivery: in pairs for 1 axis, incl. operating key

Universal **46506** **329,-**
Mercedes Sprinter, front **46518** **329,-**

For Fiat Ducato, Peugeot Boxer, Citroen Jumper:
from My. 1994 to 2006, hinten **46527** **329,-**
from My. 2007, front **46525** **329,-**



Disengage lever - fold down level - done!

2
PIECE

Telescopic aluminum support

This telescopic support can be mounted on all chassis or frame extensions (e.g. Adria motorhomes). Supplied in pairs incl. hand crank, lifting capacity 500 kg, support load 1000 kg, length 29-42 cm, weight ca. 1.9 kg

46524 **354,-**

2
PIECE



Quick support Jack


- Large sturdy base plates
- Secure stand on uneven ground
- Outward angled support column

Set 1: Height retracted 29 cm, extended 45 cm. 2 pcs. **46531** **92,90**


Set 2: Height retracted 39 cm, extended 55 cm. 2 pcs. **46532** **99,90-**




2
PIECE



QUALITY FOR LIFE



4
PIECE



Ideal complement to the
AL-KO RANGER (p. 359) by
the combi remote control!

UP4 electric support system


- Faster and more relaxed - designed for camping today
- Convenient and back-friendly due to remote control
- Stable due to BIG FOOT and electric compensation of unevenness
- Shunting with a remote control from UP4 and AL-KO Ranger

With UP4 from AL-KO you raise the supports of your caravan by remote control and adjust them to the point. As fast, secure and convenient as never before. Save your back, your nerves and relax already with the arrival at the campsite.


Power supply 12 V, average/max. current consumption 6/24 A, additional weight ca. 17.5 kg. Min. permissible total weight of the caravan 800 kg. Max. permissible total weight of the caravan 2500 kg.

Scope of delivery: 4 premium supports incl. drive, BIG FOOT, floor rail for reinforcement, 4 bearing bushings, 1 anti-theft adapter, remote control with holder, 1 control unit, mounting material, battery disconnect switch, instructions.


466971 1598,-



QUALITY FOR LIFE



Load capacity static 1000 kg
dynamic 500 kg



2
PIECE

AL-KO ClickFix - Lifting supports Mechanical

Ensure safe standing of the vehicle. Attachment to motorhomes with AL-KO frame or frame extension. From Bj 8/95 all mounting points on the frame are prepared. For older vehicles, the hole is set itself. Robust lifting support for firm and safe stand. Operation is done with unscrewing crank; automatic tensioning of the lifting support when turning up. Free-swinging mechanism: If the motorhome is moved even though the support is extended, it automatically folds forwards or backwards. Delivery in set = 2 pcs. Hand crank not included in the scope of delivery.

AL-KO lift support rear for frame height A

loaded min.	310	320	420	460
loaded max.	424	440	624	710
Overall height B min.	281	297	397	446
Overall height B max	445	464	654	744
necessary workber. F	364	382	481	531
Drive wavelength E	200	200	200	200
Dead weight	7,2	7,3	8,4	8,9
Art. No.	46700	467001	467002	467003
Price	429,-	429,-	429,-	429,-

Supports can be manually changed in length via a cotter pin.



INNOVATIONS FOR MOBILE LIFE




4
PIECE


Plastic support frame set including shims

Height 30-42 cm, load capacity 750 kg per piece. With metal spindle. Stackable. 4 pieces in a set including 4 shims.

912064 42,95



INNOVATIONS FOR MOBILE LIFE



4
PIECE

Plastic support frame set

Height 31-46 cm, load capacity 750 kg per piece with metal spindle. Stackable.

43155 61,-



INNOVATIONS FOR MOBILE LIFE



ca. 28.5 to 42 cm
5 cm
23 cm
16 cm

4
PIECE

Aluminum trestle set

- Adjustable support blocks
- Height adjustable from 28.5-43 cm
- 1000 kg load capacity per piece
- With metal spindle, stackable

1000 kg load capacity per piece.
Weight 3,2 kg

2 piece **912060 24,90**
4 pieces **912061 49,95**



4
PIECE

Aluminum support bracket set Jumbo

Set of 4 reinforced aluminum support brackets. Load capacity ca. 2700 kg per piece. Height adjustable from 28-43 cm. Spindle made of corrosion-protected galvanized steel. 4 pieces, H220 x W155 x D155, 330 mm

92559 61,90



INNOVATIONS FOR MOBILE LIFE



4
PIECE

①

4
PIECE

②



Universal plastic shims

- For height compensation under support trestles or support feet
- Pluggable into each other for greater height compensation
- Prevent sinking into soft ground
- Ensure a stable hold due to a large contact surface

① Dimensions: 21 x 21 x 3.3 cm, weight 1.6 kg.
4 pieces in a set. **91187 15,95**

② With carrying handle, dimensions: 22.5 x 16.5 x 2 cm, weight 1.2 kg.
4 pieces in a set. **91186 17,90**

Kit level up

- Wide support to support the motorhome
- Non-slip surface that adheres to the tire
- Lightweight, corrosion-free, quick to clean
- UV-resistant



92,-

Set consisting of: Step wedge Level Up, drive-on aid Level Plate, blocking wedge Chock Level and transport and storage bag Level Bag.
Weight: 4,3 kg

912398 92,-



23,-


Incl. Bag



Step wedges Level Up with 2 or 3 approach levels

- Wide support to support the motorhome
- Non-slip surface that adheres to the tire
- Lightweight, corrosion-free, quick to clean
- UV-resistant

①



Level UP

from 37,-



②

①

③

① Level up step wedge, load capacity 5 t per axle

2 step wedges, with three steps, dimensions: 57x20x13 cm, bag optionally available
912394 37,-
Level Bag Carrying bag 915100 12,-

Kit Level up, load capacity 5 t per axle (not shown)

2 step wedges, with three steps, dimensions: 57x20x13 cm, in practical bag
912395 48,-

Kit Level up Premium/Premium S, load capacity 5 t per axle

2 Level up Premium step wedges in practical bag. With three levels

② Premium, Steps on 7, 13, and 17 cm height.

Dimensions: 83 x 31 x 20 cm, 912397 106,-

③ Premium S, Steps on 4, 8, and 12 cm height.

Dimensions: 68 x 28 x 16 cm, 912399 77,-
Level Bag S Carrying bag 915101 12,-




Anti-slip traction aid mats

- No sticking on sandy or uneven surfaces
- Prevent spinning of the drive wheels
- High adhesion to the wheel

Grip mat gray, incl. bag

Pair 93103 23,-



Level Plate ramp aid

Suitable for all Fiamma Level up wedges. Slipping away and sinking of the wedge is prevented. Fixed mounting on the wedge. With practical carrying handle made of PVC.
Pair 915144 23,-

Leveling wedges - Lightweight, resistant, TÜV-tested

- Tire-friendly surface with good grip
- Stackable with self-locking latch
- Lightweight, corrosion-free, quick to clean
- UV-resistant


23,-



Level Pro, load capacity 5 t per axle weight 0.8 kg/wedge, dimensions: 43x17x9 cm pair

93106 23,-


37,-



Level System Magnum, load capacity 8 t per axle Weight 1,3 kg/wedge, dimensions: 50x20x9 cm pair

91249 37,-

78,-



Level System Jumbo, load capacity 12 t per axle Weight 2,9 kg/wedge, dimensions: 60x26x12 cm pair

912581 78,-



Blocking wedge Chock Level

Blocking wedge for wedges from Fiamma. Reliably blocks the vehicle even during long periods of standstill. Weight only 130 g/piece (Not suitable for Level up Jumbo).

Pair 93101 11,-




Anti Slip Plate

No more slipping away when approaching the leveling and step wedges. Suitable only for Fiamma wedges.


Dimension 100 x 160 mm

Pair 93105 6,-




Ramp wedges, 4 t or 10 t load capacity

- Extremely robust, with non-slip surface
 - Also for caravans with tandem axle
 - Stepless drive up
- ① **Standard wedge, load capacity 4 t per axle**
Total height 8 cm, weight 1.1 kg.
Pair **915111** **18,50**
- ② **Maxi wedge, load capacity 10 t**
Total height 12 cm, weight 2 kg.
Pair **91511** **40,95**
- ③ **Parking stopper** for standard wedge, pair **915072** **10,-**
- ④ **Parking stopper** for Maxi wedge WxDxH 205x140x110 mm pair **915112** **18,20**



Learn more here!




Round wedges set of 2 incl. bag

- Simple stepless drive up
- Optimal protection of the tires, gives the vehicle stability
- Perfect load distribution
- Tested drawbar load: 1,250 kg per wheel
- Approved for tire Ø up to ca. 70 cm

- ① **Round wedges mini**
For stepless upward travel up to max. 8 cm.
2 wedges in set incl. bag. Weight: ca. 1100 g.
Please apron height of min. 21 cm note.
Pair **925493** **44,95**
- ② **Round wedges standard**
For stepless upward travel up to max. 10 cm.
2 wedges in set incl. bag. Weight: ca. 1650 g.
Please apron height of min. 28 cm note.
Pair **925492** **46,95**





Premium Quality

2
PIECE

Compensating wedges

- Premium quality with anti-slip profile
- Weatherproof, resistant and robust

- ① **Compensation wedge Strong** Load capacity up to 3 t per axle For smaller vehicles, e.g. camping buses.
Set of 2 91252 19,95
- ② **Compensating wedge Super Strong** Load capacity up to 4 t per axle For alcove motorhomes and integrated motorhomes
Set of 2 91253 26,95

CARBEST
INNOVATIONS FOR MOBILE LIFE2
PIECE

For large vehicles

29,99

Compensating wedges XL

The XL leveling wedges are ideal for leveling large caravans or motor homes with wide tires. Loadable up to 5 t per axle. Dimensions: 61x21,5x12 cm, Weight: 2,4 kg/pc. Material: PP. Color: Grey

912554 29,99

CARBEST
INNOVATIONS FOR MOBILE LIFE2
PIECELoad capacity:
1250 kg per wheel

Plastic compensating wedges

The plastic step wedges are ideal for leveling caravans or mobile homes on uneven ground. Load capacity: 1250 kg per wheel. Material: plastic, color grey.

Size: 52 x 17 x 11 cm, weight: 1.8 kg/pc.

914000 30,95



THULE

TOP
SELLER2
PIECE

Compensating wedge set

Load capacity up to 5 t per axle. Set with 2 ramp wedges and sturdy carrying bag. Three different height levels for easy leveling of the camper.

Set of 2 912521 49,-

CARBEST
INNOVATIONS FOR MOBILE LIFENEW
2023Carrying bag
for ramp wedges

- Durable
- Water repellent and stain resistant

- ① With long carrying handle and Velcro closure. Suitable for drive-up wedges with a size of max. 61x21,5x12 cm. (Matching ramp wedges: 914000, 912554, 93106). Material: polyester, color black.

912555 7,99

Wall bag for ramp wedges

- 4 eyelets for wall mounting
- Water repellent and stain resistant

- ① For hanging 2 drive-up wedges e.g. in the rear garage. Suitable for drive-up wedges with a size of max. 61x21,5x12 cm. (Matching ramp wedges: 914000, 912554, 93106). Material: polyester, color black.

912556 12,95

Multi-Stopper Wedge

As a supplement to the 912551 or 912552 multifunctional pad. Prevents the vehicle from rolling away, with practical handle for easy handling and clipping into the pads made of polyethylene.

Red, H128 x W93 x D198 mm, weight 585g per piece.
1 piece 912553 7,95



7,95

Multifunctional pad

Allows variable height compensation in 3 heights from 45-105 mm. Level differences can be compensated both in length and lateral alignment. Material: polyethylene, red. Dimension: H35 x B215 x D255 mm, 380g/piece.

Set of 4 912551 24,95
Set of 10 912552 50,95



TIRE GUARD / TIRE CUSHION

CARBEST
INNOVATIONS FOR MOBILE LIFE




2
PIECE

Tire protection against "flat tire" during long periods of idling

Reduces deformation of the wheels during long periods of standing. Suitable for wheels from 10" to 20". Dimensions: 44 x 20 x 4 cm

Set of 2 **91528** **17,95**

FIAMMA
home is everywhere



2
PIECE

Tire protection against "flat tire" during long periods of idling

Wheel Saver

Reduces deformation of the wheels during prolonged standing. For wheels up to 15" .. Weight ca. 0.5 kg.

Set of 2 **915163** **21,-**

Suitable carrying bag Level Bag S **915101** **12,-**



Rubber granules tire protection

Ideal for longer periods of standing over the winter months. Even for extreme temperature ranges from -40 to +100°C. Adapts perfectly to the shape of the tire. Gentle effect on the tires due to better distribution of the weight load of the vehicle. Protects against deformation and aging. Prevents unwanted movements when parking. Wear-resistant, non-slip and ecological.

Scope of delivery: 4 pieces **92548** **129,-**

EMUK
The Best Technology



Emuk Air-Lift

The Emuk Air-Lift is a heavy-duty, wear-resistant, gasoline, oil and acid-proof compressed air lifting bag designed specifically for motor homes and caravans. All floor unevenness and height differences of the substrate can be continuously compensated from 1.5 cm to 20 cm. The load capacity of the Emuk Air-Lift is 11 tons, beating all previous best values compared to conventional balancing wedges.

Technical data:

Dimensions: 48 x 43 x 2 cm, Weight: 3,6 kg, Load capacity: 11 t at 6 bar, Max. Height: 20 cm, Min. height uninflated: 1.5 cm, Volume uninflated: 3.6 L, Inflate & deflate: 1 auto valve, Pressure test tested: 24 h at 6 bar, Temperature range: -20 °C to +60 °C.

Scope of delivery:

1 Air-Lift lifting cushion, 1 drain valve, storage bag.

Emuk Air-Lift **92542** **269,-**

Emuk Air-Lift Set of 2 **92544** **499,-**

Emuk Air-Lift Twin

Ideal for twin tires.

Technical data:

Dimensions: 70 x 43 x 2 cm, Weight: 5.3 kg, Load capacity: 11 t at 6 bar, Max. Height: 20 cm, Min. height uninflated: 1.5 cm, Inflate & deflate: 1 auto valve, Pressure test tested: 24 h at 6 bar, Temperature range: -20 °C to +60 °C.

Scope of delivery: 1 Emuk Air-Lift Twin, 1 drain valve, storage bag.

Emuk Air-Lift Twin **92543** **299,-**



Flat Jack - tire protection against flat tire

- Effective protection of tires against damage caused by standing
- Inflatable with compressor or air pump
- Filling pressure from 0.8 - 1.3 bar, height compensation up to 6 cm
- Suitable for vehicles up to 7.5 t total weight

Flat Jack - For tires up to 255 mm width

PU membrane inside, reinforced PU/nylon fabric outside.

92546 **119,-**

Flat Jack Plus

for tires up to 275 mm width

PU membrane inside, outside reinforced PU / nylon fabric.

92547

① Uniko 6 in 1 drive-on aid/folding ramp

- Various applications
- As wheel chock, 3-fold height adjustable
- As a starting aid or ramp for height compensation
- As a stool, trestle or step

Fiberglass reinforced folding ramp with various applications. The surface is very grippy and easy to drive on due to the wedge shape. Incl. Carrying handles. Height adjustable: 4,4/9/13 cm, length folded out: 145 cm, width: 25 cm, load capacity: 3,5 tons

915120

177,-



② Aluminum rail set for Uniko 6 in 1 folding ramp

- Transforms the flexible folding ramp into an access ramp
- Allows the loading of trailers and motor homes

With the assembly of the two aluminum rails, the Uniko 6 in 1 Folding Ramp becomes a rigid access ramp. This allows you to load the rear garage of your motorhome or a trailer more easily. Loadable up to 200 kg (max. 400 kg when used in pairs)

915121

94,50



Wheel spacer for front and rear axle

- Reduces the lateral inclination
- Stabilized for crosswind sensitivity
- Less tire wear

Fiat Ducato from year 07/2006 X250 Types 250, Type 250D and from My. 05/1994 - 06/2006, type 230/244. Widening 60 mm, price per axle

47038

217,-

Fiat Ducato from year 07/2006 X250 types 250L,D and Fiat Ducato (Maxi axles) from year 05/1994-2006 X250 types 250L,*D type 230D *L *M and type 244*B *D *L *M. Widening 60 mm, price per axle

47030

239,-

Scope of delivery: 2 spacers, mounting screws, TÜV strength certificate. To be used for all standard tires.

You can find more wheel spacers at www.reimo.com



Wheel cover Meridian for VW Transporter

- High quality, impact resistant plastic
- Easy mounting and very good fit due to practical mounting systems
- 4 pieces in set

Extremely good look and fully trendy for almost all common 16" rims. Color: Black

46044

33,34



Wheel cover for Fiat Ducato

- Original equipment standard
- Made of high quality ABS plastic
- Multilayer coating
- 4 pieces in set

Amsterdam, chrome finish polished:

15"	46018	89,60
16"	46019	99,95

NEW: Itah, silver:

15"	460250	41,12
16"	460251	45,63

CARBEST
INNOVATIONS FOR MOBILE LIFE



99,90

Transportable compressor with high performance

- Ideal for off-road or camping use
- Powerful air compressor with enough power even for larger tires

Premium Mini Compressor for tires, buoyancy aids and inflatable boats. Features: 12 volts, 360 watts, pressure 10 bar/150 PSI, flow rate 90 liters/min. Integrated thermal protection switch and robust metal housing. Scope of delivery: Compressor with transport bag, valve attachments, battery clamps for direct connection to the battery (cable length 3 m) and tire inflation hose with 8 m length.

474081

99,90



Tire puncture repair kit

Fill tire sealant gel into the flat tire and inflate with the compressor. Driving with max. 80 km/h to the next workshop possible. **Scope of delivery:** 700 ml tire sealant gel, 12V mini compressor, valve opener with accessories and storage bag

47404

66,40

Spare bottle of tire sealant gel 700 ml capacity.

474061

34,90



Chic aluminum complete wheels for VW T5 / T6 / T6.1



①



②



Original VW tire pressure sensor

Complete wheels for VW T5/T6/T6.1

- Alloy wheels including tires
- Including wheel studs, caps, tire mounting and balancing
- With TÜV parts certificate, entry in the vehicle documents necessary
- In noble matt black

Scope of delivery: Tires mounted on rim, balanced, wheel studs, caps and TÜV parts certificate.

Delivery time: 1-3 weeks max.

① 18" Alloy complete wheel Classic B

18 x 8.5 rim with General Grabber AT3 tires (235/55R18), all-season tread pattern with 50% off-road and 50% on-road capabilities. M+S marking and snowflake symbol.

Without tire pressure sensor

per piece **46052** **970,-**

With original VW tire pressure sensor* (preinstalled)

per piece **46053** **1066,-**

② 16" Alloy complete wheel WP 16

16 x 7.5 rim with Hankook RW12 winter tires (215/65R16). Only for vehicles with 16-inch brake system.

Without tire pressure sensor

per piece **46056** **547,30**

With original VW tire pressure sensor* (preinstalled)

per piece **46057** **699,-**

* Due to technical conditions only suitable for VW T6.1

BORBET CWT



15" alloy wheel CWT black polished glossy for caravans or trailers

With the BORBET CWT now recommends a new trailer wheel, which convinces not only visually but also by its strength of 1,100 kg. Rim size: 6.0x15", 5-hole.

Color black **46046** **155,60**

irmax



17" Wavestar alloy wheels for Fiat Ducato and Renault Trafic

- Exclusive matte design
- With TÜV/ABE
- Hole ring 5 x 130 mm

For Fiat Ducato **46050** **280,-**

For Renault Trafic **460501** **280,-**

Please also order wheel scar cover per rim:

For rim Wavestar, color black **46060** **8,75**



37,95



CARBEST
INNOVATIONS FOR MOBILE LIFE

Wheel claw steel - theft protection for cars and trailers

Steel wheel claw for wheels up to 26.5 cm wide. Scope of delivery incl. 2 keys.

Dimensions: ca. 23 x 50 cm, weight: ca. 2.3 kg. **913401** **37,95**

LI = Load index

(also load capacity index) indicates the load capacity of the tire. It can be read on the tire at the underlined position: 195/65R15 108 H

Index	Load capacity	Index	Load capacity
107	975 kg	114	1180 kg
108	1000 kg	115	1215 kg
109	1030 kg	116	1250 kg
110	1060 kg	117	1285 kg
111	1090 kg	118	1320 kg
112	1120 kg	119	1360 kg
113	1150 kg	120	1400 kg

15" alloy wheel for Fiat Ducato

- Mistral anthracite, polished

5-hole, LK 118 mm, 1075 kg max. permissible. Wheel load. **6.0 x 15"**, offset 68 mm

460031 **205,-**

205,-



REICH
 THE QUALITY EXPERIENCE


easydriver safetyre - Tire pressure monitoring

- Simply place the sensors on the valve instead of the caps
- Content 2 sensors (if required, 2 or 3 sets can be used simultaneously)
- Display via the free easydriver app
- Suitable for motorhomes, caravans and trailers
- Max. Tire pressure 6.3 bar

With replaceable battery (CR 1632), anti-theft device with lock nut Bluetooth 2.4 GHz, operating voltage 3 V, operating temperatures -20 °C to 85 °C, weight ca. 9.5 g per sensor.

47427

142,50




Tire pressure monitoring

- Wireless mounting
- Permanently controls the tire pressure
- Increases tire mileage
- Attention thresholds separately adjustable for each axis
- Anti-theft device
- System expandable to 6 or 8 sensors

With the TireMoni tire pressure monitoring system you permanently control the air pressure of your tires. Accidents are thus effectively avoided. In addition, with the optimal tire pressure you save precious fuel and the tire mileage increases significantly. **Technical data:** Measuring range 0 - 11 bar, measuring accuracy 0.14 bar.

Scope of delivery: 1 x TireMoni display unit incl. batteries AAA, 4 (6) x Checkair tire pressure sensors incl. batteries CR1632, 12 volt connection cable, mounting frame, operating instructions.

① Monitoring system TM - 260 with 6 sensors	47416	359,-
① Monitoring system TM - 240 with 4 sensors	47415	252,-
② Monitoring system TM - 210 with 4 sensors	47410	235,-
③ Cleaning spray for sensors	47412	12,50
④ Mounting spray, corrosion protection for sensors	47413	5,90
⑤ metal valves 31 mm, set of 4	47419	32,-
⑥ Spare battery for sensor,type CR 1632	47414	5,90



137,91




Mud flaps for the rear of the vehicle

Protects bike rack and trailer from dirt, Splash water and keeps the rear wall clean. 57 cm long perlon threads are combined into two brushes 122 cm each. Can be shortened individually. Weight 5 kg **Scope of delivery:** 2 mud flap parts of 122 x 57 cm each, 2 aluminum mounting rails of 122 cm each, mounting material

912105

137,91




Mud Flap Rear - Mud flap for the rear of the vehicle

Easy mounting on the rear of the vehicle. Made of solid but flexible rubber foam. It is possible to connect several Mud Flap Rear and create a continuous "wall". Weight 1.2 kg, 2 pieces

912152

57,-



Mudflap front wheels for Fiat Ducato ab My. 06/2006

Practical and easy mounting with the supplied painted steel brackets. Made of solid but flexible rubber foam, weight 1.2 kg, 2 pieces

912151

62,-

STAINLESS STEEL LOADING EDGE PROTECTION

CARBEST
INNOVATIONS FOR MOBILE LIFE

Bumper protection made of high quality stainless steel

① For Citroën Spacetourer 2017, Citroën Jumpy from 2017, Toyota Verso III from 2017, Toyota Proace III from 2017, Opel Zafira Life from 2019, Opel Vivaro from 2019, Peugeot Expert from 2017, Peugeot Traveller from 2017

Brushed stainless steel, short wheelbase	45830	75,90
Stainless steel black brushed, short wheelbase	45831	89,90
Brushed stainless steel, long wheelbase	45832	75,90

NEW For VW Caddy/Caddy Maxi as of 2020

Stainless steel brushed	45847	65,90
-------------------------	-------	-------

For VW T6/T6.1 Transporter, Caravelle & Multivan as of 2015

② Brushed stainless steel (single door)	45841	56,90
③ Brushed black stainless steel (single door)	45842	67,90

For VW T5 Transporter, Caravelle & Multivan 2003-2015 Van, VW T6/T6.1 Transporter from 2015 Van

Stainless steel brushed	45843	49,90
④ Stainless steel Black	45844	59,90
⑤ Stainless Steel & Carbon Foil	45845	41,90

For MB Vito W447 2014

Stainless steel brushed	45833	52,90
Stainless steel black brushed	45834	64,90

For Fiat Talento from 2016, Opel Vivaro III 2014- 2019, Renault Trafic III from 2014

Stainless steel brushed	45839	56,90
Stainless Steel Black	45840	67,90

For VW Crafter from 2017 Van


Stainless steel brushed	45846	79,90
-------------------------	-------	-------

For MB Sprinter 2006-2018, VW Crafter 2006-2017 Van

Stainless steel brushed	45835	52,90
Stainless steel black	45836	82,90

⑥ For MB Sprinter from 2018

Stainless steel brushed	45837	59,90
Stainless steel black	45838	75,90



Stainless steel load sill guard

- Noble protection of the delicate bumper
- Optical upgrading of the vehicle
- High fitting accuracy due to CNC milling

VW T5 from 2003 - 2015 with tailgate (also Multivan and Caravelle)

46397	126,-
-------	-------

VW T6/T6.1 with tailgate (also Multivan and Caravelle)

Silver	46398	125,-
Matte black anodized	463980	125,-

NEW VW T7

Matte black	463981	126,-
-------------	--------	-------

Bumper protection made of black ABS plastic for VW T7/T6.1/T6/T5/Caddy/MB Vito/Citroën etc.

- Safe protection of the sensitive bumpers from loading damage
- Maintains the value of the vehicle, as unsightly scratches are avoided
- Made of high quality and durable ABS plastic
- Self-adhesive with high accuracy of fit due to CNC milling

- | | | |
|---|--------|-------|
| ① VW T5 with painted bumper (also Multivan and Caravelle) | 46312 | 119,- |
| VW T5 with black plastic bumper | 463122 | 119,- |
| VW T6.1 / Caravelle / Multivan / Transporter as of 11/2019 | 463125 | 114,- |
| ② NEW VW T7 / Caravelle / Multivan / Transporter from 06/2021 | 463175 | 114,- |
| ③ VW Caddy/Maxi 2004-2015 with painted bumper | 46314 | 119,- |
| Only for tailgate | | |
| VW Caddy/Maxi 2004-2014 with black plastic bumper | 463142 | 119,- |
| Only for tailgate | | |
| VW Caddy 2015-2020 with painted or black bumper | 463144 | 119,- |
| Only for tailgate | | |
| ④ NEW VW Caddy V from year 10/2020 with painted bumper | 463174 | 119,- |
| Only for tailgate | | |
| ④ NEW VW Caddy V from year 10/2020 with black plastic bumper | 463173 | 119,- |
| Only for tailgate | | |
| ⑤ Mercedes Vito / Viano from 2015 with painted or black bumper | 463161 | 126,- |
| Only for tailgate | | |
| ⑥ NEW Mercedes V-Class/Viano/Vito W447 from 03/2019 facelift with painted or black bumper | 463176 | 126,- |
| Only for tailgate | | |
| ⑦ Citroën Dispatch/Jumpy/Spacetourer as of 09/2016, Peugeot Expert/New Traveller, Toyota Proace as of 09/2016 | 463171 | 126,- |
| ⑧ NEW Opel Vivaro C long wheelbase from 09/2019 | 463177 | 149,- |



Bumper protection films with self-adhesive backing



Loading sill protection film for Renault Traffic / Opel Vivaro

Robust self-adhesive protective film for the loading sill. Protects the paintwork of the bumper, e.g. when loading the vehicle from scratches and damage. Black color.

46465 29,95



Loading sill protection film Mercedes Sprinter > 2018

② Protective film for the loading sill at the rear entrance

Self-adhesive. Protects the bumper paint from scratches and damage, e.g. when loading

Black	46455	35,95
Transparent	464551	35,95

Loading sill protection film for VW T4/T5/T6

- Protects the loading edge over the entire width from scratching
- Robust self-adhesive film, car wash resistant
- Shape/temperature & fuel resistant
- Self-adhesive and perfect fit

VW T6/T6.1 from My. 2015, Black	46269	28,95
VW T6/T6.1 from My. 2015, Transparent	462691	37,95
NEW VW T6/T6.1 2 rear doors, from My. 2015, Black	462692	27,95
VW T5 from model 2010, Black	462581	27,95
VW T5 until model 2009, Black	46253	24,95
VW T4, Black	46245	29,95

BUMPER PROTECTION PROFILES / DOOR SILL PROTECTION



Bumper protection profiles for VW T6/T5

- Prevents damage to own vehicle
- Self-adhesive
- Easy assembly
- High quality stainless steel - soft plastic composite profile
- Resistant to shape/temperature and fuel
- Robust and car wash resistant

Side protection profiles for left and right side of the vehicle

① VW T6/VW T5 short wheelbase all models 46250 142,95

Bumper protection for front and rear

② VW T5 until model 2009, 3-piece set, black 46252 98,95

③ VW T5 from model 2009, 4-piece set, black 46258 78,95



Bumper protection profile for Mercedes Sprinter

- Prevents damage to own vehicle
- Self-adhesive
- Easy assembly

2-piece set for front and rear bumper. Black

46457 93,95



CARBEST
INNOVATIONS FOR MOBILE LIFE

Door sill protection for VW T6.1/T6/T5 from My. 2004

- Effectively protect the sills and paint in the highly stressed entry area of the vehicle from dents and scratches

2-piece set. Material: ABS plastic, Black.

45860 45,95



CARBEST
INNOVATIONS FOR MOBILE LIFE

Door sill protection for Fiat Ducato > 2004 and Fiat Ducato 8 > 9/2021

- Effectively protect the sills and paint in the highly stressed entry area of the vehicle from dents and scratches

2-piece set. Material: ABS plastic, Black.

45861 39,95



Door sill protection film

- Prevents damage and scratches in the entry area
- Self-adhesive
- Easy assembly

VW T5 from 2010, Black 462583 20,95

VW T5 from 2010, Transparent 462584 26,95

Renault Trafic/Opel Vivaro, Black 46467 19,95

MB V-Class from 2014, Black 464554 17,95

MB V-Class from 2014, Transparent 464555 21,95



Personal protection bar for Fiat Ducato, Citroën Boxer, Peugeot Jumper, 2014-09/2021

• With EC approval and CE homologation

① EU personal protection barlow, Ø 76 mm

For vehicles with long crashbox (for short crashbox art. 462727 must be ordered as well).

Stainless steel	462726	396,-
Schwarz (not shown)	462729	459,-

Additional element "Short crash box

Additional crossbar for mounting the personal protection bar on vehicles with a short crash box.

462727	65,82
--------	-------

② Spoiler protection tube, Ø 60 mm

(mounting underride protection not possible) 462728 309,83



Short crash box

In the case of a short crash box, the traverse is not directly behind the bumper. If you look through the ventilation grilles at an angle, you can see small sections of the crossbar. In the vehicle configuration, this vehicle is stored with 5VE.




Scan QR code and download assembly instructions for Antec personal safety guards



Assembly instruction 462726



Assembly instruction 462728



4
PIECE

Transparent protective film for door handle recesses

- Maintains the value of the vehicle and safe protection against paint scratches from fingernails and keys
- Suitable for any paint color
- 0.32 mm thick, self-adhesive and UV-resistant
- 4-piece, incl. cleaning cloth and assembly instructions

VW T6.1/T6/T5 from My. 2003	462591	24,95
VW Caddy My. 2006-2020	462592	24,95
NEW VW Caddy/Caddy Maxi > 06/2020	462594	24,95
Mercedes Benz V-Class from 2014	462593	24,95

All films are suitable for painted surfaces only.



2
PIECE

Bumper tread plates for Fiat Ducato >09/21, Fiat Ducato, Citroën Jumper, Peugeot Boxer >2014


- Visual enhancement and Protection from scratches
- Safe step when climbing up
- 2 pieces in set

Alu Nature	464580	26,95
Alu Silber eloxiert	464581	31,95
Alu Schwarz pulverbeschichtet	464582	31,95

Reimo license plate holder

With pre-drilled holes for almost any hole spacing on your vehicle.

532391 5,95



Set of steps

- Halves the factory step height
 - TÜV parts certificate
- Made of aluminum & plastic
Load capacity 140 kg

Fiat Ducato from 2006

92352 489,-

Mercedes Sprinter

92351 570,-



MIRROR PROTECTORS / MIRRORS

CARBEST
INNOVATIONS FOR MOBILE LIFE



① Mirror protectors for minivans

For Citroen Jumpy from 2017, Citroen Spacetourer 2017, Citroen Berlingo III Panel Van from 2019, Citroen Berlingo III Passenger Van from 2019, Opel Vivaro from 2019, Peugeot Expert from 2017, Peugeot Traveller from 2017, Toyota Proace III from 2017 ABS Chrome, 2 pcs. 45850 59,90

For VW T5 Transporter FL, Caravelle FL & Multivan FL 2010-2015 Van, VW T6 Transporter, Caravelle & Multivan from 2015 Van, Amorok from 2010 PK

ABS Black Chrome, 2 pcs. 45851 59,90

Mirror protectors for motorhomes / vans

For FIAT Ducato (also suitable for Ducato 8 > 09 /2021) / CITROEN Jumper / PEUGEOT Boxer >2006 (X250 and X290)

- Material plastic, high gloss lacquered
- Perfect fit
- Self-adhesive

Protects the mirror from damage or hides existing damage. Long version for semi-integrated and alcoves, short version for campers. Available in white, chrome and black. 2 pcs each.

② Black:	Short version	45813	69,95
	Long version	45814	69,95
③ White:	Short version	45815	69,95
	Long version	45816	69,95
④ Chrome:	Short version	45811	79,95
	Long version	45812	79,95




CARBEST
INNOVATIONS FOR MOBILE LIFE

Wide angle lens for better rear view

- Increases the field of view
- People and obstacles behind the vehicle better visible
- Risk of collision when reversing decreases
- Easy to install

from 9,95



Moisten the smooth side of the lens, press it onto the cleaned back window. Holds very well, can be easily removed again.

Vehicle length up to 3 m	15 x 20 cm	47105	9,95
Vehicle length up to 5 m	20 x 25 cm	47106	9,95
Vehicle length from 5m	27 x 35 cm	47107	17,50



4,99

CARBEST
INNOVATIONS FOR MOBILE LIFE

Round wide angle mirror

- Improves visibility in blind spots
- For safety-conscious drivers
- To stick on the rear view mirror

Mounting: Back side self-adhesive, simply stick on the rear view mirror. Diameter 75 mm. 47102 4,99

Double angle mirror to clip on the exterior mirror



- Improves the consideration
- Clips onto the rear view mirror
- Mirror glasses can be adjusted independently
- Reduces the blind spot
- Universally applicable

Hercules Double View

Right	47126	12,95
Links	471261	12,95

You will find a wide selection of caravan mirrors in the caravan technology section and at: www.reimo.com



Outsmart the blind spot

- Reduces the blind spot
- Improves the consideration
- Avoids accidents

Hercules top mirror

Mounting: Is placed on the mirror. Mirror glass is removed and clamped by means of screws.

① Hercules mirror small (W15 x H7 x D6 cm)	47159	13,50
② Hercules mirror large (W15 x H12 x D7.5 cm)	47160	16,50

LIPPERT


Manual steps series R


Anti-slip step made of aluminum. The operation is performed from the outside by hand. Height retracted 135 mm.

Step width 440 mm, weight ca. 4.1 kg
923642 185,-

Step width 700 mm, weight ca. 4.7 kg
923644 205,-

T series


Step width 500 mm, weight ca. 4.6 kg
923643 183,-


THULE


Manual step Single Step 550

Step height 180 mm, total width 552 mm.
Weight: ca. 4.1 kg

912095 214,-


THULE


12V

Electric steps Slide-Out Step G2

- Best integrated on the vehicle
- Easy removal of the running board without tools
- Anti-slip strips on the running board

Intelligent and stable installation, easy manual locking without any Tools in case of power failure. No sharp edges on the front. Patented cable outlet + hook for more protection and flexibility during installation. Integrated brushes, cable outlet, lip profile. A switch for connecting an optional Attention lamp or relay in the vehicle is provided as standard, so it is not possible to drive away with the step extended. Exceeds the European load standard 2001/85/EC (RV DIN EN 1646-1).

① For Fiat Ducato (also suitable for Ducato 8 from My. 09 /2021), Citroen Jumper, Peugeot Boxer Euro 6D

400 mm	912145	399,-
550 mm	912146	459,-
700 mm	912147	529,-

Mounting kit for Fiat Ducato, Citroen Jumper, Peugeot Boxer 912148 99,-

② For VW Crafter and MB Sprinter FWD from My. 2017

400 mm	912149	399,-
550 mm	912150	459,-
700 mm	912153	529,-

Mounting kit for VW Crafter from My. 2017

for G2 400/700	912154	101,-
for G2 550	912155	101,-

Mounting kit for Sprinter FWD from My. 2017

for G2 550	912156	101,-
------------	--------	-------

③ For MB Sprinter RWD/4WD and VW Crafter >05/2006-2017, Renault Master, Ford Transit

400 mm	912157	389,-
550 mm	912158	449,-
700 mm	912159	519,-

Order mounting kits for each vehicle type:

For MB Sprinter RWD/4WD and VW Crafter >05/2006-2017	912160	101,-
--	--------	-------

For Renault Master	912161	99,-
--------------------	--------	------

NEW For Ford Transit from 2015, FWD	912163	99,-
4WD	912164	99,-

Suitable accessories for Slide-Out Step G2:

① LED kit

For a safe step even in the dark.

For standard step	923851	54,-
-------------------	--------	------

For Slide-Out Step Fiat Ducato, Citroen Jumper, Peugeot Boxer, VW Crafter	923856	57,-
---	--------	------

② Automatic retraction

When the vehicle engine is started, the step retracts automatically.

For all 12V OmniStep treads.	912121	18,-
------------------------------	--------	------

③ Thule Control Box

Automatically retracts and extends the step when closing/opening the door

912123	289,-
--------	-------



Electric steps**Alanera Electric step
for Fiat Ducato**

- Waterproof plastic step
- 200 kg maximum load capacity
- Modern and fresh design
- Lighter than conventional steps
- Automatic retraction and extension of the step
- Patented motor system
- Quickly installed thanks to preassembled brackets


Dimensions: Step depth 372 mm, Width 550 mm

Scope of delivery: KIT with step, side wing, mounting kit for Fiat Ducato chassis and switch.



Step with mounting for X290, from My. 2015

Step with mounting for X250 My. 2006-2014


92324 411,-
92325 435,-



12V



12V



12V

Electric steps for vans or motorhomes

- Aluminum antislip step
- Open/close by keystroke
- Attention lamp indicates that the stage is extended
- Fast retraction and extension with emergency manual operation

Electric step in 4 widths

12 Volt, current consumption: 3 A

Scope of delivery: Step incl. wiring. Suitable for VW T5/T6

Step width 440 mm, weight: 6,85 kg 92386 410,-

Step width 550 mm, weight: 7,50 kg 92387 443,-

Step width 700 mm, weight: 8,38 kg 92388 465,-

Step width 1000 mm, weight: 9,77 kg 92358 523,-

Mounting kit for Fiat Ducato/Citroen Jumper/Peugeot Boxer

92402 81,60

Fixing kit for Mercedes Sprinter

92403 60,-

Electric steps with oscillating movement S series

- New structure made of steel and aluminum for greater stability
- Aluminum antislip step
- High-performance motor with thermal circuit breaker for excessive load
- Anti-shock coupling
- Manual release system for emergency

Electric step in 3 widths

12 Volt, current consumption: 3 A

Scope of delivery: Step with connection cable

Step width 460 mm, weight: 5,45 kg 92355 330,-

Step width 524 mm, weight: 5,96 kg 92356 297,-

Step width 695 mm, weight: 6,74 kg 92357 325,-

Accessories for Lippert steps

①



②



③



④

⑤



- ① **Switch box - feeding at the push of a button**
for step 92369 923612 142,-
for steps 92375, 923761 and 923772 923613 123,-

- ② **Automatic switch**
automatically retracts the step when the engine is started and prevents unintentional opening while driving. 92373 19,95




- ③ **Step switch**
for extending / retracting the step. 92359 25,40

- ④ **Wiring kit for switch box** 6 m cable, operating and fuse switch, LED, indicator light, 15 amp connection diagram. 923611 65,-

- ⑤ **Kit LED lighting for the aluminum treads of the steps**
• 1 LED strip with blue LEDs
• 1 transparent rubber anti-slip profile
• 1 Timer

You can find more step switches in the electrical section.

92360 57,95



12V

Electric steps series R - Entrance step in 3 widths

Scope of delivery: Complete wiring, ca. 1.5 m cable and step switch.
Please order automatic switch 92373 (see next page) separately.

Wide	ca. weight	Art.No.	Price
440 mm,	5,5 kg	923761	349,-
550 mm,	5,9 kg	923772	352,-
700 mm,	6,7 kg	923773	

T Series Electric Treads - Compact Aluminum Treads

Electric entrance step in 3 widths
Scope of delivery: Step with connection cable.

Wide	ca. weight	Art.No.	Price
460 mm	5,5 kg	92372	299,-
500 mm	5,9 kg	923721	284,-
700 mm	6,2 kg	923725	

Electric steps for motorhomes, vans and caravans

① Step Thule Single Step Compact

- 12 V step
- Material: Anodized structure aluminum
- Width: 500 mm
- Weight: 5.1 kg

Compact step under the vehicle. Improved stability under light and heavy loads up to 300 kg.

Complies with EMC and CE standards. Exceeds the European quality standards according to EN1646. A switch for connecting an optional Attention lamp or relay in the vehicle is provided as standard, so it is not possible to drive away with the step extended.

Optional accessories:

Thule Relay Kit for Step 12V, Thule Control box for Step 12 V.

912098 389,-

Single and Double Step

- With rubber pads
- Rounded running board profiles
- Corrugated anodized aluminum

② Single-step treads - Step height 178 mm

Single Step 460 , Total width 455 mm. Weight. 4,8 kg	912096	389,-
Single Step 550 , Total width 551 mm. Weight. 6,0 kg	912097	389,-

③ Two-step treads - Total step height 420 mm

Model	Step width	Total width	Weight ca.		
Double Step 380*	380 mm	435 mm	7,0 kg	912092	589,-
Double Step 440	446 mm	501 mm	7,3 kg	91209	589,-
Double Step 500	502 mm	557 mm	7,6 kg	912091	609,-

*Also fits older Hymer B-Class models.



12V

Accessories for Single and Double Step:

① Automatic retraction relay set

When the vehicle engine is started, the step retracts automatically.
Suitable for all 12 Volt OmniStep treads.


912121 18,-

② On/off automatic Electronic - Set

The step extends via a door contact switch. In addition, automatic retraction when starting the engine.

Suitable for all 12 Volt OmniStep treads.

912123 289,-





ELECTRIC TREADLES (MULTISTAGE)

LIPPERT

588 mm

Particularly robust and stable

12V

Electric step

- Entry level with 2 steps
- Entry heights from 60 - 75 cm
- Including wiring kit, 6 m cable, operating and fuse switch, LED signal when stage is open, 5 amp connection diagram

Scope of delivery:
Step with cable set. Total width with motor ca. 720 mm, weight ca. 16.9 kg
Step width ca. 480 mm

923722 670,-

LIPPERT

12V



Electric step in light construction L series

- Anodized aluminum running board with anti-slip strip
- Galvanized and painted steel structure
- Opens and closes automatically
- Manual emergency release system
- Motor optionally left or right
- Attention light for "Open stage"

Step width 610 mm, weight ca. 11 kg

92354 675,-

LIPPERT

646 mm

Particularly robust and stable

12V



Electric step with 3 steps

- For large vehicles • Entry heights of 80 - 90 cm
- Including wiring kit, 6 m cable, operating and fuse switch, admission 5 amps

Scope of delivery: Step with cable set.
Total width with motor ca. 780 mm, weight ca. 29 kg
Step width ca. 530 mm

923723 1189,-



CARBEST
INNOVATIONS FOR MOBILE LIFE

NEW 2023

Step mat

For manual or electric steps from min. 38 x 40 cm to max. 45 x 40 cm.. Protects the vehicle from dust and dirt. Incl. 2 fixing springs. Cut to size. Material plastic.

Black	516100	14,99
-------	--------	-------

FIAMMA
home is everywhere

Step mat

For manual or electric steps from min. 38 x 40 cm to max. 45 x 40 cm.. Easy to clean, fitted with springs as standard. Cut to size. Material plastic.

Green	51658	25,-
Black	51659	25,-

Entry handle with integrated lighting

Made of metal (silver color/shiny chrome). Mounting from the front or rear. Hole spacing ca. 26 cm. Light color 4,200 K. Dimensions: W 33x H 6,5 cm

832793 51,95

NEW 2023

Rocker switch with control light

Rocker switch for switching on and off with red control illumination. Load capacity: 12 V-10 A/24 V-6 A, Hole: ø 29 mm

811217	2,90
Mounting frame 1-fold (o. Fig.)	
811221	1,50

Superstructure door set

- Door frame and door leaf outside aluminum
- For wall thicknesses of 34 mm
- Door leaf inside ABS
- Mounting material included
- Hinges right
- Color: White

Material: door frame and door leaf outside aluminum door leaf inside ABS. Wall thickness: 29 mm. Radius: 83 mm. Door stop seen from the outside: Right.

① Cutout dimension:	525 x 1700 mm	
Clearance dimension:	475 x 1650 mm	
with round lock (Zadi)		
	37000	565,-
② Cutout dimension:	525 x 1700 mm	
Clearance dimension:	475 x 1650 mm	
with white lock (Zadi-Edge)		
	37002	645,-
Cutout dimension:	600 x 1900 mm	
Clearance dimension:	550 x 1850 mm	
with white lock (Zadi-Edge)		
	37003	715,-

①



②


**Superstructure door set**

- Aluminum door frame
- GRP door leaf
- For wall thicknesses of 34 mm
- Including roller blind / darkening
- Doors in OEM quality with M1 door lock
- Windows with E1 standard

Material: Door frame made of aluminum powder coated, door leaf made of GRP. Wall thickness: 34 mm. Radius: 85 mm. Door stop seen from the outside: Right. Frame technology: profile system Automotive 34 + 2 mm, powder coated (white), Automotiv hinges (black). Seal: surge water seal, main seal. Closing system: Inside: FAWO Ontop (black version), outside: FAWO Toplevel (black version). Inside: "Back in Black" design. Window cutout: 1140 x 220 mm. Including roller blind / darkening in beige. Weight: 21 kg.

Cutout dimension:	600 x 1731 mm	
Overall dimension:	620 x 1751 mm	
	35006	869,-

Cutout dimension:	600 x 1920 mm	
Overall dimension:	620 x 1940 mm	
	35007	899,-

**Optional accessories to match the doors:****Fly screen door**

- Pleated insect screen
- One-hand operation possible at any height
- The tension bar remains in any position
- Perfect fit for the door opening
- Material: PVC plastic
- Weight 5 kg

Suitable for body door 35006:

Cut-out dimension:	600 x 1731 mm	
Overall dimension:	651 x 1742 mm	
	350440	216,-

Suitable for body door 35007:

Cut-out dimension:	600 x 1920 mm	
Overall dimension:	651 x 1931 mm	
	350441	226,76

**Removable trash can**

- Dimension: 32 x 17 x 23 cm
- Weight: 1 kg
- Color: Cream beige
- Material: ABS

Suitable for body door 35006, 35007.

Scope of delivery: 1 body, 1 lid,
1 handle, 2 blind plugs.
92112 45,90



EXCLUSIVE BODY DOORS



Cara D - High quality motorhome and caravan doors

- Stable, safe and tight, thanks to the door leaf made of one piece, the 2-point locking system and the integrated rain gutter.
- Door leaf and frame made of aluminum with ABS inner shell.
- Wall thickness: 30 - 31 mm, cut-out dimension: 1942 x 580 mm

① **CARA D-RF** with integrated window, weight 21 kg,
Handle height outside ca. 75 cm, handle height inside ca. 127 cm
Door stop on the right when viewed from the outside* **35028 1039,-**
Door stop left as seen from outside* **350281**

② **CARA D-R** without window, weight 18 kg,
Handle height outside ca. 75 cm, handle height inside ca. 127 cm,
Door stop left as seen from outside* **350291 829,-**

Mounting kits for other wall thicknesses suitable for Cara D-R/Cara D-RF:

24-25 mm	35019	19,90	36-37 mm	350195	25,90
28-29 mm	350192	21,90	38-39 mm	350196	26,90
32-33 mm	350193	23,90	40-41 mm	350197	27,90
34-35 mm	350194	25,90	42-43 mm	350198	28,90

Fly screen door for CARA D-RF / Cara D-R

Mounting inside, crosswise sliding, color white (RAL 9001)
for door hinge right **350285 299,-**
for door stop left **350286 249,-**



Cylinder Ø: 13 mm, Cylinder length: 23 mm

Key HSC, 2 pieces		19,-	Locking cylinder HSC		19,-
Key no. 481	52449L	52449	Cylinder no. 481	52452L	52452
Key no. 482	524491L	524491	Cylinder no. 482	524521L	524521
Key no. 483	524492L	524492	Cylinder no. 483	524522L	524522
Key no. 484	524493L	524493	Cylinder no. 484	524523L	524523
Key no. 485	524494L	524494	Cylinder no. 485	524524L	524524



Superstructure door 1950 x 550 mm

- Door frame and door leaf made of aluminum with ABS inner shell
- For wall thicknesses from 31-33 mm
- Doors in OEM quality with M1 door lock
- Standard tested door approved for motorhomes
- Incl. Mounting set

Body door with HSC II cylinder insert, radius 89 mm, door stop right as seen from outside. With integrated window, for wall thicknesses of 31 - 33 mm, weight: 22 kg

35050

1250,-



Caravan - body door 1740 x 580 mm

- Door frame and door leaf made of aluminum with ABS inner shell
- For wall thicknesses from 31 - 33 mm
- Doors in OEM quality
- Standard tested door approved for caravans
- Incl. Mounting set

Surface-mounted door with HSC II cylinder insert, radius 89 mm Door stop, seen from outside Left. With integrated window Standard, for wall thicknesses of 31 - 33 mm, weight: 20 kg

35055

1350,-

Custom doors and case flaps made to measure

Flap and door system 2000

The flap/door system 2000 consists of a powder-coated aluminum frame and a filling consisting of white smooth sheet metal (outside), insulation made of blue Styrofoam foam and a white decorative panel made of polystyrene 1.5 mm (inside). The aluminum frame can be made in two different colors and finishes each: Color white or silver / corners round (radius 82.5 mm). Installation is always carried out using adhesive technology and can also be carried out with screw claws for wall thicknesses between 28 mm and 43 mm. Standard locking system STS/ZADI, FAWO/HSC on request. For the use of the cut-out material of the motorhome/caravan wall, it is also possible to order only an aluminum frame (=framework) without filling.



Toggle lock



Recessed handle lock



from 935,-

Already prefabricated doors in System 2000

- Prefabricated doors with standard dimensions
- For wall thicknesses from 30-35 mm
- Different types for motorhome or caravan



All motorhome doors have the M1 approval

Caravan door	1700 x 525 mm incl. caravan lock
Motorhome door	1900 x 600 mm incl. M1 lock
Motorhome door	1700 x 525 mm incl. M1 lock
Caravan door, 2-piece	1700 x 525 mm incl. caravan lock

35000	935,-
35004	1095,-
35001	1235,-
35003	1099,-

*Delivery without mounting material (screw claws)



Click here for the order form

Service case flaps

- Radius 83 mm
- Hinges right
- With Zadi Push Lock
- Door leaf outside and frame n
- Door leaf inside ABS
- Incl. Mounting material
- Color: White



Useful dimension WxH	Cutout dimension WxH		
620 x 590 mm	670 x 640 mm	37006	325,-
750x 250 mm	800 x 300 mm	37007	265,-
590x 320 mm	640 x 370 mm	37008	410,-
410 x 410 mm	460 x 460 mm	37010	395,-

Gas cylinder suitcase flaps

- Radius 83 mm
- Hinges right
- With Zadi Push Lock
- With ventilation slots
- Material: Aluminum
- Incl. Mounting material



Useful dimension WxH	Cutout dimension WxH		
350x625 mm	400x675 mm	37004	295,-
450x350 mm	500 x 400 mm	37005	255,-



Fold out picnic table

- Space saving and practical picnic table
- Simple and quick installation
- Made of stainless materials
- Large, additional usable space
- Without additional cylinders and keys
- Anodized aluminum inner surface
- Loadable up to 30 kg
- Incl. Mounting material

Material: plastic/anodized aluminum

Color: white

Outer dimension: 800 mmx450 mm

Usable size (table surface): 715 mmx365 mm

Load capacity: 30 kg

30009	199,99
-------	--------



CARBEST
INNOVATIONS FOR MOBILE LIFE

CASE FLAPS / REVISION OPENINGS

CARBEST
INNOVATIONS FOR MOBILE LIFE



Service flaps with lock

With 2 keys. UV resistant ABS.

Outer dimension L151 x H166 mm,
Mounting dimension L107 x H122 mm
30002 9,90

Outer dimension L193 x H165 mm,
Mounting dimension L149 x H120 mm
30003 10,90



from **31,50**

Revision flaps with interlock

With one or two locking levers. Hinge opening 180°. UV resistant and corrosion free.

Outer dimension L375x H270 mm, clear opening L295 x H195 mm
1 locking bolt 30004 31,50

Outer dimension L440x H315 mm, clear opening L358 x H240 mm
2 locking latch 30005 35,50

Outer dimension L606x H353 mm, clear opening L524 x H278 mm
2 locking latch 30006 45,50



Inspection openings with screw cap

Mounting rings made of ABS. The lid is screwed on with a coarse thread. UV resistant and corrosion free.

Outer Ø 198 mm,
Clear opening Ø 151 mm
30007 9,50

Outer Ø 250 mm,
Clear opening Ø 180 mm
30008 13,50



Model 3 with one lock

Model 4 & 5 with two locks

Model 6 & 7 with three locks



Replacement locks complete for:

Model 2 **E3816 31,03**
Model 3/4 **66135 27,31**

Replacement door seal for:

Model 2 **66131**
Model 3 **66132 23,13**
Model 4 **66133 24,81**
Model 5 **AA0015 25,04**
Model 6 **661331 32,97**
Model 7 **661332 30,57**

Case flaps - frame

- For all wall thicknesses
- With cutout template
- Vehicle optics remains intact
- With sturdy locks and Zadi cylinder
- Cut out sheet metal is inserted into the flap frame
- Double sealing for optimal insulation

Type	Color	Outer dimension WxH	Cutout dimension WxH		
Model 3	White	385 x 335 mm	349 x 296 mm	661501	98,-
Model 3	Light gray	385 x 335 mm	349 x 296 mm	661510	98,-
Model 3	Black	385 x 335 mm	349 x 296 mm	661511	98,-
Model 4	White	700 x 395 mm	648 x 348 mm	661521	129,-
Model 4	Light gray	700 x 395 mm	648 x 348 mm	661530	129,-
Model 4	Black	700 x 395 mm	648 x 348 mm	661523	129,-
Model 5	White	785 x 340 mm	749 x 297 mm	661481	129,-
Model 5	Light gray	785 x 340 mm	749 x 297 mm	66149	129,-
Model 5	Black	785 x 340 mm	749 x 297 mm	661485	129,-
Model 6	White	1038 x 465 mm	997 x 419 mm	661563	199,-
Model 6	Light gray	1038 x 465 mm	997 x 419 mm	661567	199,-
Model 6	Black	1038 x 465 mm	997 x 419 mm	661564	199,-
Model 7	White	1108 x 346 mm	1069 x 299 mm	661568	199,-
Model 7	Light gray	1108 x 346 mm	1069 x 299 mm	661570	199,-
Model 7	Black	1108 x 346 mm	1069 x 299 mm	661569	199,-

THETFORD



SK 4

SK 5

Including 2 keys and lock cylinders

Case flaps - SK 4 and SK 5

- Frame made of resistant plastic ASA
- Color Fiat white from model 95 (Fiat bianco)
- Circumferential rubber seal, for horizontal and vertical installation
- Cut out sheet is used as a filling
- With sturdy lock
- Including 2 keys and FF lock cylinder

Case flap SK 4 with external hinges

Cutout dimension	Outer dimension	Useful dimension	Wall thickness	Interlock		
375 x 305 mm	409 x 338 mm	335 x 265 mm	23-32 mm	Simply	30040	125,-
700 x 305 mm	734 x 338 mm	660 x 265 mm	23-32 mm	Multipoint	30048	185,-
700 x 405 mm	734 x 438 mm	660 x 365 mm	23-32 mm	Multipoint	30050	195,-
1000 x 405 mm	1034 x 438 mm	960 x 365 mm	23-42 mm	Multipoint	30052	229,-

Case flap SK 5 with internal hinges

Cutout dimension	Outer dimension	Useful dimension	Wall thickness	Interlock		
360 x 310 mm	385 x 335 mm	337 x 288 mm	23-36 mm	Multipoint	30053	135,-
650 x 350 mm	673 x 373 mm	625 x 326 mm	23-36 mm	Multipoint	30054	175,-

DOMETIC

Case flaps - frame

- For all wall thicknesses
- Stable frame
- Cut out sheet is reused as filling
- Appearance of the vehicle is preserved
- Inner plastic frame provides good transition to the interior
- Sturdy lock with 2 security keys

Cutout dimension	Outer dimension WxH	Useful dimension WxH		
365 x 296 mm	406 x 330 mm	360 x 293 mm	30045	96,50
552 x 277 mm	595 x 315 mm	530 x 252 mm	30046	99,-
800 x 300 mm	840 x 345 mm	780 x 280 mm	30047	109,-



Magnetic door holder

2 magnets with ca. 10 kg holding force secure the open entrance door against unintentional slamming. Due to movable bearings, the magnets adhere optimally.

Pair **52405** **29,99**



Magnet door catch

2 strong magnets hold the entrance door on the caravan / motorhome securely open, the built-in spring provides even better wind resistance. With angle compensation.


Black (not shown) **524672** **28,50**
White **52467** **28,50**



Door latch

Door stop made of plastic. Weight ca. 53 g.

White **524674** **12,90**
524674L



Flap holder

For hooking behind flaps / doors.

53314 **4,50**



Hold-open for doors and flaps

Door holder
2 pieces, plastic
pure white **532503** **7,50**
532503L

Door holder, plastic
white **52465** **3,30**
Shim, 1 cm high (not shown)
52466 **2,10**

Shim for Door holder
2 pieces, plastic 10 mm
pure white **532504** **3,50**
532504L
Fiat bianco **532506** **3,50**
532506L

Blue numbers = retailer info for loose goods in packaging units

Hold-open for doors and flaps

Protects against door slamming in windy conditions, keeps suitcase flaps open.

Dark gray **52450** **3,20**
52450L
White **524503** **3,40**
524503L
Black **524507** **3,40**
524507L
Beige **524501** **3,40**
524501L
Light gray **A0426110** **1,94**

Spacer plate

for elevated mounting. Height 10 mm.

Dark gray **524502** **1,70**
524502L
White **524504** **1,70**
524504L
Black **524505** **1,70**
524505L



Metal twist lock (sash lock)

Fuse for large flaps. Zinc die-cast chrome plated.

Overlap 3 mm. Height base plate
5 mm **53253** **12,60**
53253L

Overlap 6 mm. Height base plate
8 mm **53291** **13,50**



Plastic twist lock (sash lock)

Fuse for large flaps. Plastic, 3.5 mm base plate.

Brown **53254** **5,20**
53254L

White **532542** **5,50**
532542L

Light brown **A1382960** **2,96**



SLIDE OUT SYSTEM / XXL SLEEP ROOM CONCEPT

SMART ROOM - Widen or extend

You your vehicle

- Premium slide-out specially developed for Europe
- Manufactured by the world leader in slide-outs
- Modular system available from stock
- Other dimensions possible upon request
- Special waterproofing for rain etc. available.
- Choose conveniently: 1. Extension length
2. Drawer dimensions

Patented, space-saving design. The compact sliding mechanism integrated into the wall is the most effective sliding system in the world. The mechanism is fully integrated into the wall and provides more living space than other sliding systems on the market.

- ① Select your desired extension length
Of your Euro-Slide system.

Scope of delivery excerpt:

4 x aluminum corner profiles with integrated drive units
4 x drive motors
1 x control box
4 x cables for motors

Box / side panels not included!

Aluminum profiles

Extension length 700 mm	41062	3620,-
Extension length 1000 mm	41061	4465,-


- ② Select the size of the pull-out cabin for the Euro Slide aluminum guide frame

(scope of delivery without box/side panels and V Seal rubber edging)

Width x height:


1600 x 1500 mm	41064	979,-
2500 x 2000 mm	410641	1330,-
3500 x 2000 mm*	410642	1640,-

* Possible on order




You can find suitable awnings for your Slide Out in the Area awnings.

LIPPERT



Required accessories Slide Out:

- ③ V Seal rubber profile 20 m **410644** **285,-**
 ④ Support roll, piece **4106001** **29,50**
 (It is recommended to use a support roll every 60 cm)
 ⑤ Wall Clips (connection wall to corner profile)
 1 piece **410645** **2,90**
 ⑥ Operate switch **410646** **27,50**



Please note: The scope of delivery does not include the side panels. You can choose the right cabin with your make desired materials. Our dealers will be happy to help you.

XXL Sleep - the new room concept for the panel van with transverse bed

- From transverse bed to longitudinal bed in just 15 minutes
- Or additional sleeping places for the little ones
- Toolless assembly
- Bed size: 150/190 x 210 cm (WxL)
- Original bed is still available
- Rear windows in the doors remain fully functional
- Suitable for all panel vans L1-L3, height H2
- Porthole and window sill for back wall included
- Access to the storage space remains


The innovation to change your bed in the camper from transverse to Convert longitudinal bed. Without tools your sleeping comfort will be increased considerably. For the quick overnight stay on the way to the vacation destination, your original bed is of course still available.

The basic assembly must be carried out in a specialist workshop.


Scope of delivery for one set XXL Sleep

- Support system with back walls
- Roof system, self-supporting with integrated tensioning device
- Additional upholstery in manufacturer quality, color silver gray
- Lower strut + rear tarpaulin + rear floor

Conversion set	42190	2640,-
-----------------------	--------------	---------------



Panel van with transverse bed as standard version



XXL Sleep with longitudinal bed in king size format

Keyed alike lock systems HSC system

- For motorhome and caravan
- The locks can be combined with each other if they are suitable for the same locking cylinder
- Select key and lock cylinder with the same numbers
- You then only need 1 key for flaps and doors

① Caravan door lock with internal locking system

Black, with rubber seal. Dimensions: outside H107 x W 107 mm, inside H56 x W120 mm. Required cut-out dimension: Ø 94 mm, door thickness from 32 - 40 mm. For HSC cylinder + FF system ZWO

52439	22,30
--------------	--------------

② Compensation plate for caravan lock

for small wall thicknesses, ca. 11 mm thick

52479	4,70
--------------	-------------

③ Interior pull handle for caravan lock

Facilitates closing the door from the inside

52478	3,40
--------------	-------------

④ Motorhome door lock M1 with inside lock

Black exterior / light gray interior. Outer dimension: H 121 x W 130 mm, Inside dimension: H 151 x W 143 mm. Required cutout dimension: H 105 x W 100 mm. Door thickness from 32 - 40 mm. For HSC cylinders

52477	139,-
--------------	--------------

⑤ Flap closure

for HSC cylinders, Mounting Ø 20 mm

52441	8,95
--------------	-------------

⑥ Toggle lock for HSC cylinder.

White, transom straight
Light gray (RAL 7035), cranked bolt

524466	15,60
A3311390	27,55

⑦ Stowage flap lock with inner part.

For HSC cylinder, white

524346	39,-
---------------	-------------

⑧ Cover for filler neck for HSC cylinder

Blue	652242L	652242	15,95
White	65224L	65224	14,50
Black	652241L	652241	15,90

⑨ Twist lock Olive S 78 mm

for HSC cylinder, black

524461	16,70
---------------	--------------

⑩ Opera flap lock for HSC cylinders, with adjustable clamp locking for large case flaps with wall thicknesses of 25 - 45 mm.

W 120 mm, H 112 mm, D 50 mm (without bracket), weight ca. 270 g.

Black	53345	26,70
-------	--------------	--------------

Matching keys and lock cylinders can be found below.



Key and lock cylinder HSC system



Key HSC, 2 pieces

19,-

Key no. 481	52449L	52449
Key no. 482	524491L	524491
Key no. 483	524492L	524492
Key no. 484	524493L	524493
Key no. 485	524494L	524494




Cylinder Ø: 13 mm
Cylinder length: 23 mm

Locking cylinder HSC

19,-

Cylinder no. 481	52452L	52452
Cylinder no. 482	524521L	524521
Cylinder no. 483	524522L	524522
Cylinder no. 484	524523L	524523
Cylinder no. 485	524524L	524524



Sliding door lock for Fiat Ducato, Boxer and Jumper

Allows the sliding door to be locked in the half-open position. Especially convenient when in the doorway is a kitchen unit. Protects against the effects of weather. Strong wind no longer blows out the flames on the stove so quickly. Attachment in the slide rail. Screws are included in the scope of delivery. All parts made of stainless steel.

- | | | | |
|--|------|---------------|--------------|
| ① 1 steel angle, door is locked at the mounting point, but can still be opened completely | > 07 | 441892 | 8,- |
| ② 1 Steel angle with rubber buffer, door can only be opened by open to the mounting position | > 07 | 441891 | 33,50 |

Suitcase flap lock Magic

(FF system ZWO/HSC)

With seal and zamak handle (black/silver lacquered).


Complete with inner lock

Black with silver handle


53347	29,50
--------------	--------------



ZADI LOCKS FOR MOTORHOMES AND CARAVANS




ZADI



Door lock

- New Basic Black
- As a retrofit or new installation as a keyed alike system for motorhomes and caravans
- Delivery without cylinder and without key

Door Lock New Basic White		
Dimensions: ca. L220 x W135 x H37 mm	52613	42,40
Door lock interior part New Basic Black		
Dimensions: ca. L238 x W117 x H60 mm		
for wall thicknesses up to 37 mm	52615	80,90
Spacer sleeve 7 mm	52683	4,50



Matching inner part

- For 28 mm wall thickness
- As a retrofit or new installation as a keyed alike system for motorhomes and caravans
- Delivery without cylinder and without key

Mounting dimension outside 110 mm, inside part L119 x W56.5 mm		
Outer part black / inner part black	52607	39,50
Outer part white / inner part black	52608	39,50



ZADI



Caravan lock

- For wall thicknesses up to 30 mm
- As a retrofit or new installation as a keyed alike system for caravans
- Delivery without cylinder and without key

Dimensions outer part ca. L 220 x W 57 x H 37 mm		
Black	52604	38,90
White	52605	38,90
Dimensions inner part L 118 x W 141 mm		
Black	52606	19,50



ZADI



Case flap lock "Ellipse" long

- For wall thicknesses up to 30 mm
- As retrofit or new installation as a keyed alike system for motorhomes and caravans

Flap lock elliptical shape with PUSH system. Without lock cylinder and key, Mounting hole Ø 25 mm, Dimension: L 110 x 42 x 16 mm

Black	52656	17,50
--------------	--------------	--------------



ZADI



Outdoor part motorhome-door lock

- As a retrofit or new installation as a keyed alike system for motorhomes and caravans
- Delivery without cylinder and without key

Dimensions outer part ca. L 220 x W 57 x H 37 mm		
Black	52611	32,90




ZADI



Caravan lock complete set

- In two colors
- For wall thicknesses from 20 to 35 mm
- Delivery without cylinder and without key

Dimensions outer part ca. L 220 x W 57 x H 37 mm		
Dimensions inner part L 132.5 x W 56.5 mm		
Black	52601	46,80
White	52602	51,99
Spacer plate for small wall thicknesses 13 mm	52603	3,69



ZADI



Suitcase flap lock "Eurogarage"

- For retrofitting or new installation as a keyed alike system for motorhomes and caravans
- Delivery without cylinder and key

Dimensions inner part L118 x W141 mm, outer part L103 x W99 mm		
For wall thickness 26-34 mm, white	52642	40,50
For wall thickness 34-42 mm, white	52643	41,50
For wall thickness 26-34 mm, Black	52645	41,50
For wall thickness 34-42 mm, Black	52644	42,50
Spacer plate(6 mm) for smaller wall thicknesses	52646	3,50



Suitcase flap lock "Standard"

- For wall thicknesses up to 35 mm
- As a retrofit or new installation as a keyed alike system for motorhomes and caravans
- Delivery without cylinder and key

Mounting hole Ø 24 mm Dimension: L 46 x W 36 x H 14 mm

Black	52649	16,-
White	52650	16,-
Black (without outer housing and lever)	52652	11,90
White (without outer housing and lever)	52653	11,90




Suitcase flap lock "Ellipse"

- For wall thicknesses up to 32 mm
- As a retrofit or new installation as a keyed alike system for motorhomes and caravans
- Delivery without cylinder and key

17,90

Mounting hole Ø 24 mm, dimension: L 78 x W 41.5 x 16 mm

Black	52654	17,90
White	52655	17,90



Suitcase flap lock "Square"

- For wall thicknesses up to 24 mm
- As a retrofit or new installation as a keyed alike system for motorhomes and caravans
- Delivery without cylinder and key

With dust cap.

Mounting hole Ø 24 mm,
Dimension: L 40.5 x W 40.5 x 6 mm

Black	52647	16,50
White	52648	16,50



Suitcase flap lock "Opera"

- For wall thicknesses from 25 to 40 mm
- As a retrofit or new installation as a keyed alike system for motorhomes and caravans
- Delivery without cylinder and key

With adjustable clamp locking for large case flaps.

W 120 x H 112 x D 50 mm (without bracket), weight ca. 270 g.

Black	53346	25,70
--------------	--------------	--------------

Key and cylinder

- Retrofit or new installation
- Co-locking system for motorhomes and caravans

STS / ZADI



ZADI lock cylinder and key


Key blank	52626	5,50
1 cylinder and 2 keys	52628	19,90
2 cylinders and 2 keys	52629	20,90
3 cylinders and 2 keys	52630	22,90
4 cylinders and 2 keys	52631	24,90
5 cylinders and 2 keys	52632	26,90
6 cylinders and 2 keys	52633	28,90
7 cylinders and 2 keys	52634	30,90
8 cylinders and 2 keys	52635	32,90

STS / ZADI

Lock cylinder and key
with inner web key,
suitable also for older STS
and ZADI locking systems.

1 cylinder and 2 keys	52571	21,95
2 cylinders and 2 keys	52572	29,50
3 cylinders and 2 keys	52573	38,50
5 cylinders and 2 keys	52574	55,-

Scope of delivery



Suitcase flap lock with handle

- As a retrofit or new installation as a keyed alike system for motorhomes and caravans
- Delivery without cylinder and key

With grip tab. Mounting hole Ø 24 mm.

Dimension: L 46.0 x W 36.0 x 4.0 mm

White	52657	14,90
Black	52651	14,90

LOCKS FOR MOTORHOMES AND CARAVANS



Double Red" twist-lock latch for storage box

Please order key and lock cylinder separately (467397 or 467396)

Material Polyamide black, dimensions: 44 x 82,5 mm

① With dual optical opening indicator

467390 13,80

② Basic version, without opening indicator

467392 9,--

③ Please order matching reeds:


H 35 x L 45 mm **467389 1,05**

H 28 x L 45 mm **467385 0,75**

H 16 x L 45 mm **467386 0,65**

H 13 x L 45 mm **467387 0,55**

H 6 x L 45 mm **467388 0,99**




① Outside handle for doors,

Material polyamide GF black, with bell crank, cap and handle bearing POM, bush GD-Zn galvanized. With seal and spring
Dimensions: L 213 x W 56 **467397 20,95**

③ Matching plug-in cylinder with 2 keys

Lock 8888 **467395 9,45**

different closure **467396 12,10**



① Outside handle polyamide black with 2 keys

Lockable in GX locks. Ball stainless steel, washer and screws galvanized.

With spring. Dimensions: 102 x 102 mm

For door thickness 24-29 mm, left side

467399 37,--

For door thickness 24-29 mm, right

467400 37,--


② Matching interior lock

For door thickness 35-39 mm right

467393 16,20

For door thickness 32-36 mm left

467394 16,30



Sash lock for plug-in cylinder

Housing GD-Zn surface at choice;
adapter GD-Zn raw; nut and bolt
St galvanized

467185 9,80

Matching plug cylinder with 2 keys

Same closure 8888

467395 9,45

Different closure

467396 12,10

Salino turnbuckle lock

- Waterproof
- Corrosion protected
- Applicable for a door leaf thickness of 24 - 45 mm

Turnbuckle incl. bolt and mounting plate. The Salino turnbuckle is absolutely waterproof and corrosion protected. By turning the handle 180°, the latch, with a clamping travel of 6 mm, pulls the flap to the seal. No protruding edges when closed, as the handle is recessed flat in the handle shell. Can be used for door leaf thickness of 24 - 45 mm, including deadbolt and mounting plate. Locking cylinder insert is for STS/Zad. Protected by European patent 2 106 488.

467300

44,50



Transport lug with leaf spring, galvanized steel

Dimensions: W 130 x H 90 mm

467186 23,20

Central locking for flap locks

- For Carthago, Concorde, Morelo, Phoenix, Bürstner and Dethleffs motorhomes and other motorhomes with STS or Happich locks on the outer flaps.
- Comfort and safety
- Easy to retrofit
- Install the interlock, lay the cable - done!

Do you need access to several storage flaps of your motorhome at the same time? With our central locking system, you unlock up to sixteen flaps together. With just one press of your vehicle's remote control, or inside, via a central switch.

① Scope of delivery starter set:

1 x central control unit, 4 x actuators/locks for locks, 4x reversing levers, 4 x retaining clips, 4 x 4 meter connection cable for locks, 1 x connection cable for control unit incl. fuse, 1 x switch cable for switches in the interior.

30000 477,—

Accessories:

② Locking device for flap locks:

incl. accessories and connection cable
1 piece


30001 72,95

③ Recessed handle lock Kubus:

Ergonomic, with smooth operation, for STS and Zadi lock cylinders, for blade thickness from 28 to 35 mm, black **Scope of delivery:** Recessed handle lock incl. 4 screws (without locking cylinder)

52474 59,—

The small, lightweight latches are not visibly integrated into the existing locks.



Unlock up to 16 flaps simultaneously



Lock from outside manufacturer STS



Door and flap locks for motorhome and caravan

① Caravan door lock complete

With 2 keys and lock cylinder, for wall thicknesses of 25 - 35 mm

Black 52475 39,95

② Compensation plate

for small wall thicknesses, ca. 11 mm thick

52479 4,70

③ Interior pull handle

Facilitates closing the door from the inside

52478 3,40



115 x 66 mm



Caravan motorhome door lock

- Painted zinc die casting
- Complete with sealing frame
- Outside pull handle, inside lockable lever handle

External dimensions: 115 x 66 mm. Right/left mounting. Minimum door thickness 24 mm.

With 2 keys 532381 97,95

INSECT SCREEN/LIGHT

CARBEST
INNOVATIONS FOR MOBILE LIFE



from **11,95**

Handy outdoor lights

- Chic design
- Practical and safe against mosquitoes
- All lights come uniformly in green / gray

① Small light with hook for loading for tents

IPX7 (waterproof up to 1 m), Ø 80 x 102 mm

930613 11,95

② Large light with mosquito protection

With USB port and power bank (2000 mAh), Ø 98 x 123 mm

930614 24,95

③ Foldable light with mosquito protection

Rainproof, Ø 94 x 52 mm

930615 16,95

④ Rechargeable camping light with insect killer

With 3.7V, 2000mAh Li-polymer battery. Charging via micro USB. Simply place on a table or hang with the integrated hook. Material: ABS, dimensions: 88 x 129 mm, weight: ca. 205 g

83494 24,95

CARBEST
INNOVATIONS FOR MOBILE LIFE



Fewer insects in the vehicle
due to red light

LED surface mounted luminaire Dual Colour

- Warm white light for cozy ambient lighting
- Red light to not attract insects
- Sturdy aluminum housing
- Easy assembly: screw or glue

The 12/24V dual color LED light equipped with 12 warm white SMD LEDs and additional 12 red SMD LEDs. Color change via switch. Dimensions: 270 mm long, connection cable ca. 30 cm.

83589 36,95

12V
24V

E
A
G

CARBEST
INNOVATIONS FOR MOBILE LIFE



19,95

Insect protection also in front of the vehicle

Maik battery insect killer

Insects are attracted by the light and electrocuted when they touch the grid. With 4 watt fluorescent tube and 230 V charger. Battery charging time 9 / Battery running time 7 hours. Dimensions 19 x 9 x 27 cm.

Weight 2,2 kg

903911

19,95

230V



3,50

**10 SPIRALS
+ 2 HOLDERS**



Anti-mosquito spiral

10 spirals and 2 holders. Use outdoors only. Smell of the glowing scent spiral drives away insects. Glow time per coil 5 - 6 hrs.

90390

3,50

Danger: H411

DOMETIC

Insect screen for split entrance doors

- Easy mounting on top half of the door
- Closable from inside and outside
- Small footprint, only 6.2 cm depth
- Powder coated aluminum profiles
- Robust flyscreen gauze
- Effective insect protection

Size: 58 x 110,

Outer size: 59.2 x 116.5 cm

35045

185,-

185,-





Fly screen door with pleated insect screen gauze

- For almost all caravans and motorhome doors
- The gauze is pleated and folded
- The tension bar remains in any position
- Cassette including tension bar only 50 mm wide

Cassette only 50 mm wide



Gauze pleated and folded




Pleated insect gauze. Highly visible and very decorative. The bar is to be operated at any height and fits well into the door opening.
Color: Light gray.

W 650 mm (max.), H 1935
35043 236,-

Aluminum cable guide threshold
to carry out lines and cables. W 750 mm.
Door becomes 36 mm higher.
35044 54,95

Cable feed-through possible under the sill.



REMIcare II - pleated insect screen door

- Insect screen in elegant pleated design
- One-hand operation possible at any height
- Particularly smooth running
- Simple assembly
- Two body heights for caravans and motorhomes

No annoying insects: What good are protective blinds on the windows if the door is open? But on the other hand, you want a little fresh air in the living room in between. With REMIcare II, you no longer face this problem. No stuffy air and sleepless nights due to permanently buzzing mosquitoes - just open the door and close the pleated blind.

There are 2 frame depths available, 58 mm (mostly for caravan doors) and 92 mm (mostly used in motorhomes). Determine the appropriate height dimension inside, from the bottom edge of the attachment to the top edge of the upper door rubber + 25 mm. The width can be shortened individually.

Dimensions:

Wide	Height	Depth		
650 mm	1800 mm	58 mm	35039	285,-
650 mm	2000 mm	58 mm	350391	279,-
650 mm	1850 mm	92 mm	35040	290,-
650 mm	2000 mm	92 mm	350401	304,-

Gauze pleated and folded




from **285,-**





Light gray/dark gray



Taupe / White



White / Grey / Black



Grey / White



Brown / Beige

Chenille fleece curtains - No insects in the vehicle

- The classic door curtains
- Reduces the draught
- Keeps prying eyes away
- Protects from insects

Fluffy plastic straps made of 100% polypropylene. For mounting above the door, the fleece curtains have a plastic rail.

W 56 x H 205 cm for motorhome doors

Light gray / dark gray	912637	24,95
Taupe / White	912638	24,95
Gray / Dark green / White	912635	24,95
White / Grey / Black	912631	24,95
Grey / White	91244	24,95
Brown / Beige	912440	24,95
Gray / Blue / White	912441	24,95
Grey / Dark blue	912447	24,95
Gray / Black / White	912608	24,95
Gray / Black	912609	24,95




Gray / Blue / White



Grey / Dark blue




Gray/Dark green/White



Gray / Black / White

W 56 x H 185 cm for caravan doors

Light gray / dark gray	912639	22,95
Taupe / White	912640	22,95
Gray / Dark green / White	912636	22,95
Gray / Black	912633	22,95
White / Grey / Black	912632	22,95
Grey / White	91263	22,95
Brown / Beige	912600	22,95
Gray / Blue / White	91260	22,95
Grey / Dark blue	912610	22,95
Gray / Red / White	91262	22,95



Gray / Black



Gray / Red / White

W 100 x H 200 cm for awning and balcony doors

Gray / White	91243	38,95
--------------	-------	-------



Grey / Dark blue



Grey / White

Chenille fleece curtains

- For panel van (sliding or rear door) W 120 x H 185 cm

Suitable for VW, Mercedes Viano or Fiat. Length and width can be shortened if necessary. Individual mounting necessary depending on the type of vehicle.

Gray / Black	912634	43,95
Gray / White	912604	43,95
Gray / Dark blue	912606	43,95



34,95

Mosquito net door curtain 4 pieces

- 4 mosquito net slats provide effective protection
- Visually shield the caravan or motorhome interior
- For all motorhome doors (can be shortened)

This version is very suitable for use even in the office or home. Material: 100% polychloride.
W 95 x H 220 cm
912653 34,95



29,95

White / Blue

White / Black

Sara cord curtain

- Very decorative curtain in a beautiful design
- Elements washable
- Material: 100% PVC

Size: W 60 x H 190 cm.

White / Blue

95202 29,95

White / Black

952025 29,95



Mosquito net door curtain 2 parts

- 2 overlapping Mosquito net panels
- Good tension due to reinforced edge strips

Velcro strap holds the rolled up mosquito net. Height adjustable. Door curtain is mounted with a rail. Adjustable in height. Easy to attach and remove.
2 panels, width 35 cm each, height 230 cm.

912443 42,-



36,95

White / Grey

White / Blue

Korda cord curtain

- Elements washable
- Material: 100% polyester

Size: 60 x H 190 cm.

White / Grey

95203 36,95

White / Blue

952030 36,30



312,-



Vanscreen - insect screen sliding door for Fiat Ducato X290, H2 high door cutout, long wheelbase from My. 2015

- Made of aluminum - better aesthetics and resistance
- Bottom rail system avoids blockages due to obstacles in the rail (slides underneath the rail)

Scope of delivery: mosquito net, PVC frame and mounting hardware incl. screws. Dimensions: 1204 x 1709 mm, weight: ca. 4.5 kg

35008

312,-





VW Caddy



CitroënSpacetourer

Mosquito nets for tailgate VW T5/6

- Easy attachment with elastic band
- With blackout curtain



The mosquito net is stretched around the tailgate seal by means of a rubber cord and lies tightly at the bottom with lead tape. A large door with two-way zipper allows passage from the inside and outside without removing the net. The tailgate can be closed without any problems. For the ride we recommend to remove the net

For VW T5/T6 461331 184,95

Mosquito nets for VW Caddy and CitroënSpacetourer

- Easy attachment with elastic band or magnets
- Fine mesh flexible insect screen net
- No modification to the vehicle necessary
- Center door opening
- Zipper opening operable from inside and outside

The net can be used for the right and left sliding door. Due to the integrated elastic band or magnets, the attachment is simple and reliable (no Velcro, no push button). The tailgate net with 2 zippers can be rolled up and fixed. The net closes reliably at the bottom of the sill with a lead tape.

Sliding door mosquito nets for VW Caddy

For right or left sliding door with and without glazing.

Short wheelbase My. 2003-2020, long wheelbase, My. 2008-2020

Fastening with rubber 46283 169,-

NEW: Caddy Maxi 5 > 2021 (also suitable for Ford Connect 3)

Mounting with magnets 461336 169,-

Tailgate mosquito nets for VW Caddy

Short wheelbase My. 2003-2020, long wheelbase My. 2008-2020

Fastening with rubber 46284 169,-

NEU: Caddy 5 ab My. 2021 (also suitable for Ford Connect 3)

461335 169,-

Tailgate mosquito nets for Citroen Spactourer/ Jumper and identical vehicle types

Suitable for Peugeot Traveller/Expert, Toyota Proace Verso (all from 2016), Opel Zafira Life/Vivaro C (from 2019).

Fastening with rubber 461333 169,-

Sliding door

Mounting with magnets 461334 175,-

Insect screen for sliding doors and rear doors for Volkswagen Transporter

- Fastening with Velcro and snaps, for best hold
- Close-meshed mosquito net made of UV-resistant polyester fabric
- Flexible and soft falling
- With zipper and lead tape



Mosquito nets sliding doors

For VW T5/T6 Station wagon box, Startline until My. 2010 and California

Beach without comfort trim 461351 169,95

For Multivan, Caravelle and Startline with comfort trim >2010

461350 173,95

For California and California Beach with comfort trim >2010

461353 184,95

VW T4 until My. 2003

46132 144,95

VW T3 from year . 1980-1989

46130 149,95

Mosquito nets rear doors/flaps

For VW T5/T6 My. from 03 with liftgate station wagon, panel van,

Multivan, California/California Beach, Caravelle with and without pop-up roof.

46135 149,95

For VW T4 with rear door Station wagon and panel van

46133 154,95

Insect screen for sliding and rear doors

- Best hold through velcro and snaps / magnets or elastic band
- Close mesh mosquito net
- UV resistant polyester fabric
- Flexible and soft falling
- Center zipper and lead tape at the bottom
- Mounting material included with all nets


For Mercedes Vito and Viano
Mercedes Vito Year . < 2003

Sliding door opening (with Velcro)	46139	159,95
Rear door (with Velcro)	46142	149,95

Mercedes Vito/Viano Year . 2004 - 2014

Sliding door opening (with Velcro)	46140	159,95
Rear door (with Velcro)	461401	159,95

Mercedes Vito/Viano Year . > 2014

Sliding door opening (with Velcro)	461402	159,95
Rear door (with Velcro)	461403	159,95
Rear door, with blackout (with elastic)	461332	179,90

Thus, they effectively protect themselves against the little pests. Continue to enjoy the view. Good visibility is guaranteed. Comfortable is also the central zipper, which can be opened and closed from the inside and outside. Fastening is done on the side and top with Velcro. Additional support is provided by the upper press studs. The weighting at the bottom is made by lead tape. The high quality gauze is black.


For Renault Traffic, Opel Vivaro, Nissan NV300

Fastening with Velcro tape.

Sliding door opening My. 2007-2013	461411	169,95
Sliding door opening Year . > 2014	461412	159,95
Rear door Year . > 2014	461413	169,95


For Ford Transit

Fastening with Velcro tape.

2000-6/2012

Sliding door	46451	169,95
Tailgate	46136	149,95

>7/2012

Sliding door	461404	159,95
Tailgate	461405	159,95


For MB Sprinter / VW Crafter

Fine mesh insect screen net with 2-way zipper. Reliable fastening with elastic, magnet or Velcro tape on car body panel, sealing at the bottom by lead tape.

Rear doors can be closed with net. For the ride we recommend to remove the net.

1996-2006* Sliding door opening (with Velcro).	46143	159,95
>2007* not for short wheelbase (3250 mm) or vehicle length 5261 mm		
Sliding door opening (with Velcro)	46450	179,95
Rear door (with Velcro)	464501	179,95

For MB Sprinter with standard high roof, >2006 and VW Crafter with standard high roof from 2006 to 2016:

Sliding door right (mounting with magnet)	464524	202,-
Hecktüren (Befestigung mit Gummizug)	461736	199,-

*Not suitable for series high roof

MOSQUITO NET SLIDING AND REAR DOORS FOR PANEL VANS



Horrex insect screen sliding door for Fiat Ducato > 2007

- Effective protection against insects
- Preassembled kit
- Lightweight and durable
- Aluminum/composite construction
- Upper profile provides protection against head injuries (Rolled edge)
- Concealed threshold secures the pull cord



For sliding door: W 1185 x H 1449 mm Flat roof (type H1)	350465	382,-
For sliding door: W 1185 x H 1731 mm Large capacity box with roof type H2	350466	473,-
For sliding door: W 1300 x H 1820 mm Sprinter/VW Crafter <2018	350467	425,-
For sliding door: W 1300 x H 1820 mm Sprinter >2018	350469	435,-
NEW: For sliding door: W 1300 x H 1820 mm Sprinter <2013 RHD	350464	448,-



DOMETIC OUTDOOR

Insect screen sliding door FlyTec200 for Fiat Ducato H2 X250/X290 & Fiat Ducato 8 (> 09/2021)

- High quality insect screen door
- Convenient one-hand operation
- Secure brush closure
- Vehicle door can remain open
- Flies, mosquitoes, moths stay outside

Installation dimensions: W 1298 x H 1765 mm

For right-hand drive	350461	465,-
For left hand drive	350462	465,-



CARBEST
INNOVATIONS FOR MOBILE LIFE

Mosquito net for rear door Fiat Ducato and identical types My. > 2007

Fine mesh insect screen net with 2-way zipper allows passage from inside and outside without removing the net. In addition, it is possible to open only the upper part of the mesh. Reliable attachment with Velcro tape on body panel, sealing at the bottom by lead tape.

Rear doors can be closed with net. For the ride we recommend to remove the net.

For sliding door: W 1185 x H 1449 mm Flat roof (type H1)	461730	199,-
---	--------	-------



CARBEST
INNOVATIONS FOR MOBILE LIFE

Mosquito net sliding door and rear door VW Crafter

The mosquito net is stretched around the tailgate seal by means of a rubber cord and lies tightly at the bottom with lead tape. A large door with two-way zipper allows passage from inside and outside. The mosquito net goes over the entire height of the opening.

The rear door can be closed without any problems. For the ride we recommend to remove the net.

VW Crafter My. > 2017

Rear door (fastening with elastic band)	464502	208,-
① Sliding door right (mounting with magnet)	464523	202,-

② For VW Crafter My. > 07 Rear door. Fastening with Velcro	464501	179,95
---	--------	--------

For VW LT and Crafter VW LT My. < 2006 (not for series high roof) Fastening with Velcro	46143	159,95
Für VW Crafter Year. > 2007 Fastening with Velcro	46450	179,95

REMIcare Van insect screen door

- All around insect protection
- A rain deflector ensures a dry entrance area for the Fiat Ducato
- Ventilated camping trips, without mosquito or gnat visitation
- Light and air are provided
- Perfect closure

To complete the all-round comfort package, the door must also be protected from insects in addition to the insect protection on the windows. So you can enjoy pleasant, ventilated camping trips, without mosquito or gnat visitation. Even at night, you can simply open the vehicle door and close the insect screen door directly and nothing will stand in the way of a restful night - with fresh air and without annoying mosquitoes.

For Fiat Ducato (models X250/X290)

Size: 1435 mm x 1080 mm

Low door cutout, short wheelbase
Without table rail for left-hand drive 35066 442,73

With table rail for left-hand drive 35061 536,57

Size: 1435 mm x 1250 mm

Low door cutout, long wheelbase
Without table rail for left-hand drive 35067

With table rail for left-hand drive 35073 523,31

Size: 1710 mm x 1250 mm

High door cutout long wheelbase
Without table rail for left-hand drive 35068 416,-
Without table rail for right-hand drive 35074 428,-

With table rail for left-hand drive 35075 475,-
With table rail for right-hand drive 35076 523,30

For Ford Transit Custom / Ford Nugget

Ford Transit Custom (Model V362)
for left hand drive 35069 419,-

For Volkswagen T5/T6

Transporter and Transporter station wagon in the Startliner version
for left hand drive 35062 536,57

Multivan and Caravelle
for left hand drive 35063 539,-

For Mercedes Sprinter

(Identical in construction: VW Crafter from My. 2006-2016)

From year of manufacture 2006: Size: 1650 x 1360 mm
for left hand drive 35070 443,-

From year of manufacture 2006: Size: 1960 x 1360 mm
for left hand drive 35071 484,08



REMIcare Van Fiat Ducato



REMIcare Van Ford Transit Custom



REMIcare Van Volkswagen T5/T6



REMIcare Van Mercedes Sprinter

Rain deflector for Fiat Ducato

Suitable for all sizes
for left hand drive 46307 157,50



Rain deflector Fiat Ducato

MOSQUITO NETS FOR FIAT DUCATO AND SIMILAR VANS



Mosquito nets for Fiat Ducato, Peugeot Boxer, Citroën Jumper

- Fastening with Velcro tape on the side and top, additional support with snaps
- Tight mosquito net against even the smallest insects
- UV stable and flexible polyester fabric
- Flame retardant
- Durable and high quality
- Good visibility and air circulation
- Zippers to operate from inside and outside
- Lead tape for weighting at the bottom
- Soft fall and dark color
- High quality, no snagging with the velcro tape

Mosquito net for the sliding door or rear wing door with convenient zipper entrance

Scope of delivery: Black mosquito net and mounting hardware (snaps, velcro)

For years of construction from 2007

Suitable for roof height H2 and H3 (standard high roof), Vehicle length 541 cm, 599 cm and 636 cm and Sliding door dimensions: H 1755 x W 1250 mm

Adapted for vehicles with kitchen parts protruding into the sliding door cutout. With practical J-shape zipper.

① Front entry	464522	179,-
② Rear entry	464520	174,-

Mosquito net for rear door, Series high roof from My. 2007

(not shown) Center entry, door height: 1760 mm,

③ Front entrance	46240	162,-
------------------	-------	-------

For rear wing doors: H 1790 mm (without fig.)

suitable for roof height H2 (high roof)

Entry centered	464521	174,-
----------------	--------	-------

For years of construction 1994 - 2006

Suitable for roof height H2 and H3 (high roof)

Mosquito net for sliding door opening. With center zipper

④ Center entry	46435	162,-
----------------	-------	-------



from 162,-



Mosquito nets for rear doors Fiat Ducato 2007/2014 type 250/290, Citroën Jumper and Peugeot Boxer

Rollable with 2 zippers, magnetic attachment


For Standard door cutout	461735	289,-
For high door cutout	461731	289,-



Make mosquito nets yourself

- ① **Mosquito net**, close meshed, soft falling.
TOP quality for doors and windows, flame retardant. Width 145 cm
5 m Black. GP* 9,92/1 m **56019 71,95**
10 m Black. GP* 8,27/1 m **560241 119,95**
- ② **Velcro tape (fleece and adhesive tape)**
heat-resistant, up to 120°C, self-adhesive back. 20 mm wide, 5 m roll
Black GP* 4,39/1 m **56319 21,95**
- ③ **Velcro tape (fleece and adhesive tape)**
self-adhesive, 20 mm wide, 5 m roll.
Black GP* 3,39/1 m **56317 16,95**
White GP* 3,39/1 m **56305 16,95**
- ④ **Adhesive tape 5 m**
Black GP* 2,39/1 m **56324 11,95**
Lead tape (not shown), for weighting the mosquito nets, hangs securely in the doorway.
5 meters GP* 1,39/1 m **560250 6,95**
10 meters GP* 1,10/1 m **560251 10,99**
- ⑤ **Zipper**
especially for mosquito nets. 32 mm wide.
5 meters GP* 1,99/1 m **550560 9,95**
- ⑥ **Zipper (double slider) for zipper**
55056 **55057 1,95**

GP* = Base price per specified unit



HINDERMANN

Insect screen curtains for VW T5/T6

The tailgate curtain for VW T5/T6 has been optimized and now has two zippers. The fastening is no longer in the area of the vehicle seal, but in the reveal of the tailgate. Simply stick the self-adhesive magnetic strip all around. This serves as a counterpart for the magnetic attachment and is included in the scope of delivery.

- | | | |
|-------------------------------------|---------------|--------------|
| ① Curtain for tailgate T5/T6 | 461733 | 289,- |
|-------------------------------------|---------------|--------------|


Mosquito net for windows

Suitable for VW T4 station wagon /bus My. until 2003 for original sliding windows

- | | |
|--------------|--------------|
| 46134 | 51,95 |
|--------------|--------------|



from **242,-**



Motorhome protective covers

- Reliable, water repellent weather protection
- Roof made of Tyvek-like breathable material in white for optimal UV protection
- Good ventilation, reduction of mold risk
- Made of tear-resistant 3-ply SFS fabric: roof 125 g/m², Sides 100 g/m²

Breathable and weatherproof protective cover maintains the value of your motorhome. The side wall is easily opened by zipper and allows access to the motorhome.

L 500 - 550 x W 240 x H 270 cm	928091	242,-
L 550 - 600 x W 240 x H 270 cm	928092	255,-
L 600 - 650 x W 240 x H 270 cm	928093	265,-
L 650 - 700 x W 240 x H 270 cm	928094	279,-
L 700 - 750 x W 240 x H 270 cm	928095	294,-
L 750 - 800 x W 240 x H 270 cm	928096	282,-

HINDERMANN



Vehicle cover "Wintertime" for partially integrated and alcove motorhomes

- Breathable, 3-layer SFS-3 NONWOVEN material
- Good tear strength and light weight
- Access to the entrance door or storage boxes on both sides of the vehicle
- 4 zippers for easier putting on and taking off the cover
- An eyelet strip on both sides as well as tensioning straps on the front and rear sides
- All around via triangular tabs for bracing

Scope of delivery: Vehicle cover, clamping material, generously sized storage bag and repair kit.

Length bottom (cm)	Length top (cm)	Width (cm)	Item no:	Price
610	537	235	928171	495,-
650	577	235	928170	515,-
710	637	235	92817	535,-
750	677	235	92807	565,-
810	737	235	928172	585,-
860	787	235	928173	605,-

RAIN GUTTERS / DRAINAGE PROFILES



Rain gutter for Fiat Ducato sliding door

REMIcare Van

Automatically retractable rain gutter for Fiat Ducato and vehicles of the same construction. The newly developed REMIcare Van rain gutter is firmly installed on the upper edge of the door cutout and directs water drops away from the vehicle. Protects your interior from annoying dripping water.

46307 157,50



Rain gutter with integrated lighting

For Fiat Ducato and similar, Renault Master, Opel Movano, Nissan NV300. 12 V, 7 W, 450 lumen, light color warm white 4000 K, beam angle 130°. Material: Aluminum, Black. The light provides a pleasant light in front of the vehicle and at the same time drains rainwater. Mounting takes place under the upper column of the sliding door.

Fiat Ducato	834511	117,-
Mercedes Sprinter >2018	834512	117,-



2
Colors

RainTec RT 100 - Rain drainage rail with outdoor lighting

LED rain gutter for the sliding door opening of Fiat Ducato from My. 2007 and vehicles of the same construction. The aluminum profile drains rainwater and is also an LED light strip. A remote control is also available as an option. The service life of the LED light strip with 7 W is ca. 50,000 hrs. Weight: 0.4 kg

Black	462990	225,-
White	462991	225,-
Remote control	E6383	42,-



Universal rain gutter

- Self-adhesive
- No more rain shower when opening the door:
The water is drained away
- Can also be mounted in conjunction with

Multirail

Special EPDM rubber profile for outdoor use on motor vehicles (automotive supplier quality), with self-adhesive 6 mm 3M adhesive tape on the back. Permanently elastic and dimensionally stable. Length (150 cm) is sufficient for most vehicles.

46299 38,50



Montage: The rain gutter 46299 has on the back a 6 mm wide double-sided 3M adhesive tape. Support surface clean and degrease with Sika adhesive cleaner or cleaning benzine. Peel off the protective film and press on, pressing firmly. Allow to cure for about 24 hours. Working temperature ca. 15 - 25 °C !



Drip Stop 75

Drip Stop - Self-adhesive rain gutters

Protects against the elements

Made of flexible, wide polyvinyl, the rail adheres with a high-quality acrylic foam adhesive. The rail is reinforced with aluminum strips, extremely durable and long-lasting. UV resistant, color: black.

Length 75 cm for doors, black	GP* 22,67 / 1 m	44434	17,-
Length 200 cm for walls, black	GP* 17,00 / 1 m	44435	34,-
Length 500 cm for walls, black	GP* 14,00 / 1 m	44436	70,-



Self adhesive rain gutters



Do not let the rainwater drip inside. Easy to assemble. Available in different lengths.

Color: White

75 cm for doors	GP* 23,07 / 1 m	91272	17,30
300 cm for walls	GP* 11,65 / 1 m	91273	34,95
1000 cm	GP* 12,10 / 1 m	912731	121,-

Self adhesive rain gutters

- Rain guard prevents the formation of black dirt streaks on the vehicle
- Rain drain - No wet clothes when getting out of the car

Thule Gutter rain gutter
Multifunctional self-adhesive rain gutter.

Length 350 cm	GP* 17,71 / 1 m	432806	62,-
Length 450 cm	GP* 16,00 / 1 m	43031	72,-
Length 10 m	GP* 11,90 / 1 m	432798	119,-



Aluminum profiles

① Clamping profile

Lateral termination of roof trim, facilitates installation. Stable end profile for cladding panels. Suitable for panel thicknesses of 3 - 4 mm. Length 2,54 m

Silver anodized 51210 17,95
GP* 7,07 / 1 m

② U-profile

for the protection of 15 mm wooden edges. Length 2 m, 20 x 20 x 2 mm,

Silver anodized 58820 21,95
GP* 10,97 / 1 m

Aluminum angle profiles

e.g. as a finishing strip for floor panels, construction of bed supports or mounting of solar panels. Length 2 m

③ 20 x 20 x 2 mm

Alu nature 51201 14,50
GP* 7,25 / 1 m

④ 30 x 20 x 2 mm

Alu nature 51202 18,30
GP* 9,15 / 1 m 13,40

⑤ 30 x 30 x 2 mm

Alu nature 51203 22,10
GP* 11,05 / 1 m

70 x 30 x 2 mm (not shown)


Alu nature 51205 37,30
GP* 18,65 / 1 m

⑥ Floor end strip aluminum


Beveled on the flooring side for easier sweeping of your mobile. Tread area ribbed for high slip resistance. Corner rounded. 3 m rod, 25 x 14 x 1.5 mm, Black anodized

51220 26,95
GP* 8,98 / 1 m

Clamping profile



① U-profile




② Angle profile 20 x 20 mm



④ 30 x 20 mm



⑤ 30 x 30 mm



⑥

Body - aluminum profiles silver anodized

Aluminum strips for bodywork construction for motorhomes and caravans, partly with keder rails for 7.5 mm pull-in keder, for pulling in tents, awnings or windbreaks. Please pay attention to the freight flat rates (🚚) from a length of 2.10 m

V25 25,90

① Cover strip

for connections, dimensions 30 x 4 mm

2,4 m GP* 10,81 / 1 m **90190 25,95**

② Edge trim

Leg dimension 27 x 11 mm

2 m GP* 9,97 / 1 m **901962 19,95**

3 m GP* 9,65 / 1 m **901963 28,95**

③ Gasket 27 x 11 mm

10 m GP* 3,70 / 1 m **901988 36,95**

④ Feed rail, Height 43 mm

3 m GP* 13,98 / 1 m **901943 41,95**

⑤ Gasket for 901943

3 m GP* 4,98 / 1 m **901996 14,95**

End caps for 901943

left **901946 1,40**

right **901947 1,40**

⑥ Cover rubber

Filler profile/cover rubber for the screw channel on the keder rail. Width 12 mm.

Roll with 10 m

Silver GP* 0,70 / 1 m **90124 6,99**

Black GP* 0,70 / 1 m **90122 6,99**



Red GP* 0,70 / 1 m **901191 6,99**

Roll with 200 m

Silver GP* 0,33 / 1 m **901240 65,95**

Black GP* 0,33 / 1 m **90123 65,95**

Red GP* 0,33 / 1 m **90119 65,95**



⑥ 12 mm

⑥ Silver

⑥ Black

⑥ Red

You can find more aluminum profiles in the tent accessories on page 100

GP* = Base price per specified unit

Parcel shipping only up to 170 cm possible, above 171 cm freight flat rate

Sealing profiles/edge protection

Edge protection profiles

Are pushed onto the edge of the sheet. Clamps due to incorporated metal profile.

① small Clamping range 0.5-1.5 mm

5 m Black GP* 2,98 / 1 m **294559 14,90**

10 m Black GP* 2,99 / 1 m **294551 29,90**

50 m Black GP* 2,98 / 1 m **294552 149,-**

100 m Black GP* 2,69 / 1 m **294553 269,-**

5 m light gray GP* 2,98 / 1 m **294639 14,90**

10 m light gray GP* 2,99 / 1 m **294642 29,90**

50 m light gray GP* 2,98 / 1 m **294643 149,-**

② large Clamping range 1.5- 4.0 mm

10 m Black GP* 7,99 / 1 m **294560 79,90**

40 m Black GP* 7,97 / 1 m **294561 319,-**

100 m Black GP* 7,69 / 1 m **294562 769,-**

10 m light gray GP* 8,40 / 1 m **294640 84,-**

40 m light gray GP* 8,18 / 1 m **294641 327,-**

Sealing profiles lateral bead - Clamping range 1.0 - 4.0 mm.

for sleeping roofs, cabin doors or windows. Universally applicable.

③ 10 x 5 mm Bead diameter

5 m GP* 6,39 / 1 m **29388 31,95**

10 m GP* 6,20 / 1 m **29389 61,95**

50 m GP* 6,38 / 1 m **29393 319,-**

④ 15 mm Bead diameter

5 m GP* 12,59 / 1 m **29386 62,95**

10 m GP* 12,50 / 1 m **29387 125,-**

50 m GP* 12,38 / 1 m **29449 619,-**

⑤ Lip profile - Clamping range 1.0 - 4.0 mm,

e.g. for T4 Dreamline cladding on cab cutout for sleeper or high roof installation.

10 m GP* 12,07 / 1 m **294502 120,70**

50 m GP* 12,00 / 1 m **294503 600,-**

Easy-Fit T5 Profile

5 m GP* 17,98 / 1 m **294504 89,90**

10 m GP* 17,90 / 1 m **294505 179,-**

50 m GP* 17,90 / 1 m **294542 895,-**

⑥ NEW: Sealing rubber profile for curtain wall windows

For a wall thickness of ca. 28 mm. Self-adhesive for quick and easier installation.

4 m GP* 14,99 / 1 m **322704 59,95**

40 m GP* 13,97 / 1 m **3227040 559,-**



Sealing profiles with sealing bead - clamping range 1.0 - 4.0 mm

Sealing profile, for example, for windows and various sleeping roofs.

⑦ 17 mm sealing bead

10 m bead top GP* 11,20 / 1 m **294506 112,-**

20 m bead top GP* 11,10 / 1 m **294507 222,-**

50 m bead top GP* 5,38 / 1 m **294517 269,-**

10 m Bead ca. 30° GP* 9,90 / 1 m **294508 99,-**

20 m Bead ca. 30° GP* 9,95 / 1 m **294509 199,-**

50 m Bead ca. 30° GP* 9,78 / 1 m **294510 489,-**

⑧ 10 mm sealing bead

10 m GP* 9,99 / 1 m **294512 99,90**

20 m GP* 10,00 / 1 m **294513 199,90**

50 m GP* 6,98 / 1 m **294518 349,-**

⑨ Caravan door seal, ivory /black

PVC edge protector with long cover lip,

5 m GP* 16,98 / 1 m **294514 84,90**

10 m GP* 16,99 / 1 m **294515 169,90**

50 m GP* 12,98 / 1 m **294516 649,-**

⑩ Rubber seal


Sealing rubber between side wall and

Cabin door/flap light gray WS 30 mm

5 m GP* 11,18 / 1 m **35010 55,90**

10 m GP* 11,29 / 1 m **35011 112,90**

15 m GP* 11,27 / 1 m **35012 169,-**





Pretreatment for high adhesion



- ① Sika Primer-207** for glass, ABS, steel, aluminum and other materials with Sikaflex Series 5XX and Sikatack. Primer color black, prevents corrosion and increases adhesive strength.
- | | | | |
|-------------------|--------------------|---------------|--------------|
| Can 30 ml | GP* 76,00 / 100 ml | 294448 | 22,80 |
| Can 100 ml | GP* 35,95 / 100 ml | 294449 | 35,95 |
- Danger: H225, H317, H319, H336, EUH066, EUH206, EUH205
- ② Sika Primer-210** for aluminum (raw), glass fiber reinforced plastics, ABS and others. For adhesive preparation of the bonding surfaces.
- | | | | |
|----------------------|----------------------|---------------|--------------|
| NEW Can 30 ml | GP* 56,50 / 100 ml | 294453 | 16,95 |
| Can 250 ml | GP* 199,80 / 1 Liter | 294451 | 49,95 |
- Danger: H225, H317, H319, H336, H412, EUH066, EUH208
- ③ Sika Activator-100** is a cleaning solution for the pretreatment of bonding surfaces prior to bonding with Sika® Polyurethane adhesives. Suitable for (ceramic-coated) glass, polyurethane adhesive coatings as well as PUR pre-coated panes and paints.
- | | | | |
|-------------------|----------------------|--------------|--------------|
| Can 250 ml | GP* 119,80 / 1 Liter | 29477 | 29,95 |
|-------------------|----------------------|--------------|--------------|
- Danger: H225, H315, H317, H318, H336, H304, H411
- ④ Sika Activator-205** is a solvent-based, colorless adhesive cleaner that reacts with moisture and leaves behind adhesive compounds on the surface. These act as a link between the substrate and the primer or adhesive. Specially developed for the pretreatment of bonding surfaces in combination with Sikaflex® and Sikasil® adhesives/sealants.
- | | | | |
|--|----------------------|---------------|--------------|
| Can 30 ml | GP* 43,17 / 1 Liter | 294100 | 12,95 |
| Can 250 ml only for specialized trade | GP* 107,80 / 1 Liter | 29415 | 26,95 |
- Danger: H225, H319, H336

Resources

- ① Sika smoothing agent**
for smoothing fresh Sikaflex joints.
1000 ml **29422** **13,95**
- ② Sika Remover-208**
Sika® Remover-208 is a colorless, clear solvent-based cleaning agent for e.g. painted substrates
400 ml GP* 71,25/1 Liter **294161** **28,50**
Danger: H412, H336, H222, H229, EUH066
- ③ Sika MultiSeal BT**
Self-adhesive multipurpose butyl-based sealing tape
For waterproofing and quick repairs against moisture and drafts. Can also be used in visible areas, e.g. for repairing and sealing caravans
10 x 300 cm **294708** **18,75**
GP* 62,50/ 1 qm
- ④ Sika Cleaner G+P**
Aqueous cleaning agent for glass and plastics
Removes fingerprints, Residues and general dirt. Does not leave residues on surfaces.
500 ml **294709** **6,50**
GP* 13,00 / 1 Liter
- ⑤ Sika PowerClean**
Moist cleaning wipes
For interior and exterior joints. Designed for daily use in the workshop or on the construction site.
100 wipes **294710** **18,70**

PROFI TIP
Cleans quickly
Hands and tools

Bonding + sealing without primer

Adhesive sealant Sikaflex-522

- UV and aging resistant, mold resistant
- Suitable for mounting high roofs
- Indoor and outdoor application

- ① Sikaflex-522 cartridge**
Universal STP adhesive sealant with high Resistance to aging, mold and UV.
Can be used on many substrates without primer.
- | | | | |
|----------------------|---------------------|---------------|--------------|
| White, 300 ml | GP* 47,33 / 1 Liter | 294104 | 14,20 |
| Black, 300 ml | GP* 47,33 / 1 Liter | 294105 | 14,20 |
| Gray, 300 ml | GP* 49,83 / 1 Liter | 294106 | 14,95 |
- ② Sikaflex-522 mini bag with grommet**
- | | | | |
|----------------------|----------------------|---------------|--------------|
| White, 100 ml | GP* 119,50 / 1 Liter | 294107 | 11,95 |
|----------------------|----------------------|---------------|--------------|
- Attention: H317, H412, EUH211, EUH 210

Sikaflex-554 assembly adhesive

- For mounting solar panels, satellite systems, awnings with adhesive adapters and the Reimo Multirail
- Suitable for bonding aluminum sheets to steel or sandwich panels in frame profiles

UV- and aging-stable, primerless assembly adhesive. Assembly adhesive can be painted over.

White 300 ml	GP* 79,83 / 1 Liter	294111	23,95
Black 300 ml	GP* 79,83 / 1 Liter	294113	23,95

Danger: EUH240, H211, H208

PROFI TIP
For bonding solar modules and satellite systems

Bonding & Repair from plastics



SikaPower-2955

Plastic repair kit EasyBox

Repair plastic, glue brackets, close holes, replicate clips, fix sensor brackets.
Scope of delivery:
3 x 50 ml SikaPower-2955 + 9 mixers
1 x 50 ml SikaPower-2950 + 3 mixers
1 x 100 ml Sika Cleaner G+P
1 x 200 ml SikaPower-2900 Primer
1 x Sika reinforcing film, contour film, plastic filler, instructions.

Black	294144	175,-
--------------	---------------	--------------

Bonding insulation boards



SikaBoom-562 Foam Fix Plus

Professional gun foam adhesive for bonding insulation boards

1-component polyurethane foam adhesive with low expansion and good adhesion to many different substrates. Ideal for economical and durable bonding of insulation/gypsum boards.

750 ml	294714	21,95
---------------	---------------	--------------

GP* 29,27 / 1 Liter

Danger: H222, H229, H315, H317, H319, H334, H351, H335, H373



Bonding/sealing glass and windows

Sikaflex-265

- Suitable for bonding safety glass / glass panes viewing windows

Windshield adhesive for bus and commercial vehicle windshields.

Black 300 ml **29479** **33,-**
GP* 110,00 / 1 Liter

H317, H334



33,-



SikaTack Pro

- Assembly set for glazing

SikaTack Pro is a cold processable windshield adhesive for passenger car replacement glazing with a safe drive away time of 30 minutes. The system is suitable for mobile and stationary use all year round and has been tested according to FMVSS 212. With 1x Sika Primer-207, 2x Sika Cleaner PCA, 1 nozzle.

Black 300 ml **294841** **39,40**
GP* 131,33 / 1 Liter

H334



SikaLastomer 710

- For sealing windows, roof hoods and flaps

Plastic butyl sealant for re-releasable seals on windows, roof hoods or flaps. Butyl sealant is used for mounting windows, roof hoods and all other built-in elements with frames or sealing surfaces. This does not harden excessively under UV radiation and thus remains elastic and dense for a long time.

White, 310 ml **38062** **15,75**
GP* 50,81 / 1 Liter

Black, 310 ml **38060** **14,90**
GP* 48,06 / 1 Liter

Gray, 310 ml **38061** **15,75**
GP* 50,81 / 1 Liter



More about bonding & sealing

Sikaflex-521FC Transparent, UV-stable, adhesive and sealant

is a versatile adhesive and sealant that can be used on many substrates such as glass, glazed surfaces, enamel and painted wood without primer. The product is elastic, low odor and weather resistant.

Cartridge 290 ml
294701 **18,95**
GP* 65,34 / 1 Liter



Sikaflex-111 Stick & Seal

Adhesive and sealant, particularly suitable for insulating materials

Universal adhesive for use on many substrates, e.g. concrete, masonry, stone, ceramics, wood, metal, PVC. Bonding of insulation materials such as Styropor®, Styrodur® and other EPS and XPS polystyrene insulation.

290 ml **294712** **19,90**
GP* 68,62 / 1 Liter



Industry Sikasil-N plus

- Very elastic
- Suitable for indoor & outdoor

Sikasil® N Plus is a fungicidal, elastic 1-component sealant based on neutral silicone rubber.

Clear **29414** **12,95**
GP* 43,17 / 1 Liter

White **294141** **12,95**
GP* 43,17 / 1 Liter

Black **294142** **12,95**
GP* 43,17 / 1 Liter

Gray **294143** **12,95**
GP* 43,17 / 1 Liter



Sikaflex® Elastic, one-component adhesives and sealants

Product	Description DIN 53479	Hardness Shore A	Skin formation in minutes	Through-hardening-speed	Vol.-change DIN 52451	Elongation at break DIN 53504	Further resistance DIN 53515	Tensile strength DIN 53504	Tennsile shear strength 1456 EN	Processing temperature	Continuous temp short term 8 h
Sikaflex-522	Adhesive Adhesive sealant	40	30	2 mm/24 h	-2 %	400 %	7,5 N/mm	1,8 N/mm ²	–	5 to 40 °C	-50 °C to 90 °C short-time 4 h up to 140 °C
Sikaflex-554	Assembly adhesive	55	ca. 25	4 mm/24 h	-2 %	<500 %	ca. 20 N/m	3,5 N/mm ²	2,5 N/mm ²	-50 °C to 90 °C	–
Sikaflex-265	Bus and commercial vehicle panes Adhesive	45	ca. 45	3 mm/24 h	<-10 %	>450 %	ca. 10 N/m	6,5 N/mm ²	4,5 N/mm ²	10 °C to 30 °C	-40 °C - +90 °C (120 °C)
Sikaflex-111	Adhesive and sealant for many substrates	36	ca. 35	3 mm/24 h	-2 %	ca. 250 %	ca. 4,5 N/m	1,5 N/mm ²	–	-10 °C to 35 °C	–
SikaTack®	Elastic, one-component heat-processable/hot-curing polyurethane adhesives and sealants										
SikaTack Pro	Premium window adhesive/Universal adhesiv	60	10	4 mm/24 h	–	ca. 300 %	ca. 10 N/m	7 N/mm ²	4,5 N/mm ²	Environment +10 °C to 35 °C	–

All data without guarantee.

Safety data sheets can be found on the Internet at: www.reimo.com or www.sika.de/caravan. We reserve the right to use adhesives from another manufacturer provided that they are technically equivalent. **Prescribed safety advice:** When purchasing these products, take the required application advice and, in addition, always observe the printed instructions for use and the technical data sheet supplied.

CLEAN



DEKAclean Ultra Cleaner
Cleaner for MS adhesives

For the removal of uncured MS adhesive. 1000 ml

50075 24,95

Danger: H225, H319, H336



Danger

BONDING AND SEALING



DEKAsyl MS-1 Polymer
Adhesive sealant

For many interior and exterior sealing applications, as well as minor bonding. Low viscosity.

White, 290 ml **50071 14,95**
GP* 51,55 / 1 Liter

Gray, 290 ml **50072 14,95**
GP* 51,55 / 1 Liter

Black, 290 ml **50073 14,95**
GP* 51,55 / 1 Liter



DEKAsyl 240

- Elastic bonding in air and ventilation systems
- Bonding of corner profiles made of aluminum or polyester
- Bonding of floor systems

Suitable for making elastic constructive joints. Neutral and fast curing, long working time. Can be used in sanitary rooms.

Gray 250 ml **50078 58,50**
GP* 234,00 / 1 Liter



DEKAvatar Primer for bonding ABS plastics

- For bonding solar corner profiles

For priming and reinforcing adhesion.

30ml **50069 16,90**

GP* 563,33 / 1 Liter

250ml **50076 47,90**

GP* 191,60 / 1 Liter

Danger; H361d, H411, H226, H304, H315, H318, H336



Danger



DEKAsyl MS-2 Polymer
Universal MS adhesive

- For glass and PMMA
- Primerless bonding
- Elastic and recoatable

Multifunctional sealant and adhesive for simple applications on glass and PMMA.

Gray, 290 ml **50063 21,90**

GP* 75,52 / 1 Liter

Black, 290 ml **500631 21,90**
GP* 75,52 / 1 Liter

White, 290 ml **500303 21,90**
GP* 75,52 / 1 Liter

21,90



DEKAsyl 260

- Bonding of bodywork, side panel, roof and floor constructions
- Bonding windows
- Bonding of corner profiles made of aluminum or polyester

High green strength, suitable for elastic constructive joints.

Black, 490 ml **50079 99,--**

GP* 202,04 / 1 Liter

Weiß, 490 ml **500790 99,--**

GP* 202,04 / 1 Liter

DEKAfinisher

For surface smoothing

- For beautiful visible seams
 - Preserves the gloss of the sealant surface
 - Color pigments are not washed out
- Serves as an aid for surface smoothing of MSPolymer adhesives and sealants. DEKAfinisher is ready for immediate use, can also be applied diluted in a mixing ratio of 2:1 (2 parts finisher, 1 part water).

500 ml **500321 25,90**

GP* 51,80 / 1 Liter



DEKAsyl MS-5 Polymer
MS adhesive with high adhesive strength

Adhesive with high adhesion and high initial strength for structural bonding of brackets, side skirts, frames and wheel trims, air conditioning boxes, solar or SAT systems. Due to the high strength, fusing times can be reduced.

Black, 290 ml **500304 26,90**

GP* 92,76 / 1 Liter

White, 290 ml **500305 25,90**

GP* 89,31 / 1 Liter



DEKAsyl MS Power Adhesive

Bonding of polyester parts to metal, as well as corner profiles made of aluminum or polyester to metal frames.

White, 100 ml **50067 12,25**

GP* 122,50 / 1 Liter

DEKARust Rust Remover

- Dissolves rusted nuts and bolts and rust on all corroded surfaces
- Acts as corrosion protection against newly developing rust
- Immediately penetrates hard-to-reach areas

Quickly and easily make rusted screws and nuts movable again. The unique active formula instantly penetrates hard-to-reach areas. Free from silicone, mineral oil and paint wetting impairment substances (LABS).

250 ml **96075 22,95**

GP* 91,80 / 1 Liter

Danger: H229, H224, EUH208



NEW
2023



Danger



DEKAsyl MS-6

Special sealant and adhesive. Ideally suited for many materials used in the caravan and motorhome sector. Excellent adhesion, high elasticity and low hardness.

Black, 310 ml **500323 20,95**

Weiß, 310 ml **500322 20,95**

GP* 67,58 / 1 Liter

NEW
2023

DEKAsyl MS-7

Transparent sealant

- Can be used without primer, e.g. on glass, glazed surfaces, painted wood
- Elastic, low odor, mold and weather resistant
- Non-corrosive, can be painted over, silicone-free

Can be used without primer on many substrates such as Plexiglas, glazed surfaces, enamel and painted wood. We advise to use Dekasyl MS-7 only for indoor applications such as kitchen or bathroom.

290 ml **500310 22,80**

GP* 78,62 / 1 Liter



Dekalin adhesive set

- Can be painted over
- Free from isocyanates, solvents and plasticizers
- Wide adhesion spectrum
- UV and age resistance

The Dekalin adhesive set is ideal for bonding solar module spoilers, semi-flexible solar modules or roof penetrations.

Scope of delivery:

1 x 290 ml adhesive color: white,
1 x decavator, 1x cleaning cloth set
(1x cloth wet, 1x cloth dry)

500791 51,95

Danger: H225, H315, H318, H319, H361d, H336 H304, H411, EUH210



Danger

GLUE AND REPAIR



Contact adhesive DEKApre 3649/2

- For leatherette, wood and metal

With short open time high initial-strength and good aging resistance. For bonding profiled rubber, leather, artificial leather with fabric backing made of natural fiber and felt to metal, painted metal, wood, plastic such as rigid PVC, ABS and PA. 660 g.

500308 32,95

GP* 49,92 / 1 kg

Danger: H225, H315, H319, H336, H411, EUH208



Danger

NEW
2023



DEKALIN Plastigum 77 Special PVC adhesive

For soft and rigid PVC Non-aging, plasticizer-resistant and non-staining. For repairs to e.g. awnings, tent tarpaulins or inflatable boats. 200 ml.

500309 29,90

GP* 149,50 / 1 kg

Danger: H225, H316, H319, H336, EUH066



Danger

SEAL



DEKAseal 1512

Butyl sealant for paints, aluminum, ABS, PMMA, wood. Can be used inside and on connectors. Solvent-free. Paintable.

Black, 310 ml **50082 22,90**

White, 310 ml **50081 22,90**

GP* 73,87 / 1 Liter

Attention H412, EUH066



Attention



DEKAseal 8936

- Can be dabbed
- Can be used without primer

Dab-on sealant for frames, open exterior surfaces, drains, roof hatches, hoses and cable penetrations, and windows, doors or flaps. Application on paints, aluminum, ABS, PMMA or wood.

Anthracite, 310 ml **50030 18,90**

GP* 60,97 / 1 Liter

Light gray, 310 ml **500306 18,90**

GP* 60,97 / 1 Liter

Black, 310 ml **500314 18,90**

GP* 60,97 / 1 Liter



Danger

Danger: H315, H412

PROTECT



DEKAphon 9735

Underbody protection

- Breathable special coating for wooden floors Underbody protection

- Low spray mist

- Stone impact resistant

Resistant protective coating with anti-corrosive properties. Additionally sound-absorbing and robust, even in the event of stone chipping. For GRP, wood and metal. 500 ml.

Black **500302 23,95**

GP* 47,90 / 1 Liter

Danger: H222, H229, H319, H336, H304, H411



Danger



DEKAphon 958

Underbody protection, black

Environmentally friendly, breathable, water-based all-round underbody protection for painting and spraying. It forms a black, elastic film that covers both the wood/GFRP underbody and adjacent metal frame parts effective against stone chipping and Road salt protects. 500 ml.

Black **50074 33,95**

GP* 67,90 / 1 Liter

NEW
2023



DEKAphon Pro-Wax

Underbody protection, transparent

Protects new and old parts and ensures less corrosion.

Can also be used as a cavity sealer at the same time. Temperature resistant up to 180°C. High creep, low odor. Does not attack paints. Application without special pre-treatment.

500 ml

Transparent **50106 18,95**

GP* 37,90 / 1 Liter



GP* = base price per specified unit



Solvent-free 1-component PUR adhesive especially for motorhome and caravan repairs

- Thixotrope (non-expiring)
- For work on vertical caravan walls
- Filling joints, does not foam up
- Moisture curing

For bonding aluminum sheets to rigid foam and wood. Ready to use in cartridge. Working time without/with water ca. 30/5 minutes. Curing time: Initial strength after ca. 3 hours, final strength after several days. Consumption ca. 250 - 350g/m² (strongly dependent on the substrate). 310 ml cartridge

500291 29,70

GP* 95,81 / 1 Liters

Danger: H334, H351, H373, H332, H315, H319, H317, H335

Delivery only to specialized trade!



Terostat sealant 2759

Sealant for caravans, motorhomes or bodywork. Suitable for professional use. Aluminum cartridge with spray nozzle. Permanently plastic, weather and ageing resistant one-component sealant based on butyl rubber. Low solvent content. Dab off excess material directly. Ideal for caravan / motorhome area.

Gray, 310 ml **50055 18,95**

GP* 61,13 / 1 Liters



Bonding and sealing without primer

Simson ISR 70-03

Elastic adhesive sealant on Silyl Modified Polymer (SMP), for elastic joints with high strength. Bonding & sealing without primer on clean, dry surfaces (e.g. aluminum, stainless steel, steel, galvanized, powder-coated steel, non-ferrous metals, paint, PVC, wood, etc.). UV and weather resistant).

Gray, 290 ml **294851 28,95**

GP* 99,83 / 1 Liter

Black, 290 ml **294852 26,95**

GP* 92,93 / 1 Liter



TEROSON MS 9221 Power adhesive

- Hard elastic bonding of steel sheet, aluminum, wood, GRP, glass, ceramics, etc.
- Solvent-free
- Overpaintable • Salt water resistant • Skin forming time: 5 min.

Black 310 ml **500316 34,90**

White 310 ml **500317 34,90**

GP* 112,58 / 1 Liters



Neutral, colorless silicone

- For sealing inside
- Remains soft and flexible
- Adheres also to plastic

10,40

Processed material remains flexible. For sealing e.g. sealing joints in the shower room. 310 ml.

clear **294191 10,40**

GP* 33,55 / 1 Liter



Fig. similar



Contact adhesive

Teroson B 2168 One-component adhesive

- For larger areas X-trem
- Only for specialized trade

Application possible with brush or notched trowel. Sale only to specialized trade or against proof of suitability.

4 kg **500370 114,90**

GP* 28,73 / 1 kg

Teroson thinner

1 liter **500361 84,90**

Danger: H225, H315, H319, H336, H410



Dispersion adhesive without solvent

Synthetic resin dispersion adhesive 8/A 1728 heat resistant up to 100°C

Environmentally friendly dispersion adhesive. For bonding velour fabrics or carpet (without foam backing) to GRP or body sheet. For nonwovens, textiles, leather, imitation leather and many more. Synthetic resin dispersion mixed with natural resins. No organic solvents. 10.5 kg

50048 339,-

GP* 32,29 / 1 kg

Attention: H301, H311, H314, H317, H331, H400, H410

Special adhesive for plastics

①



Danger

②



Danger

① Oarsman L530 adhesive

Crystal clear adhesive for bonding various plastics such as PS, PSB, SAN, ABS, Plexiglas, rigid PVC to each other and to glass or ceramics.

20 g tube **52711 5,40**

GP* 27,00 / 100 g

Danger: H225, H319, H336

② Tube adhesive for edge bonding

For bonding in the groove, shrinkage is avoided.

85 g tube **52713 9,80**

GP* 11,53 / 1 kg

Danger: H225, H319, H336



14,90

Work equipment

Cartridge gun

for all 310 ml cartridges.

29418 14,90

① Grommet for Sika bag

29482 4,35

② Standard cartridge nozzle

Sika standard nozzle enables processing of Sika adhesive and sealant cartridges. 12 pieces per package

E5096 3,50

Wool felt swab

This wool felt applicator allows convenient, clean and precise application of Sika primers. 24 pieces per package

294731 34,95



Spray adhesive



Super spray adhesive heat resistant up to 80°C

Heat resistant up to 80°C with high instant tack. Adheres to wood, metal and plastics.

500 ml **50013** **25,39**

GP* 50,78 / 1 Liter

Danger: H222, H229, H315, H336, H411



Danger



Power Spray Adhesive Plus

- For X-trem isolator & fabrics
- Heat resistant up to 110°C

Adheres to wood, metal and plastics.

400 ml **500130** **16,95**

GP* 42,37 / 1 Liter

Danger: H222, H229, H315, H336, H411



Danger

13,50



Multi Glue spray adhesive

Reliably bonds styrofoam, foam rubber, felt, paper, cardboard, wood, metal and many plastics together and to each other. Working time: 5 to 15 min. The adhesive reaches its final strength after ca. 24 hours. 500 ml

50011 **13,50**

GP* 27,00 / 1 Liter

Danger: H222, H229, H315, H336, H411



Danger

Caravan and motorhome repair adhesive



from **8,90**

Butyl sealant tape

Permanently elastic sealing tape for processing profiles. Excellent adhesion, self-adhesive, non-shrinking, weather-resistant, high-yield, easy to apply.

Color: Black.

20x3,0 mm, 9,1 m

50038 **13,20**

GP* 1,45 / 1 mm

Butyl sealing compound tape

20x2.0 mm, 3.0 m

500381 **8,90**

GP* 2,97 / 1 m

35x2,0 mm, 10 m

500382 **18,-**

GP* 1,80 / 1 m



Sponge rubber band 20 x 3 mm

Back side self-adhesive

2 m **294599** **6,50**


GP* 3,25 / 1 m

5 m **294600** **15,95**

GP* 3,19 / 1 m

10 m **294601** **32,95**

GP* 3,30 / 1 m



Teroson RB 81 sealing tape

Flexible, strongly adhesive sealing tape for overlap sealing using the contact bonding method. Secure, permanent bonding. Self-welding. Adhesive on both sides. Resistant to aging. It is a high quality, strongly adhesive butyl rubber based sealing tape with elastoplastic properties. Excellent adhesion to cleaned surfaces of metallic and non-metallic materials.

35x2,5 mm, 24 m

500612 **95,-**

GP* 3,96 / 1 m

NEW 30x2 mm, 30 m

500613 **99,-**

GP* 3,30 / 1 m

NEW 60x2 mm, 20 m

500614 **97,-**

GP* 4,85 / 1 m



Teroson VII sealing tape white

For all overlaps and screwed joints on the car body, sticky, extra soft. Without corrosive components.

NEW: 20x2 mm, 3 m **50107** **13,95**

GP* 4,65 / 1 m

20x2 mm, 40 m roll **50058** **139,-**

GP* 3,48 / 1 m

30x2 mm, 64 m roll **50059** **259,-**

GP* 4,05 / 1 m



DEKA profiled butyl tape

Non-aging, solvent-free, permanently plastic and suitable for mechanically fixed sealing of overlaps and spacing between metal, wood, stone and plastic. Resistant to water, road salt, weathering, dilute acids and bases.

3 m **500300** **15,95**

GP* 5,32 / 1 m



Differences between the various sealants and adhesives

PU adhesives

Polyurethane-based sealants and adhesives cure in moist air, releasing carbon dioxide. They are used for sealants in the automotive industry, in motorhome and caravan repair and in metal construction. In addition to their sealing effect, they can also be used as permanently elastic adhesives, for example to bond solar panels to caravan roofs. Unfortunately, yellowing is possible with light-colored PU adhesives due to sunlight. Pretreatment of the sealing surfaces with primer may be necessary under certain circumstances.

SMP or MS polymer adhesives

These adhesives based on silane-modified polymers are offered in cartridge form. They are often used in the construction of vehicles and caravans. The elastic adhesive cures with the humidity of the air with the elimination of alcohol. In general, these adhesives adhere without primer to clean, grease-free and dry substrates. They are UV resistant and do not tend to yellow.

Butyl sealants

They are based on butyl rubber and are more or less permanently elastic or permanently tacky. Butyl sealants are available in cartridges or as tapes and cords. These products are also used in metal construction,

ventilation construction or heating construction. In the motorhome and caravan sector, they are used in the installation of roof hoods and windows, for sealing edge trims and in all applications where a sealing surface brings with it the possibility of sealing. Since butyl sealants are permanently elastic and do not adhere, the two sealing surfaces must be mechanically pressed together mechanically. Different materials of the sealing surfaces hardly play a role, since, on the one hand, no firm bond is formed and, on the other hand, different thermal and cold expansions hardly play a role due to the permanent elasticity. Pretreatment of the sealing surfaces is usually not necessary.

ADHESIVE BANDS

Fabric adhesive tapes

3M®



High adhesive strength

For repair on their vehicle.
50 mm wide. Silver

50 m **990163** **15,90**
GP* 0,32/1 m

6,10



- **Waterproof**
- **Temperature resistant from - 20°C to + 90°C**
- **For indoor and outdoor**

Very strong, easy to tear off. 10 m long, 50 mm wide.

silver **500383** **6,10** GP* 0,61/ 1 m
black **500384** **6,10** GP* 0,61/ 1 m



Fiber reinforced

With high adhesive strength.
48 mm wide. Black or silver. Assorted colors.
10 m **990160** **3,80**

Adhesive tapes for sealing



Soft aluminum adhesive tape

For sealing and insulation. Temperature resistant from -25 to +70°C.
100 mm wide.

50 m **99017** **60,10**
GP* 1,20 / 1 m



High performance sealing tape

Single-sided Acrylic Foam-Adhesive sealing tape for interior and Exterior for e.g. gutters or roof hoods.
38 mm wide.

1,5 m **99011** **19,20**
GP* 12,80 / 1 m

General purpose adhesive tapes

3M®



Universal use, transparent, UV stable, robust

48 mm wide
25 m **99018**
GP* / 1 m

3M®



5,50

Packaging tape

50 mm wide.
66 m **99019** **5,50**
GP* 0,08 / 1 m

Double sided adhesive tapes



- **High adhesive strength**
- **Minor repairs done quickly** with high adhesive strength from both sides. 50 mm wide.

10 m **99002** **15,95**
GP* 1,59/ m

NEW
2023



Double sided adhesive tape

- **Safe and fast bonding.**
- **High temperature resistant**
- **Permanent sealing against water, moisture, etc.**

Adhesive on both sides. Can replace conventional mechanical joining methods (riveting, welding, screwing) or liquid adhesives. 19 mm wide.

11 m **99027** **26,-**
GP* 2,36/ 1 m

Up to **3,3 kg/ m**
resilient

3M®


Mounting Tape

Strong removable adhesive-tape for inside & outside from pure acrylic adhesive. Thickness: 0.8 mm. Quick, safe and invisible Fastening. Replaces screws, Rivets and nails. For indoor and outdoor use. Good UV resistance. Temperature resistant: -40 °C to +80 °C. Waterproof. 19 mm wide.

5 m **99008** **30,70**
GP* 6,14/1 m



Velcro tapes



65,85

Universal Velcro binder

2 mm wide, black / gray. Length can be individually cut to size. For bundling cables, fastening plants, etc. High resistance to weathering. For indoor and outdoor

3 m **99009** **65,85**
GP* 21,95/1 m



High-tech pressure cap

In the industry, the 3M™ Dual Lock™ pressure lock system has been successfully used by professionals for years. The one-component pressure seal can be opened and closed up to 1000 times. 25 mm wide. Self-adhesive. For indoor and outdoor applications. For invisible fastenings

1,25 m **99007** **33,20**
GP* 26,56/1 m



6,40

Velcro power strip

Self-adhesive backing, 10 times stronger than conventional Velcro. Waterproof. For indoor and outdoor use for fixing kitchen utensils. 4 strips each 10 cm x 1.9 cm.

99015 **6,40**
GP* 16,00 / 1 m

Vehicle protection



TEROSON WX 980 Black wax underbody protection spray

- For the aftertreatment of standard underbody protection
- To supplement protective coverings based on PVC or rubber resin
- Ideal spray pattern, low mist during application
- Bitumen-free coating material
- Quick drying

500 ml spray

Color black 500318 21,95

GP* 43,90/1 liter

Danger: H222, H229, H317, H336, H412



Danger

Stone chip protection from the spray can

NEW
2023

Sikagard®-6470 S is a durable spray-on protective coating with excellent rust protection and anti-drumming properties. Effective stone chip protection for the vehicle body. Very good recoatability. 500 ml

Color black 294140 22,50

GP* 45,00/1 liter

Danger: H225, H315, H336, H411



Danger

Screw lock



LOCTITE243

- Suitable for all metals
- Connections can be disassembled with hand tools
- Universally applicable
- Connections can be disassembled for maintenance with hand tools

10 ml 500319 25,95

GP* 259,50/1 liter

Danger: H317, H411



Danger

Car body repair



TEROSON WX 990

Transparent wax corrosion spray

Sprayable wax-based corrosion inhibitor. Particularly suitable for the protection of folds and surfaces on motor vehicles, construction machinery and garden equipment. Due to the high temperature resistance no run-off or dripping in the engine compartment.

- Transparent
- Adhesive free drying
- Firmly adherent
- Water repellent
- Temperature resistance up to 100°C
- Protection of folds and surfaces

500 ml spray 500313 18,95

GP* 37,90/1 liter

1 liter 500315 26,60

Danger: H222, H229, H317, H336, H412



Danger



GRP repair kit

Glass fiber mats for repair of GRP parts, with resin and hardener.

250 g 96016 15,95

GP* 63,80/1 kg

Danger: H226, H242, H315, H317, H319, H361d, H373, H410



Danger



LOCTITE270

- Ideal for permanently securing stud bolts on engine blocks and pump housings
- For systems that do not have to be regularly dismantled for maintenance

10 ml 500320 24,95

GP* 249,50/1 liter

Danger: H317, H411



Danger



Professional cleaning products for motorhome, caravan & boat

Clean



Citrus Shampoo & Wax

Strong, concentrated cleaner and protection in one product. Easily removes stubborn dirt, stains, streaks, soot, oil, salt, tar and grease. At the same time creates a protective wax layer that prevents new dirt build-up and gives the surface a shine.



Danger

Content 500 ml

For FI, SE, NO **616202** **13,50**
GP* 27,00/1 Liter

Danger: H315, H317, H318, H412



Ultimate Xtreme Clean

The ultimate cleaning agent for any purpose and any surface. Removes even stubborn dirt and smudges, even on hard-to-clean porous surfaces.



Phosphate-free, harmless on or near the water. For cleaning fiberglass, vinyl, plastic, metal and even inflatable boats.

Content 650 ml

For DE, GB, DK **616190** **12,95**
For ES, IT, FR **616191** **12,95**
For FI, SE, NO **616192** **12,95**
GP* 19,92/1 Liter

Danger: H290, H318



Danger

Black streaks remover

Eliminates black streaks. Quick and easy cleaning. Streaks and contamination from rainwater are removed.

Capacity 650 ml

For ES, IT, FR **616031** **12,90**
For FI, SE, NO **616032** **12,90**
GP* 19,85/1 Liter

Danger: H318



Awning and awning cleaner

Special cleaner for awnings and awnings. Removes dirt and stains. Refreshes faded colors.

Content 650 ml

For DE, GB, DK **61604** **12,95**
For ES, IT, FR **616041** **12,95**
For FI, SE, NO **616042** **12,95**
GP* 19,92/1 Liter

Danger: H315, H317, H318, H412

Polish & Protect



Premium cleaner and wax with PTFE

Cleaning and care for motorhome and caravan. Gives shine and enhances the vehicle. Coats the surface with a protective layer. Ideal after long standing time. Suitable for GRP, aluminum and metal surfaces.



Attention

Content 500 ml

For DE, GB, DK **61606** **17,95**
For ES, IT, FR **616061** **17,95**
For FI, SE, NO **616062** **17,95**
GP* 35,90/1 Liter

Content 1000 ml

For DE, GB, DK **616064** **26,95**
For ES, IT, FR **616065** **26,95**
For FI, SE, NO **616066** **26,95**
GP* 26,95/1 Liter

Attention: H315, H412, EUH208



Premium surface sealing with PTFE

Protects the valuable paint. Coats it with a protective layer and makes it resistant. Suitable for GRP, aluminum and metal surfaces.



Danger

Content 500 ml

For DE, GB, DK **61607** **23,95**
For ES, IT, FR **616071** **23,95**
For FI, SE, NO **616072** **23,95**
GP* 47,90/1 Liter

Content 1000 ml

For DE, GB, DK **616074** **39,95**
For ES, IT, FR **616075** **39,95**
For FI, SE, NO **616076** **39,95**
GP* 39,95/1 Liter

Danger: H317, H373, H412



Premium spray wax with PTFE

Wax spray protects the valuable paint of the caravan and motorhome. For GRP, aluminum and metal surfaces. Ideal for walls with hammered effect. PTFE coats the surface with a protective layer.

Content 650 ml

For DE, GB, DK **61608** **14,90**
For ES, IT, FR **616081** **14,90**
For FI, SE, NO **616082** **14,90**
GP* 22,92/1 Liter



Waterproofing spray with PTFE

Impregnates tents and awnings. Makes the fabric water repellent. Protects material from wind and weather. PTFE coats the surface with a protective layer.



Danger

Content 650 ml

For DE, GB, DK **61605** **22,95**
For FI, SE, NO **616052** **22,95**
GP* 35,31/1 Liter

Danger: H304, H373, EUH066

Starbrite® is the marine industry's leading manufacturer of waxes, polishes, cleaners and more. Especially on boats are used only the latest technologies and ingredients of the highest quality. This also benefits vehicle care. For this reason, all Starbrite® products are as good as possible, rather than "just good enough".

Window cleaning & protection



Step 1: Acrylglass cleaning and refreshing

For cleaning and refreshing of plastic windows. Removes light scratches, prevents static charge and dust attraction, Reduces blind spots.

Content 250 ml

For DE, GB, DK **61600** **10,90**
For ES, IT, FR **616001** **10,90**
For FI, SE, NO **616002** **10,90**
GP* 43,60/1 Liter

Attention: H315, H412



Step 2: Acrylic glass sealing

With UV blocker to protect against yellowing and dulling of plastic windows. Gloss and clarity are preserved.



Attention

Content 250 ml

For DE, GB, DK **61601** **10,90**
For ES, IT, FR **616011** **10,90**
For FI, SE, NO **616012** **10,90**
GP* 43,60/1 Liter

Attention: H319, H412



Rain deflector for windshields and windows

Makes water simply roll off and improves visibility through the windshield.

Content 250 ml

For DE, GB, DK **61602** **11,90**
For ES, IT, FR **616021** **11,90**
For FI, SE, NO **616022** **11,90**
GP* 47,60/1 Liter

Danger: H225, H319, H336

GP* = Base price per specified unit



Sanitary liquid

Breaks down waste materials in the dirty water tank and in transportable cassettes and avoids unpleasant odors in the toilet room. Gives up to 665 liters.

Content 650 ml

For DE, GB, DK	616100	19,95
For ES, IT, FR	616101	19,95
For FI, SE, NO	616102	19,95

GP* 19,95/1 Liter

Danger: H314, H400



WC cleaner

Frees toilet bowls from stains and lime deposits without scrubbing. Suitable for all plastic and porcelain toilet bowls. Does not contain strong chemicals.

Content 650 ml

For DE, GB, DK	616110	10,95
For ES, IT, FR	616111	10,95
For FI, SE, NO	616112	10,95

GP* 23,15/1 Liter

Danger: H318



Bird and spider droppings remover
Removes dirt without attacking the paint. Safe for GRP, aluminum, metal, plastic and textile.

Content 650 ml

For DE, GB, DK	616170	17,95
For ES, IT, FR	616171	17,95
For FI, SE, NO	616172	17,95

GP* 27,62/1 Liter

Danger: H318



Carpet cleaner with PTEF

Dissolves dirt, oil and grease stains.

Content 950 ml

For DE, GB, DK	616180	14,95
For ES, IT, FR	616181	14,95
For FI, SE, NO	616182	14,95

GP* 15,74/1 Liter

Danger: H318



StarTron diesel additive

Saves fuel and stabilizes diesel for up to 2 years. Engines start easier and run smoother. Reduces exhaust gases, particulate matter and soot emissions. Reduces fuel system maintenance intervals, eliminates and prevents carbon deposits.

Content 650 ml

For DE, GB, DK	616140	18,95
For ES, IT, FR	616141	18,95
For FI, SE, NO	616142	18,95

GP* 75,80/1 Liter

Danger: H304, H412



Danger

30 ml is enough
for up to 120 l



Flexible scrubber with soft pad

Large, soft scrub pad, fits Star brite® handles with snap-in system. Smooth to move. Adapts to the contours of the surface.

61634

27,95



Microfiber mop

Super absorbent microfiber strips. Suitable for Starbrite® telescopic rod. Mop can be easily removed for wringing.

61629 27,95

SONAX®
MADE IN GERMANY

Clean, care, protect

NEW
2023

Interior cleaning



Caravan interior cleaner

Versatile spray cleaner with odor eliminator. Binds cigarette smoke, animal and other irritating odors. Gently cleanses and brings fresh scent. For plastics, leather, wood, aluminum, stainless steel and painted or foiled surfaces.

750 ml **61522 11,99**

GP* 15,99/1 Liter

Exterior cleaning



Caravan shampoo

Cleaning concentrate with wax components. Gently dissolves dirt and seals. With high quality carnauba wax. Suitable for all surfaces on caravan/bus/camper/caravan, also for acrylic glass windows.

1000 ml. **61520 10,99**

GP* 10,99/1 Liter

Danger: H319, H317



Attention

Acrylic + glass cleaning



Caravan Acrylic + Glass Cleaner

Window cleaner for inside and outside. Cleans gently and brings streak-free cleanliness. For glass or acrylic windows and touch screen displays. Does not cause stress cracks or blind spots on acrylic+plexiglass. Compatible with all plastics

750 ml **61524 9,99**

GP* 13,32/1 Liter

Rain streak remover



Caravan rain streak remover

Intensive cleaner containing abrasives for the removal of rain streaks on paint and GRP. Chemical-mechanical active principle, also acts against grease, oil, diesel, road and environmental dirt. Suitable for hammered walls and gelcoat.

500 ml **61521 15,99**

GP* 31,98/1 Liter



Seal



Caravan Quick Sealer

Spray sealant with high material compatibility for all exterior surfaces on caravan/bus/motorhome. Intensifies the colors and shine. Protects against resoiling and rain streaks. Playfully simple application even on large surfaces.

750 ml **61523 16,99**

GP* 22,65/1 Liter

Danger: H317



Attention

Polishing



Caravan polish

Highly effective polish for smoothing weathered surfaces and refreshing dull colors. For coatings and GRP. With waxy base preservative. Can also be used with polishing machine.

500 ml **61519 14,99**

GP* 29,98/1 Liter

VEHICLE EXTERIOR CLEANING / RAIN STRIPE REMOVER / PAINT CARE

Exterior cleaning



Berlin Caravan Elixir

Concentrate for thorough exterior and interior cleaning of motorhomes or caravans. add 25 to 50 ml to 1 liter of water (depending on contamination). In case of heavy soiling, also apply undiluted. Rinse with plenty of water.

500 ml **61428** **9,40**

GP* 18,80/ 1 Liter

Danger: H315, H318



Yachticon

Caravan motorhome elixir

In case of extreme contamination. High-yield concentrate, for all surfaces.

1000 ml **61403** **19,50**

Attention: H319



Yachticon

Caravan Super Cleaner

for plastics, synthetic leather, rubber, paint, metal, for stubborn dirt. Beading effect.

500 ml **61400** **15,95**

GP* 31,90 / 1 Liter

Attention: H315



Yachticon

Motorhome & Caravan Cleaner

Removes even stubborn contaminants, such as tar and soot. For all paints and metals. No acrylic.

500 ml **61460** **14,29**

GP* 28,58 / 1 Liter

Danger: H318



Yachticon

Polishing stone boat & caravan

Cleans, polishes and seals all surfaces in one operation.

Incl. Sponge

500 g **61459** **19,95**

GP* 39,90 / 1 kg



Multiman Rim Cleaner

Gentle cleaner for all light metal rims. Removes heavy contamination from brake dust and road dirt. With corrosion protection.

500 ml **61369** **16,10**

GP* 32,20 / 1 Liter

1000 ml **61370** **24,40**

Attention: H315



Rain streak remover



MULTIMAN

Intensive cleaning concentrate

For heavier soiling. Cleans deep into the pores.

500 ml GP* 28,80/ 1 Liter **61374** **14,40**

1000 ml **61375** **25,40**

Danger: H315, H318



Yachticon

Rain streak remover

Cleans heavily soiled surfaces. For all materials, in particular also GRP, metal and paint. Ready for use. 500 ml

GP* 31,00 / 1 Liter **61401** **15,50**

Danger: H290, H314



REIMO
TOP PRICE
15,50



KATADYN

RainstripeEx Concentrate

Special cleaner with depth effect for caravan and boat. The powerful, environmentally friendly cleaner for the heaviest soiling removes rain streaks, oil, grease and tar, road and environmental dirt on smooth wall, hammered plate and Gelcoat.

1000 ml **61330** **22,--**

Danger: H315, H318



Paint care



Danger

① NanoTec Seal Polish

Paint care with nanotechnology. Polish, care and surface sealing in one operation. 1000 ml

613292 **35,--**

② Premium Polish with Teflon®

Cleans, polishes and seals in one step using high-quality waxes and PTFE. With UV protection, for high-gloss, protective surface. 500 ml

GP* 43,90 / 1 Liter **614061** **21,95**

Yachticon

③



④



Danger

③ Premium Hard Wax

With Teflon Surface Protector. High gloss sealant with UV protection against fading. 500 ml

GP* 51,90 / 1 Liter **61448** **25,95**

Danger: H226, H304, H336, H412, EUH066

④ Rubbing abrasive polish

Without silicone. Removes dirt and small scratches. For polishing up matt surfaces. 500 ml

GP* 37,00 / 1 Liter **61454** **18,50**

KATADYN

⑤



Danger

Yachticon

⑥



⑤ Shampoo and Wax - 2 in 1

For thorough, paint-friendly and caring cleaning. Cleans painted surfaces and gives shine and protection with carnauba wax.

1000 ml **613295** **25,--**

Danger: H315, H318

⑥ Grinding polish

With fine abrasive particles removes stubborn dirt. Provides a new shine to weathered plastic surfaces. 500 ml

GP* 42,00/ 1 Liter **61449** **21,--**

Interior cleaning



Stain spray

Removes stains and soiling from all carpet and upholstery materials. Attacks factory anti-soiling finishes, such as e.g. Scotchgard®, Teflon® and antistatic finishes. Eliminates odor molecules at the same time. Fast acting (no contact time). Productivity increase due to extremely fast drying

250ml **92426** **16,95**
GP* 67,80 / 1 Liter



Yachticon

Carpet and upholstery cleaner

Thoroughly removes stains from all fabrics and Carpets. Simply spray on, dry leave and vacuum.

500 ml **61452** **13,95**
GP* 27,90 / 1 Liter



Yachticon

Stain Away Magic Sponge

Cleans only with water without detergent. Removes all stubborn stains such as rain streaks, lime, flash rust, pen marks, tea and coffee stains. Ideal for all plastic and metal surfaces.

4 piece **61499** **13,95**



15,95

Yachticon

Rubber care

For cleaning rubber surfaces. Also suitable as a cockpit cleaner.

250 ml **61455** **15,95**
GP* 63,80 / 1 Liter

Plastic cleaner All-purpose cleaner

THETFORD

①

②



Attention

① Plastic cleaner

Active foam for interior and exterior. Removes lime stains for shine and hygiene. 500 ml

GP* 15,90 / 1 Liter **61426** **7,95**
Attention: H319

② Plastic cleaner

1000 ml **61470** **18,50**



Yachticon

Plastic and sink cleaner

Seals and cleans all plastics such as GRP, gelcoat, ABS, PU, PVC, etc.. Especially, sinks and tables, kitchen countertops, interior cladding, cabinets, etc.. Refreshes faded colors. Removes small scratches, dull spots and discolorations.

250 ml GP* 95,80 / 1 Liter **61439** **23,95**

①

②



Attention



Danger

Yachticon

① All-purpose cleaner with ammonia

Powerful all-purpose cleaner concentrate with ammonia for pore-deep and gentle cleaning. Effortless removal of dirt, grease and oil residues from all surfaces. For indoor and outdoor use.

1000 ml **66398** **14,20**

Danger: H315, H319

② Orange Intensive Cleaner

The intensive cleaner with the power of orange. Environmentally friendly and pleasant smell. Removes stubborn dirt, grease and many other stains.

500 ml **66397** **14,20**

GP* 28,40 / 1 Liter

Danger: H226, H318, EUH208





Cleaning & Care



Yachticon

Acrylic scratch remover

Removes scratches from acrylic glass or polycarbonate, makes dull panes transparent again. Removes stubborn stains and discolorations. With long-term protection against dirt and cracking. Lets rain roll off.

250 ml **61443** **16,95**

GP* 67,80/ 1 Liter



Yachticon

Acrylic care

Removes all types of soiling from acrylic glass or polycarbonate particularly gently. Makes dull slices smooth again. Prevents stress cracks.

Pump spray bottle

500 ml **61444** **15,30**

GP* 30,60/ 1 Liter



Quixx polishing paste for acrylic glass

- Reliably removes scratches in caravan / motorhome windows
- Suitable for uncoated acrylic parts on motorhomes, caravans, boats, airplanes
- Non-toxic, odorless, water soluble
- Suitable for polishing machines

Scope of delivery: 50 g polishing paste and 1 grinding stone for deep scratches.

38051 **13,95**

GP* 279,00 1 kg



MULTIMAN

AcrylicClean 500

Clear view and new shine for plastic windows. Road and environmental dirt on plastic windows of motorhomes and caravans, are effectively yet gently removed, as well as soot, grease and streaks. Pump spray bottle

500 ml **61498** **17,95**

GP* 35,90 / 1 Liter

REICH
The Quality Experience



REIMO
SET PRICE
38,50



mycleanhome Complete set for care and cleaning

Care set for motorhomes and caravans. Scope of delivery:
2x 500 ml intensive cleaner
1x 250 ml acrylic glass cleaner
1x 100 ml rubber care
2x cleaning cloth

61467

38,50

Attention: H319



mycleanhome Single products

- ① 500 ml intensive cleaner
61480 10,95
GP* 21,90/ 1 Liter
Attention: H319
- ② 250 ml Acrylic glass cleaner
61481 7,95
GP* 31,80/ 1 Liter
- ③ 100 ml rubber care
61482 8,95
GP* 89,50/ 1 Liter



④ mycleantank

So that the vacation with the motorhome or caravan is not clouded by dirty pipes and tanks: the water system cleaner easydriver mycleantank. It makes tired pipes and tanks lively again. Instead of scrubbing, look forward to your vacation: the test winner myclean@tank does the work.
1000 ml tank cleaner

61483

14,95

Danger: H319



⑤ myfreshtank for tanks and pipes

For more freshness in the home on wheels provides the microbiological wastewater tanker freshener easydriver myfreshtank. It keeps tanks and pipelines sustainably clean by effectively preventing dirt and grease deposits and effectively neutralizing odors.

1000 ml **61484**

14,95

CARAVANING
Testurteil Ausgabe 05/2019
TESTSIEGER
Sehr empfehlenswert
easydriver / REICH
easydriver mycleantank



Yachticon

Anti spider spray

Quickly and reliably repels all spiders and relatives. Natural scents prevent new settlement for a long time. Simply spray and let it work.
500 ml **61441** 18,95
GP* 37,90 / 1 Liter

Attention: H225, H317, H319, H410



Yachticon

Special remover

Resin, graffiti and adhesive residues Remover Removes sticky residues from stickers, lettering and graffiti. Also suitable for all types of fabric.
200 ml **61451** 16,95
GP* 84,75/ 1 Liter

Attention: H222, H229, H315, H317, H336, H361F, H411



Yachticon

Solar Panel Cleaner

Prevents rapid resoiling-
ing with beading effect. Highly effective in removing stubborn deposits and dirt on solar systems (these can reduce the efficiency of the system). With beading effect, prevents rapid resoiling.
500 ml **61465** 19,95
GP* 39,90/ 1 Liter



Grill cleaner

Removes grease and soot from the grill grate. For cast iron, stainless steel, porcelain, ceramics and glass. Spray bottle
650 ml **61642** 17,95
GP* 27,62 / 1 Liter

Attention: H290, H314

Cadac Cleaner

For cleaning all black enameled parts (not for Teflon-coated surfaces!)
400 ml **914443** 5,95
GP* 14,88/ 1 Liter
Attention: H222, H229, H314, H318

TENT, AWNING, FABRIC CLEANING AND CARE

Cleaning



Yachticon



Awning cleaner

For natural and synthetic fabrics.

1000 ml **61417** **20,95**

Attention: H315, H319

THULE

PVC cleaner

for cleaning awning cloths.

Practical pump spray bottle.

500 ml **E6100** **9,99**

GP* 19,98 / 1 Liter



13,50

Yachticon



Mold Remover

Thoroughly and automatically removes mold and mildew stains from all types of fabrics. Eliminates musty odor at the same time and protects against new infestation.

500 ml **61440** **13,50**

GP* 27,00 / 1 Liter

Danger: H290, H314, H400, H412, EUH031, EUH206

Impregnation/sealing



②



① Impregnating concentrate

4-fold impregnation concentrate for all canopies, sun sails, awnings, tents, parasols and similar fabrics. Simply dilute with four times the amount of water and impregnate the fabric. Prevents mildew stains and mold. Solvent free. 1000 ml

61445 **27,95**

② Tent cleaner and impregnator

Also for parasols and clothing; breathable. Against electrostatic charge. 1000 ml

61409 **24,95**

Danger: H225, H315, H319, H304, H336, H411, EUH066



10,50

Seam tight

Seals water repellent and weather resistant, makes leaking seams in tents, awnings, tarpaulins or clothing waterproof again. Durable, with long effect

100 ml **61446** **10,50**

GP* 105,00 / 1 Liter

Danger: H225, H319, H336



Seam sealant with brush

Ready-to-use seam sealer in a practical brush can. Seals all seams and makes leaking seams waterproof again.

100 ml **61447** **14,95**

GP* 149,50 / 1 Liter

Danger: H225, H315, H319, H335, H336, H411, EUH066

Care

THETFORD



Sealing spray and care product in one

Suitable for rubbers, locks, hinges, bicycles.

200 ml **61425** **7,10**

GP* 35,50 / 1 Liter

Danger: H222, H229

Yachticon



Zipper/ piping pull-in spray

Make zippers run smoothly or make it easier to pull in piping (awnings). Prevents squeaking of moving parts. Makes stuck parts common again.

200 ml **61450** **12,60**

GP* 63,00 / 1 Liter

Danger: H222, H229, H315, H326, H411

With Teflon



Yachticon

Lubricant spray with Teflon

For zippers and everything that squeaks.

300 ml **96038** **15,80**

GP* 52,67 / 1 Liter

Danger: H222, H229



Silicone spray

For easier running of zippers, to protect plastic and rubber parts.

300 ml **29421** **10,50**

GP* 35,00 / 1 Liter

Danger: H225, H317, H319, H410




Stor-Dry warm air circulator

- **2-in-1 function:** the internal heating element heats intake air and the built-in fan provides air circulation in the vehicle
- Eliminates bad odors in motorhome or caravan
- Suitable for rooms up to a size of 92 m²

The Stor-Dry warm air circulator reduces the risk for mold and mildew in the vehicle by reducing the humidity inside the vehicle, thus containing the growth of mold spores. This is achieved through a unique dual action that uses both a low wattage heating element and a fan to circulate air. The Stor-Dry draws cool, moist air down and releases warm, dry air up. There is no need to empty the water reservoir. The Stor-Dry operates silently. Power consumption: 120V, <70 watts. Metal case, weight: 1.3kg

Color: Silver

482200 135,--



Airtune air filter

- Filters dust, pollen and other particles at the diffuser
- Simple and fast installation
- For Truma heaters in motorhomes

The AIRTUNE AIR air filters filter dust, pollen and other particles at the outlet of the Truma heater, thus ensuring that they do not enter the room air. Air filter short 85 mm/long 95 mm (measured from the outer edge of the piece of furniture) Installation for immediate use: simply attach the filter to the back of the end piece/outlet of the Truma heater



AIRTUNE AIR Air Filter Starter Set 5:1

Contents: 5 AIRTUNE AIR air filters (long) + 1 AIRTUNE AIR air filter (short)

924290 89,95

AIRTUNE AIR air filter starter set 3:3

Contents: 3 AIRTUNE AIR air filters (long) + 3 AIRTUNE AIR air filters (short)

924293 89,95

Refill pack: Replacement filter for equipping motor homes with Truma heaters

AIRTUNE AIR Air Filter Refill Pack 5:1

Contents: 5 AIRTUNE AIR air filters (long) + 1 AIRTUNE AIR air filter (short)

924291 69,95

AIRTUNE AIR Air Filter Refill Pack 3:3

Contents: 5 AIRTUNE AIR air filters (long) + 1 AIRTUNE AIR air filter (short)

Important: without adapter ring for attachment to the Truma heater outlet

924294 69,95

Bundle: Save on single purchase!

AIRTUNE AIR Air Filter Bundle 5:1

Contents: 1 Starter Set 5:1 + 1 Refill Pack 5:1

924292 130,--

AIRTUNE AIR Air Filter Bundle 3:3

Contents: 1 Starter Set 3:3 + 1 Refill Pack 3:3

924295 130,--



9,40

Yachticon

Dehumidifier Antihumedad

Practical dehumidifier with tablet reliably protects against moisture damage. 450 g for ca. 20 m², shelf life 3-4 months.

92410 9,40

Replacement tablet for 92410

450 g 924101 5,95
GP* 13,22/1 kg



1 kg for
ca. 35m²

Multy Dry room dehumidifier

Protects fabrics, leather, clothing, electronic equipment and household accessories from corrosion, rotting, mold, mildew, but also odors. Absorbs up to 600 g of water, outer skin remains dry. Reusable. Regenerable in the oven. 1 kg for room size of ca. 35 m² for ca. 2-4 months.

92406 16,95



Dehumidification for motorhomes & caravans

① Dehumidifier including 1 kg granules

Reduces humidity in the closed caravan, motor home, boat, etc.. Protection against mold, corrosion and moisture damage. Effective up to 3 months. For rooms from 50-70 m.

92404 23,95

② Granules for dehumidifier 2 x 1 kg

92405 7,45
GP* 3,73/1 kg