

Awnings & Awning tents



The versatile Thule Omnistor 4200 for the Reimo Multirail, comfortably removable



Awning TO 4200 for VW Bus T5/T6 or Mercedes Vito with a Reimo Multirail

- Removable awning for Reimo Multirail
- Many other adapters also for vehicles without Multirail
- Adapter available for mounting on right and left side of vehicle for VW T5/T6

Scope of delivery:

Awning TO 4200 in width 260 cm or 300 cm with crank.
Suitable, vehicle-specific adapters must be ordered separately.
Case: White, Silver or Anthracite, Cloth Color: Mystic Gray.

Further information on page 165

Reimo Tent Technology awning tents.....	124 – 125
Reimo Tent Technology awning accessories.....	126 – 127
Roof awnings for Fiat Ducato.....	128 – 129
Info awning adapter.....	130
Info Fiamma awnings.....	131
Fiamma roof awnings & adapters.....	132 – 136
Fiamma awnings roof awnings.....	137
Fiamma wall awnings & adapters.....	138 – 141
Fiamma awnings wall awnings.....	142 – 143
Fiamma awnings VW T6, Buses & Vans.....	144 – 149
Fiamma caravan awnings.....	150 – 151
Fiamma front & side panels.....	152 – 153
Fiamma accessories.....	154 – 156

Info Thule awnings.....	157
Thule roof awning & adapter.....	158 – 161
Thule wall awning for motorhomes.....	162 – 163
Cleaning agent for awnings.....	164
Thule awning for buses & vans.....	165
Thule adapter for wall awnings.....	166 – 167
Thule special awnings for buses & minivans.....	168
Thule caravan awnings.....	169
Thule Awning Awnings & Blockers.....	170 – 174
Thule Accessories & Spare Parts.....	175 – 176
Dometic awnings & accessories.....	177 – 179
Rafters, storm locks & accessories.....	180 – 183
Awning lighting.....	184 – 185



Awning tent for caravans
for mounting height 225 - 245 cm



Villa Store - More living space under your awning

For awnings with attachment height 225 - 245 cm

- Complete set suitable for wall awnings with minimum extension 240 cm
- Waterproof and windproof material made of acrylic and vinyl
- Connection of the front and side parts with zippers and Velcro
- Windows with mosquito netting on the sides, window film in front, all with blackout
- Incl. Packing bag and curtain set



Sealing to the awning cloth



Connection side/front part



Tension rod of the side parts



Attachment to the base of the awning

COLOR COMBINATION



INFO



Complete set for motorhome or caravan awnings with wall mounting, mounting height from 225 - 245 cm. Sealing to the vehicle is provided by large foam pads, reinforced guy points ensure stable installation. The side walls are held by supplied tension rods. A sealing strip, which is attached to the awning fabric with clips and Velcro, provides a waterproof and windproof seal.

VILLA Store

Width (B)	Weight	H: 225 - 245 cm	
500 cm	19,0 kg	475628	829,-
550 cm	19,0 kg	475629	849,-
600 cm	20,0 kg	475630	899,-





Awning tent for motorhomes for mounting height 250 - 280 cm



Suitable for awnings from
FIAMMA, THULE
and **DOMETIC**

Villa Store Premium - Turns your awning into a complete awning

For awnings with mounting height 250-280cm

- Complete set
- Fits many sidewall awnings from Fiamma, Thule, Dometic & Prostor
- Quick removal of the side panels through horizontal zipper at reach height
- Waterproof and windproof material made of acrylic and vinyl
- Connection of the front and side parts with zippers
- Windows with mosquito netting on the sides, window film in the front, all with roll-up blackout flaps
- Minimum extension of 240 cm required
- Incl. Packing bag and curtain set

COLOR COMBINATION



INFO



Motorhome or caravan awning for awnings with wall mounting and attachment height of 250 - 280 cm. Sealing on the vehicle by large foam pads prevents drafts, reinforced guy points ensure stable mounting. A sealing strip, which is attached to the awning fabric with clips and Velcro, provides a waterproof and windproof seal.

VILLA Store Premium

Width (B)	Weight	H: 250 - 280 cm	
500 cm	20,0 kg	475625	799,-
550 cm	20,0 kg	475626	899,-
600 cm	21,0 kg	475627	949,-



Optimal awning connection



Connection to the awning cloth



Pressure bar on vehicle wall



Perfect fit



Connections with zipper



AWNING TENT FOR FIAMMA CARAVAN DOOR



Especially for FIAMMA bag awning

REIMO
TOP PRICE

from **319,-**

DESIGNED
BY REIMO
GERMANY

Caravan awning "Caravanstore" see page 150



Villa Store Caravan SET

Front and side parts for FIAMMA caravan door incl. all curtains. Complete set. Existing from Villa Store Caravan Front, Villa Store Caravan Side, curtain sets for Caravan Front and Side.

Front parts Villa Store Caravan Front

Front parts for FIAMMA caravan door incl. window with attractive stripe print.

Side parts Villa Store Caravan Side

Side parts for FIAMMA caravan door left and right. Incl. Window with attractive stripe print. With 2 aluminum rods Ø 25/28 mm for upper attachment of the side panels.

Scope of delivery

Each with pack sack, pegs, guy ropes.

Material

210 D Oxford Polyester. Water column: 1000 mm.

Accessories

Pressure bar set with foam bead with Velcro, W 10 x L 219 x D 4 cm. Mounted between the side wall and caravan for windproof connection. With telescopic steel bars.

Material: 190 T polyester, weight: 3.0 kg.

475644

51,95

Villa Store caravan front and side panels for FIAMMA caravan door



Villa Store XL



Villa Store

Villa Store XL Caravan SET - complete set of front part, side part & curtains

Type	for FIAMMA	Width (B)	Height (H)	Depth (T)	Weight	Item no.	Price
Villa Caravan XL285	Caravan Store 310 XL	285 cm	210 cm	240 cm	11,0 kg	47571	319,-
Villa Caravan XL335	Caravan Store 360 XL	335 cm	210 cm	240 cm	11,4 kg	47572	329,-
Villa Caravan XL385	Caravan Store 410 XL	385 cm	210 cm	240 cm	11,9 kg	47573	339,-
Villa Caravan XL415	Caravan Store 440 XL	415 cm	210 cm	240 cm	12,5 kg	47574	369,-

Villa Store Caravan SET - complete set of front part, side part & curtains

Type	for FIAMMA	Width (B)	Height (H)	Depth (T)	Weight	Item no.	Price
Villa Caravan 285	Caravan Store 310	285 cm	210 cm	215 cm	10,0 kg	47567	239,-
Villa Caravan 335	Caravan Store 360	335 cm	210 cm	215 cm	10,4 kg	47568	249,-
Villa Caravan 385	Caravan Store 410	385 cm	210 cm	215 cm	10,9 kg	47569	259,-
Villa Caravan 415	Caravan Store 440	415 cm	210 cm	215 cm	11,5 kg	47570	289,-

COLOR COMBINATION VILLA STORE XL



COLOR COMBINATION VILLA STORE




INFO



1.000 mm



Alu
Ø25/28mm



100% polyester
210D oxford

Villa Store Caravan Front - front part

Type	for FIAMMA	Width (B)	Height (H)	Weight	Item no.	Price
Villa Caravan 335	Caravan Store 360	335 cm	210 cm	3,3 kg	47564	97,50
Villa Caravan 415	Caravan Store 440	415 cm	210 cm	3,5 kg	47566	154,90

Curtain set for villa caravan front

Color	Weight	Item no.	Price
White	0,57 kg	475643	34,95

Smartlock tent pole clamps 4 pieces per pack incl. pin wrench, locking. No damage to the tent poles. For steel and aluminum.

Ø22/19 mm	91975	11,95
Ø25/22 mm	91974	12,95
Ø28/25 mm	91976	13,95



Clamping mechanism PowerGrip

- No deformation of the pipe
- Clamping mechanism without galvanized steel parts
- Visually effective
- Can be retrofitted



PowerGRIP

Clamping device that makes screw connections superfluous. When unclamping the boom, it is sufficient to press the clamping mechanism lightly so that the tube is locked. This proven system can be subsequently exchanged for the pipe clamp.

Ø32 mm / Ø28 mm	91973	24,10
Ø28 mm / Ø25 mm	91972	21,90
Ø25 mm / Ø22 mm	91971	18,90
Ø22 mm / Ø19 mm	91970	17,90



1 PU = 4 pieces





Mosquito Free –

Mosquito net tent for awning

- Enjoy the evening without mosquitoes
- Light
- Small pack size
- Suitable for many awnings

The mosquito net tent is simply hooked to the awning arms and protects you from annoying mosquitoes, midges, flies, wasps and other insects. Suitable for many awnings, because the hooks are attached to adjustable straps, so the mosquito net tent can be adjusted. Fastening to the ground is done by means of pegs. The mosquito net tent has 2 side entrances and one entrance to the side of the vehicle (zipper).

Dimensions: width 240 cm, depth 230 cm, height in front about 180 cm - rear (vehicle) 240 cm. Weight ca. 2.3 kg.

Included in delivery: Pegs, incl. packing bag.

900160

88,95



88,95

Awning Shine 240, 290, 340, 390 with keder Ø 5/8 mm for awnings and Multirail

- UV-resistant
- Reflective
- Easy assembly thanks to double piping Ø 5/8mm

The awning, made of UV-resistant reflective material, has a double piping Ø 5+8cm, so it can be used for the common awnings, but also for campers with multirails.

Delivery includes guy ropes in a practical carrying bag. (Set-up poles must be ordered separately!)

Color: dark gray, Material: 185g/m² PE (polyethylene).

W 240 x H 190 cm, ca. 1.5 kg	906883	39,95
W 290 x H 190 cm, ca. 1.8 kg	906884	44,95
W 340 x H 190 cm, ca. 2.0 kg	906885	49,95
W 390 x H 190 cm, ca. 2.2 kg	906886	54,95
2 set up rods	903076	14,95




reflective material

from 39,95



This sail does not protect from rain



Sunshade front for roof and wall awnings with keder retraction

- Textile lattice fabric sunshade
- Protects from the sun and reduces wind draught
- Suitable for all awning types with 6 mm keder rail in the front profile
- Lattice fabric in light gray



Sun protection for all common types of awnings

Wide	Height	For awning work	Item no.	Price
280 cm	200 cm	from 300 cm	43910	69,95
330 cm	200 cm	from 350 cm	43911	79,95
380 cm	200 cm	from 400 cm	43912	89,95
430 cm	200 cm	from 450 cm	43913	99,95



Lattice fabric

Roll up



AWNINGS FOR FIAT DUCATO PANEL VAN

Roof awnings for Fiat Ducato, Peugeot Boxer, Citroën Jumper from YOM 7/06



Vehicle length 496 cm - short wheelbase (300 cm) - height H2 (ca. 252 cm)

L1 / H2	THULE® Omnistor 6300			
	Width 300 cm, extension 250 cm, Weight 23,0 kg			
				
	Mystic gray		Sapphire blue	
Housing White	428301	1009,—	428311	1009,—
Housing Black	428340	1034,—	—	
Accessories needed	Adapter set 430092 199,— Sealing tape 43292 53,— Adhesive Sikaflex 294111 23,95			

Vehicle length 541 cm - medium wheelbase (345 cm) - height H2 (ca. 252 cm)

L2 / H2	FIAMMA F80s		THULE® 6300 VAN set	
	Width 320 cm, extension 250 cm, 29.0 kg		Width 325 cm, extension 250 cm, 24.0 kg	
				
	Royal Grey		Mystic gray	
Housing White	436261	1074,—	436268	1074,—
Housing silver	436275	1099,—	436282	1099,—
Housing Black	436289	1099,—	—	
Accessories needed	Adapter set incl. sealing tape 43716 141,— Adhesive Sikaflex 294111 23,95			Including adapter and sealing foam. Without glue.

Vehicle length 599 cm - long wheelbase (403 cm) - height H2 (ca. 252 cm)

L4 / H2	FIAMMA F80s		THULE 6300 VAN set		DOMETIC Perfect Roof 2000	
	Width 370 cm, extension 250 cm, 32.0 kg		Width 375 cm Extension 250 cm, 27.5 kg		Width 375 cm Extension 250 cm, 28.0 kg	
						
	Royal Grey		Royal Blue		Mystic gray	
Housing White	436263	1140,-	436270	1140,-	428001	1374,-
Housing silver	436277	1157,-	436284	1157,-	428073	1399,-
Housing Black	436291	1157,-	—	—	428076	1399,-
Accessories needed	Adapter set 3-piece incl. sealing tape Adhesive		Including adapter and sealing foam. Without glue.		Adapter set Sealing tape Adhesive Sikaflex	
	43716 141,- 294111 23,95				438570 175,- 439060 54,- 294111 23,95	

Vehicle length 636 cm - long wheelbase (400 cm) large overhang - height H2 (ca. 252 cm)

L5 / H2	FIAMMA F80s		THULE 6300 VAN set		DOMETIC Perfect Roof 2000	
	Width 400 cm, extension 250 cm Weight 34,0 kg		Width 400 cm, Extension 250 cm, 29.0 kg		Width 400 cm Extension 250 cm, 31.0 kg	
						
	Royal Grey		Royal Blue		Mystic gray	
Housing White	436264	1182,-	436271	1182,-	428002	1414,-
Housing silver	436278	1207,-	436285	1207,-	428074	1439,-
Housing Black	436292	1207,-	—	—	428077	1439,-
Accessories needed	Adapter set 3-piece incl. sealing tape Adhesive		Including adapter and sealing foam. Without glue.		Adapter set Sealing tape Adhesive Sikaflex	
	43716 141,- 294111 23,95				438570 175,- 439060 54,- 294111 23,95	

Vehicle length 636 cm - long wheelbase (400 cm) large overhang - height H3 (ca. 276 cm)

L5 / H3	FIAMMA F80s	
	Width 400 cm, extension 250 cm Weight 34,0 kg	
		
	Royal Grey	
Housing White	436264	1182,-
Housing silver	436278	1207,-
Housing Black	436292	1207,-
Accessories needed	Adapter set Sealing tape Adhesive Sikaflex	
	434642 146,- 434851 47,- 294111 23,95	

i Alternatively, on vehicles with height H3, a side wall awning can be mounted. For example, a Thule Omnistor 5200 with adapter or a Fiamma F45 with adapter.

SELECTION GUIDE AWNING ADAPTER

Selection guide for awnings and adapters

Which adapter fits my panel van with which awning?

You can see the answer from the tables. Select your vehicle length and height and you will see directly which adapter is possible with which awning type.

The adapters specified are for vehicles without additional attachments (e.g. roof rails).

For special solutions, you may need to use other adapters.

VW T5 and T6	short wheelbase Awning width 260 - 270 cm	long wheelbase Awning width 300 cm
VW with series flat roof without C-rail on the roof	Fiamma F40 van plus adapter 440530 (UK=440531) Fiamma F45S plus adapter E4631 (UK=E4830)	Fiamma F45s plus adapter E4631 (UK=E4830)
VW with series flat roof with C-rail on the roof	Fiamma F45s for Multivan as a set Thule Omnistor 5102 as a set	Fiamma F45s for Multivan as a set
VW with folding sleeping roof without side rail	Thule Omnistor 4200 or 5200 plus adapter 426702 (UK=426703)	Thule Omnistor 4200 or 5200 plus adapter 426702 (UK=426703)
VW with REIMO Multirail with and without pop-up roof	Fiamma F45s plus adapter 440534 or adapter 426768 Thule Omnistor 4200 plus adapter 426704 (UK=426705)	Fiamma F45s plus adapter 440534 or adapter 426768 Thule Omnistor 4200 plus adapter 426706 (UK=426707)
VW California with original VW side rail	Fiamma F45s for California as a set	Fiamma F45s for California as a set

Fiat Ducato - Peugeot Boxer - Citroen Jumper as of My. 2007

	L1 (496 cm)	L2 (541 cm)	L4 (599 cm)	L5 (636 cm)
H1 (225 cm)	 max. 260 cm Thule wall awning with adapter 430631	 max. 300 cm Thule wall awning with adapter 430631	—	—
H2 (252 cm)	 max. 300 cm Thule roof awning with adapter 430092 Thule wall awning with adapter 430637 Fiamma wall awning with adapter 43316	 max. 325 cm Thule roof awning with adapter 430092 Thule wall awning with adapter 430637 Fiamma roof awning with adapter 43716 Fiamma wall awning with adapter 43316	 max. 375 cm Thule roof awning with adapter 430093 Thule wall awning with adapter 430638 Fiamma roof awning with adapter 43716 Fiamma wall awning with adapter 43316	 max. 400 cm Thule roof awning with adapter 430093 Thule wall awning with adapter 430639 Fiamma roof awning with adapter 434641 Fiamma wall awning with adapter 43316
H3 (276 cm)	—	—	 max. 350 cm Thule wall awning with adapter 430632 Fiamma roof awning with adapter 434642	 max. 400 cm Thule wall awning with adapter 430632 Fiamma roof awning with adapter 434642

Mercedes Sprinter as of My. 2018

	L1 (527 cm)	L2 (593 cm)	L3 (697 cm)	L4 (737 cm)
H1 (236 cm)	Unfortunately not possible	Unfortunately not possible	—	—
H2 (264 cm)	Fiamma F80s (width 290 cm) with adapter 43459 (UK=433621)	Thule Omnistor 6300 (W325cm) adapter 43041 Fiamma F80s (W320cm) adapter 43459 (UK=433621)	Thule Omnistor 6300 (W375cm) adapter 43041 Fiamma F80s (W370cm) Adapter 43459 (UK=433621)	Thule Omnistor 6300 (W400cm) adapter 43041 Fiamma F80s (W400cm) adapter 43459 (UK=433621)
H3 (285 cm)	—	—	Unfortunately not possible	Unfortunately not possible

VW Crafter as of My. 2017 - MAN TGE

	L2 (599 cm)	L3 (684 cm)	L4 (739 cm)
H1 (236 cm)	Unfortunately not possible	—	—
H2 (259 cm)	Thule Omnistor 6300 (width 325 cm) with Adapter 43048 (UK=43055)	Thule Omnistor 6300 (width 400 cm) with Adapter 43048 (UK=43055)	Thule Omnistor 6300 (width 450 cm) with Adapter 43048 (UK=43055)
H3 (280 cm)	—	Fiamma F80s (width 320 cm) with adapter 434592 (UK=44490)	Unfortunately not possible

Mercedes Sprinter My. 06-18 / VW Crafter My. 06-17

	L1 (525 cm)	L2 (591 cm)	L3 (695 cm)	L4 (735 cm)
H1 (250 cm)	Unfortunately not possible	Unfortunately not possible	—	—
H2 (280 cm)	Unfortunately not possible	Thule roof awning with adapter 43041 Fiamma roof awning with adapter 43459 (UK=433621)	Thule roof awning with adapter 43041 Fiamma roof awning with adapter 43459 (UK=433621)	Thule roof awning with adapter 43041 Fiamma roof awning with adapter 43159 (UK=433621)
H3 (305 cm)	—	Unfortunately not possible	Fiamma wall awning with adapter 43477	Fiamma wall awning with adapter 43477

Renault Master - Opel Movano as of My. 2010

	L1 (505 cm)	L2 (555 cm)	L3 (620 cm)	L4 (685 cm)
H1 (231 cm)	Unfortunately not possible	—	—	—
H2 (251 cm)	Unfortunately not possible	Thule roof awning with adapter 426780 Fiamma roof awning with adapter 434581	Thule roof awning with adapter 426780 Fiamma roof awning with adapter 434581	Thule roof awning with adapter 426780
H3 (278 cm)	—	Thule wall awning with adapter 430630	Thule wall awning with adapter 430630	Thule wall awning with adapter 430630

The company Fiamma is an Italian camping accessories manufacturer with a 75-year tradition. As an innovative company Fiamma holds over 100 patents in Europe, USA, Japan, Taiwan and Australia. The program includes awnings for wall, roof and keder rail mounting. Rich accessories, such as awnings and other products for motorhomes and caravans, allow useful extensions. Italian design is evident in all products and offers great looks in addition to functionality.

Different types of awnings



Roof awning Fiamma F80S

Widths: 290 - 450 cm
Excerpt: up to 250 cm
Cloth colors: Royal Grey, Royal Blue
Housing colors: Polar White, Titanium, Deep Black



Roof awning Fiamma F80L

Widths: 450 - 600 cm
Excerpt: up to 275 cm
Cloth colors: Royal Grey, Royal Blue
Housing colors: Polar White, Titanium, Deep Black



Wall awning Fiamma F45S

Widths: 260 - 450 cm
Excerpt: up to 250 cm
Cloth colors: Royal Grey, Royal Blue
Housing colors: Polar White, Titanium, Deep Black



Wall awning Fiamma F45L

Widths: 450 - 550 cm
Excerpt: up to 250 cm
Cloth colors: Royal Grey, Royal Blue
Housing colors: Polar White, Titanium, Deep Black



Special awning Fiamma F40 VAN

Widths: 270 cm
Excerpt: until 225 cm
Cloth colors: Royal Grey
Housing colors: Deep Black



Wall awning Fiamma F35 PRO

Widths: 180 - 300 cm
Excerpt: until 225 cm
Cloth colors: Royal Grey, Royal Blue
Housing colors: Titanium, Deep Black



Special awning Fiamma SlideOut

Widths: 200 - 280 cm
Excerpt: up to 100 cm
Cloth colors: Royal Grey
Housing colors: Polar White



Case awning Fiamma Caravanstore

Widths: 190 - 550 cm
Excerpt: up to 250 cm
Cloth colors: Royal Grey, Royal Blue
Lining colors: Light gray, black


Housing colors



POLAR WHITE



TITANIUM




DEEP BLACK

Cloth colors



ROYAL GREY



ROYAL BLUE

Fiamma F80S

Sturdy awning with aluminum end caps



Preparation for LED lighting



3 keder rails in the front profile



Ideal for Sprinter, VW Crafter, Ducato, Boxer and Jumper.

Fiamma F80S with triple keder rail in the front profile

Type	290	320	340	370	400	425	450
For Ducato H2 as of My. '07	Vehicle length 496 cm	Vehicle length 541 cm		Vehicle length 599 cm	Vehicle length 636 cm		
For Ducato H2 until My. '07	Wheelbase 320 cm		Wheelbase 370 cm				
Awning width A	290 cm	320 cm	340 cm	370 cm	400 cm	425 cm	450 cm
Cloth width B	278 cm	308 cm	328 cm	358 cm	388 cm	412 cm	431 cm
Extract C	200 cm	250 cm	250 cm	250 cm	250 cm	250 cm	250 cm
Weight	27,0 kg	29,0 kg	30,0 kg	32,0 kg	34,0 kg	35,0 kg	36,5 kg

Housing Polar White

Royal Grey	436260	436261	436262	436263	436264	436265	436266
Royal Blue	436267	436268	436269	436270	436271	436272	436273
Price	970,-	1074,-	1091,-	1140,-	1182,-	1240,-	1240,-

Case titanium

Royal Grey	436274	436275	436276	436277	436278	436279	436280
Royal Blue	436281	436282	436283	436284	436285	436286	436287
Price	1000,-	1099,-	1116,-	1157,-	1207,-	1273,-	1273,-

Case Deep Black

Royal Grey	436288	436289	436290	436291	436292	436293	436294
Price	1000,-	1099,-	1116,-	1157,-	1207,-	1273,-	1273,-

The compact roof awning with front keder profile and aluminum end caps

- Extension up to 2.50 m, width up to 4.50 m
- Slim aluminum housing and end caps
- Preparation for LED light strips on front panel and housing
- Open and close with crank, no slipping, safe hooking and unhooking
- Space-saving mounting on the vehicle roof
- 12 volt motor can be retrofitted
- Mounting adapter suitable for many different types of vehicles

Accessories for Fiamma F80S:

Fiamma mounting adapter (absolutely necessary)	Page 134-136
Fiamma awning awnings	Page 137
Fiamma front and side walls	Page 152-153
Fiamma tie rods	Page 154
Fiamma LED strips	Page 184-185

Scope of delivery Fiamma F80S:

Awning crank, support foot attachment to the wall, pegs. From awning width 400 cm incl. aluminum tensioning rod.

Fiamma F80L

Maximum extension up to 275 cm



Preparation for LED lighting



Dual Shock Absorber



3 keder rails in the front profile

Fiamma F80L with triple keder rail in the front profile

Type	450	500	550	600
Awning width A	454 cm	497 cm	547 cm	597 cm
Cloth width B	438 cm	480 cm	530 cm	580 cm
Extract C	275 cm	275 cm	275 cm	275 cm
Weight	43,8 kg	46,5 kg	50,0 kg	54,5 kg

Housing Polar White

Royal Grey	436014	436019	436024	436029
Royal Blue	436013	436018	436023	436028
Price	1620,-	1805,-	1977,-	2149,-

Case titanium

Royal Grey	436016	436021	436026	436031
Royal Blue	436015	436020	436025	436030
Price	1719,-	1892,-	2066,-	2198,-

Case Deep Black

Royal Grey	436017	436022	436027	436032
Price	1719,-	1892,-	2066,-	2198,-

The compact roof awning with front keder profile and aluminum end caps

- Length from 450 to 600 cm
- Extension 275 cm
- Rain Guard as standard
- 3 keder rails in the front profile
- Preparation for LED lighting

The new awning F80L with roof mounting and winch, which is particularly suitable for large vehicles. It provides plenty of space in front of the camper thanks to the large extension of 275 cm. Available in 4 lengths: from 450 to 600 cm.

Accessories for Fiamma F80L:

Fiamma mounting adapter (absolutely necessary)	Page 134-136
Fiamma awning awnings	Page 137
Fiamma front and side walls	Page 152-153
Fiamma tie rods	Page 154
Fiamma LED strips	Page 184-185

Scope of delivery Fiamma F80S:

Awning crank, support foot attachment to the wall, pegs.



ADAPTER FOR F80S AND F80L


Box van

For high roof H2



Kit Skyroof for Fiat Ducato, Peugeot Boxer, Citroën Jumper
Right-hand drive + left-hand drive.
As of My. 7/06, 3-pcs. (3x35cm).
440517 167,-

For high roof H2



Also for Opel Movano from 2021



KIT consisting of:
Brackets with Rain Guard Slim Kit 450 cm and Kit Cover.

Flat adapter kit for Fiat Ducato, Peugeot Boxer or Citroën Jumper without front panoramic roof hood
From My. 7/06, Only for F80s. **Right Hand Drive + Left Hand Drive**


For L2 / L4 and awning width up to 370 cm, 3-piece . (1x20cm/1x15cm/1x12cm).

Adapter Kit Silver 440527 170,-
Adapter Kit Black 440528 235,-

For L5 and awning width 400 cm, 3-piece . (2x26cm/1x12cm)

Adapter Kit Silver 440526 209,-

For high roof H2



Also for Opel Movano from 2021

Fiat Ducato, Peugeot Boxer, Citroën Jumper

From My. 7/06, for L2 / L4 and awnings up to 370 cm and L5 up to 400 cm. 3-piece . (1x20cm/1x15cm/1x12cm).

Right Hand Drive + Left Hand Drive

Silver 43716 141,-
Black 43717 220,-

For high roof H2



Fiat Ducato, Peugeot Boxer, Citroën Jumper

As of My. 7/06, for L5 and Awning width 400 cm.
3-piece. 434641 174,-

For high roof H3



Fiat Ducato, Peugeot Boxer, Citroën Jumper

as of My. 7/06, for L4 / L5 and Super high roof H3.
3-piece. 434642 146,-

For high roof H2



Fiat Ducato, Peugeot Boxer, Citroën Jumper

from My. 94-6/06
2-piece. 43478 108,-




VW Crafter as of 17, MAN TGE
with Roof Rail, specified awning width 320 cm
434591 303,-

For high roof H3



VW Crafter, MAN TGE as of 17
L3 / H3, without Roof Rail, specified awning width 320 cm
3 holders (2 x 20 cm, 1 x 32 cm)
434592 362,-
UK= 44490 362,-


For high roof H2



Kit Fiat Ducato Smart Clamp System
For mounting the awning F80s on Thule roof rack system Smart Clamp.


For L2 / L4 / L5. 3 holders (2x20cm/1x12cm)
Set 43505 148,-

For high roof H3




Adapter Ford Transit

As of 14, 1 holder in...
320cm **440523 167,-**
400cm **43450 405,-**



MB Sprinter from 07, VW Crafter 07 - 17
3 holders each 53, 60 and 12 cm
43459 161,-
UK version 433621 161,-



Mercedes Sprinter 07 - 18 with Roof Rail

3 holders (2 x 40 cm, 1 x 12 cm)
43471 140,-




Iveco Daily

Bonding necessary
2 holders à 15 cm
1 holder à 20 cm
SA831 115,-



Renault Master, Opel Movano as of 2010

3 Holder
434581 157,-



Renault Master, Opel Movano My. 2006-2010

3 holders, 2 x 29 cm, 1 x 12 cm
43458 141,-



For FIAMMA F80S and F80L

Railing incl. awning adapter


- Mounting on the original points
- Mounting without drilling
- With 4 crossbars
- Load capacity 100 kg

Roof rail/rack incl. awning mounting adapter for Fiat Ducato, Peugeot Boxer and Citroën Jumper as of My. 07.

For mounting the awning on the right side of the vehicle.

For Ducato from 2007 **41099 786,-**

Adapter package F80s for motorhomes



F80s Ducato awning package

Case in Deep Black, Cloth in Royal Grey

Awning version F80s for Ducato in lengths 320, 370 and 400 in Deep Black finish. Extension 250 cm.

Scope of delivery:

- Awning F80s in Deep Black finish
- Adapter in black (320 cm, 370 cm) or silver (400 cm) Version - Kit Ducato / Citroën Jumper / Peugeot Boxer - Low Profile ≥ 2006 - H2
- Black gasket to protect against water

320 cm, 29 kg	436240	
370 cm, 32 kg	436241	1334,-
NEW: 400 cm, 34 kg	440459	1375,-



Adapter F80 and F65 for motorhomes




Adapter Carthago Chic 550

550 cm 436242 389,-



Adapter LMC - TEC

450 cm 436243 324,-
500 cm 436244 347,-
550 cm 436245 374,-
600 cm 436246 403,-




Adapter Hymer

550 cm 436247 400,-
600 cm 436248 400,-



Kit Laika Kreos 21

4x15 cm 436249 99,-




Adapter Rapido C Line

340 cm 436250 315,-
400 cm 436251 347,-
425 cm 436252 358,-
450 cm 436253 368,-




Adapter Rapido C55i C86i

500 cm 440516 382,-




RainGuard Kit F65/F65S

Protects against water penetration between the awning and the vehicle wall.
434851 47,-



Kit Carthago Malibu

340 cm 44485 298,-
400 cm 44486 337,-
450 cm 44487 399,-
490 cm 44488 411,-




Arca Mobilvetta K-Yacht

3 holder à 15 cm
44481 108,-



Rapido Distinction

400 cm 44482 306,-
450 cm 44483 335,-
490 cm 44484 335,-
600 cm 436254 400,-



LMC - TEC

LMC Liberty TI
one-piece profile bar, bonding necessary
340 cm SA851
370 cm SA852 274,-
400 cm E2589 284,-




Hymer adapter

one piece profile bar
320 cm 44401 248,-
370 cm 44402 279,-
400 cm 44403 286,-
450 cm 44404 332,-
490 cm 44400 340,-



Carthago Chic

one-piece profile bar, Bonding necessary
450 cm SA285 331,-
400 cm E1106 276,-
490 cm E10083 336,-



Laika Rexosline/Scovip Laola Kreos from 2009

Bonding necessary
4 holders à 15 cm
SA850 165,-




Kit standard

3 holders à 20 cm
43473 113,-

ADAPTERS AND MOTORS FOR F80S, F80L AND F65

Caravan adapter for F65L + F80L and F80s



Caravan Roof

For Dethleffs, Fendt, LMC, Trigano and others.

290 cm	44493	275,-
320 cm	44494	275,-
340 cm	44496	289,-
370 cm	44497	332,-
400 cm	44498	332,-
425 cm	44499	362,-
450 cm	44474	379,-
500 cm	44306	405,-

Mounting kit for LMC caravans

4 washers, bolts and nuts
43506

9,-



Adapter Caravan Roof

550 cm	436255	434,-
600 cm	436256	478,-

Kit Caravan Standard

Bonding necessary
2 holders à 50 cm, 2 holders à 30 cm
434643

204,-

NEW
2023

Kit Adria Caravan from 15

Single adapter 2x50+2x27cm

	440518	196,-
450 cm	440519	374,-
500 cm	440520	408,-
550 cm	440521	459,-
600 cm	440522	501,-

Support bars Fixing Bar Pro L

Kit Fixing Bar

Rail with 2 white painted
End/mounting pieces.
1 piece

41114


77,-

Kit Fixing Bar

For mounting on Fiamma Fixing Bar Pro L (see above). Use
2 fixing bars up to 3.50 m and
3 pieces from 4 m awning width.

43470

123,-




Hobby Easy & Ontour.

4 holders (2x50cm, 2x30cm)

434764

204,-




Hobby

Premium & Ontour as of 2012

4 holders (2x25 cm, 2x50 cm)

44308

213,-




Hobby Caravan as of 2014

4 holders (2x27 cm, 2x60 cm)

44307

220,-



Hobby Excellent

4 holders (2x50 cm, 2x30 cm)

434763

270,-

Motor kits F80S and F65S

12 V Motor Kit Compact for F80s

For retrofitting. Increases the width of the awning by 12 cm. With switch for electric Connection and emergency crank.

Polar White	436295	510,-
Titanium	436296	510,-
Deep Black	436297	510,-

Motor + switch

12V

Upgrade Kit Advanced for Compact F80s engine kit
436405

255,-

12 V Motor Kit Plus for F80s

Remote control with infrared remote control and wall control. The control unit can be used to automatically tension the awning cloth when it is opened; opening and closing can also be done via the automotive "One Touch" system.

Polar White	436298	578,-
Titanium	436299	578,-
Deep Black	436300	578,-

Motor + switch + remote control

12 V Motor Kit Advanced for F80s

Operate your awning conveniently from your smartphone. Thanks to the practical Fiamma app (for Android or iOS systems) you can control the opening and closing of the awning F80s from your smartphone.

Polar White	43676	680,-
Titanium	43677	680,-
Deep Black	43678	680,-

Motor + Switch + App

Motor kits F80L and F65L

12 V Motor Kit Compact for F80L

For retrofitting. Increases the width of the awning by 12 cm. With switch for electric Connection and emergency crank. Weight 2.4 kg.

Polar White	440461	553,-
Titanium	440462	553,-
Deep Black	440460	553,-

Motor + switch

12V

NEW
2023

12 V Motor Kit Advanced for F80L

Operate your awning conveniently from your smartphone. Thanks to the practical Fiamma app (for Android or iOS systems) you can control the opening and closing of the awning F80L from your smartphone. Weight 2.5 kg.

Polar White	440464	722,-
Titanium	440465	722,-
Deep Black	440463	722,-

Motor + Switch + App

Motor Kit Compact F65L

- Smaller dimensions
- Constructive simplicity
- Reliability
- excellent performance

Motor Kit Compact for the awning F65L.

Polar White	436305	553,-
Titanium	436306	553,-
Deep Black	436307	553,-

Motor + switch

Fiamma Privacy Room Awning awning for Fiamma F80, F80L and F65



Fiamma Privacy Room Robust awning for F65/F80



- With FAST CLIP system for windproof connection between awning fabric and side panels
- Zippers between front and side wall
- Door usable left or right

Scope of delivery

Front part with door and window, two side walls with window and mosquito net, clip system profile, pack bag, curtains.

Accessories

Curtains, 1 pair Dark Grey **440486 77,-**
Curtains, 3 pair Dark Grey **440487 190,-**
Windshields Page 187




* **NEW:** Included in this set is a kit with 2 x 6 magnets that provide adhesion to the vehicle.

** For the vehicles Mercedes Sprinter, VW Crafter, Fiat Ducato, Citroën Jumper or Peugeot Boxer H3 the aluminum linkage Fast Clip Light is included.

*** Specified model for vehicles with straight wall, height from the floor 245 - 280 cm.

Basic model		P. Room 300 Ducato >06* Van (W: 245 cm)		P. Room 300 H3** Medium (W: 245-280 cm)		P. Room 300/H:245-280*** Large (W: 280 cm)	
300 cm		440485	1454,-	435041	1677,-	435042	1655,-
(A) Awning length	Front panels	+ Front extension sets to adjust the width					
320 cm	K: 20 cm	436620	57,-	436620	57,-	436620	57,-
340 cm	M: 40 cm	436621	63,-	436621	63,-	436621	63,-
370 cm	O: 70 cm	436622	81,-	436622	81,-	436622	81,-
400 cm	Q: 100 cm	436623	126,-	436623	126,-	436623	126,-
425 cm	R: 125 cm	436624	155,-	436624	155,-	436624	155,-
450 cm	U: 150 cm	436625	179,-	436625	179,-	436625	179,-



Grundmodell
[XL], [XXL]



Fiamma Privacy Room Robust awning for F80L extension 275 cm

Basic model		XL (W: 245-280 x C: 275 cm)	XXL (W: 281-310 x C: 275 cm)
A: 300 cm		435043 1667,-	435044 1769,-
(A) Awning length	Front panels	+ Front extension sets to adjust the width	
450 cm	U: 150 cm	436625 179,-	436625 179,-
500 cm	W: 200 cm	435313 213,-	435313 213,-
550 cm	W: 200 cm + I: 50 cm	435313 213,- 435311 63,-	435313 213,- 435311 63,-
600 cm	W: 200 cm + P: 100 cm	435313 213,- 436623 126,-	435313 213,- 436623 126,-

IMPORTANT: Adapter E3616 is required for mounting on the F65s awning.

E3616 26,10

Fiamma F45S

Wall awning for compact vans



The awning for motorhomes, caravans and camping buses with 2 keder rails

- Extra-strong, lightweight aluminum housing with aluminum end caps and 2 keder rails
- Maximum shaded area, cloth with diffuse light distribution
- Vinyl cloth printed on both sides with anti-scratch coat as a protective film
- Regulation system for closing the front panel
- Self-locking auto-lock safety mechanism
- Support feet integrated in the front panel
- Special mounting adapters available for various vehicles
- 12 V motor can be retrofitted as an option

Accessories for Fiamma F45S:

Fiamma mounting adapters for special mounting situations
 Fiamma front and side walls Fiamma awnings Fiamma tension rods Fiamma sealing rubbers

Page 140-141

Page 152-153

Page 142-143

Page 154

Page 155

Fiamma F45S with 2 front keder rails

Type	260	300	325	350	375	400	425	450
Awning width A	263 cm	308 cm		348 cm	375 cm	398 cm	423 cm	448 cm
Cloth width B	247 cm	292 cm		331 cm	357 cm	381 cm	406 cm	431 cm
Extract C	200 cm	250 cm	250 cm	250 cm	250 cm	250 cm	250 cm	250 cm
Weight	19,5 kg	23,0 kg	24,0 kg	25,0 kg	26,0 kg	27,0 kg	28,2 kg	29,5 kg

Housing Polar White

Royal Grey	4376217	437687	—	437697	437705	437707	437709	437717
Royal Blue	4376218	437688	—	437698	437710	437708	437711	437718
Price	813,—	895,—	—	986,—	1059,—	1059,—	1185,—	1185,—

Case titanium

Royal Grey	4376267	437727	—	437737	437745	437747	437755	437757
Royal Blue	4376268	437728	—	437738	437746	437748	437756	437758
Price	840,—	917,—	—	1005,—	1087,—	1087,—	1207,—	1207,—

Case Deep Black

Royal Grey	4376991	4377001	437713	4377002	437704	437703	437706	437712
Price	840,—	917,—	961,—	1005,—	1087,—	1087,—	1207,—	1207,—

Scope of delivery: awning crank, support foot attachment to the wall and pegs. For awning width 400 cm and 450 cm incl. aluminum tensioning rod Rafter.



Reinforced bracket of the support feet.



Rain gutter in the front panel diverts rainwater runoff to the sides.



Dual-shock absorbers on the support arms absorb wind movements, for example, and thus protect the awning and vehicle.



Double keder rail to accommodate accessories such as hook set, Tiedown S storm bracing, Sun/Rain Blocker or Privacy Room.



Cable channels integrated into the support arms ensure perfect attachment of accessories such as LED lighting.

Fiamma F45L

Wall awning for compact vans



Awning mounting

Mounting plates are already included in the scope of delivery for the side wall awnings.

These are suitable for mounting the awning on a smooth wall surface, e.g. on a motorhome with a sandwich body or on a high roof.

However, some H manufacturers provide their vehicles with raised profile edges or other attachments that make mounting with the supplied plates impossible. In this case, a corresponding vehicle adapter can help.

Large folding arm awnings with sturdy aluminum end caps and 2 keder rails

- Equipment like F45S
- Widths from 450 cm to 550 cm
- Perfect fabric tension thanks to roller support
- Optionally, a 12 volt motor can be retrofitted

Accessories for Fiamma F45L

Fiamma mounting adapter for special mounting situations	Page 141-142
Fiamma front and side walls	Page 152-153
Fiamma awning PrivacyRoom	Page 142
Fiamma tie rods	Page 154

Scope of delivery of F45L

Awning crank, support foot attachment to the wall and by pegs. For awning width 450 cm to 550 cm, an aluminum tensioning rod Rafter is included.

Fiamma F45L with mounting plates for the side wall

Type	450	500	550
Awning width A	452 cm	502 cm	552 cm
Cloth width B	435 cm	485 cm	535 cm
Extract C	250 cm	250 cm	250 cm
Weight	39,0 kg	42,5 kg	46,5 kg

Housing Polar White

Royal Grey	425007	425027	425047
Royal Blue	425008	425028	425048
Price	1479,-	1696,-	1884,-

Case titanium

Royal Grey	425017	425037	425057
Royal Blue	425018	425038	425058
Price	1509,-	1735,-	1906,-

Case Deep Black

Royal Grey	440450	440451	440452
Price	1509,-	1735,-	1906,-



Awning motors for F45S and F45L

- Now new with smaller dimensions
- 12 volt motors for retrofitting
- Emergency operation by hand is possible
- Control unit "Control System" for motor mounting included in scope of delivery

The motor kits for the F45S, F45L are mounted on the side of the awning instead of the existing awning gearbox. The Advanced version can be controlled via smartphone. This increases the width of the awning by 13 cm. If no power is available, emergency operation by hand crank is still possible.

Motor Kit Compact



Engine kit F45S Compact Polar White	436308	527,-
Engine kit F45S Compact Titanium	436309	527,-
Engine Kit F45S Compact Deep Black	436310	527,-
Engine kit F45S Compact Polar White RHD*	436311	527,-
NEW: Motor Kit F45S Advanced Polar White	440467	714,-
NEW: Motor kit F45S Advanced Titanium	440468	714,-
NEW: Motor kit F45S Advanced Deep Black	440466	714,-
Motor kit F45L Compact Polar White	436312	553,-
Engine kit F45L Compact Titanium	436313	553,-
Motor kit F45L Advanced Polar White	436314	722,-
Engine kit F45L Advanced Titanium	436315	722,-

* Right Hand Drive Version


Advanced motor kit




The scope of delivery of all motor kits also includes a control unit.

AWNING ADAPTER FOR F45S AND F45 L


F45 wall mounting adapter for motorhomes and caravans



Adria / Bürstner
ADRIA Coral up to 4 m awning length and various Bürstner vehicles. 3 holders à 15 cm / 1 holder à 12 cm
433903 82,-




Multi adapter
Multi roof adapter, 1 holder à 8cm
SA691 62,-




Wall adapter
Universal wall adapter, 3 holders à 8cm
43397 97,-




Roof adapter
Universal roof adapter, 3 holders à 8 cm
43389 108,-




Caravan keder rail
Various mounting options 3 mounting plates à 13 cm
43319 77,-



Rapido Series 6
Adapter rails for Eura and Karman vehicles
350 cm **E1104 344,-**
400 cm **434762 361,-**




Rapido Series 9dF-9M-10
as of 2011
350 cm **43474 339,-**
400 cm **E1105 368,-**
450 cm **434742 392,-**




Hymer / Hobby
Hymer C-Class Swing, Star Line, Hobby Van and Caravan 09.
300 cm **43327 227,-**
350 cm **43333 252,-**
400 cm **43336 300,-**
450 cm **433361 318,-**
500 cm **433362 353,-**



Hymer as of 2016
Kit, 3 holders
à 12 cm **44480 104,-**
300 cm **44475 226,-**
350 cm **44476 250,-**
400 cm **44477 274,-**
450 cm **44478 321,-**
500 cm **44479 345,-**



Hymer
Hymer VAN / B2
350 cm **43349 243,-**
400 cm **433410 276,-**
450 cm **433491 338,-**




Dethleffs/Globabus
Universal wall adapter, 3 holders 12 cm each
433931 93,-



Roof Rail below
For roof rack
Fits most trusses. For awning mounting are required min. 2 kits needed.
1 holder à 12 cm
43368 147,-




Car adapter top
For mounting on the support tube of the roof rack.
2 piece
43398 103,-



Eura Mobil / Karmann
Adapter rails for Eura and Karman vehicles
350 cm **434571 309,-**
400 cm **SA600 349,-**
450 cm **SA598 379,-**

Standard Scope of delivery for F45S/F45TiL

- up to 4.00 m width
2 holders à 12 cm
+ 1 holder à 8 cm.
- 4.50 m width up to 5.00 m width
2 holders à 40 cm
+ 1 holder à 12 cm
- 5.50 m width
4 holders à 40 cm




Rail
Length 400 cm
E6019 41,-


Wall bracket for smooth, vertical motorhome and caravan walls - Wall bracket series

Kit	Description	Price
Kit S 120 Single holder	1 holder à 12 cm + accessories.	43481 21,-
Kit AS 120 holder set 2	holders à 12 cm 1 holder à 8 cm + accessories. Series at 260-400 cm	43480 50,-
Kit S 400 single holder	1 holder à 40 cm + accessories.	43482 42,-
Kit AS 400 holder set	2 holders à 40 cm 1 holder à 12 cm + accessories. Series at 450-500 cm	434821 105,-
AS 300 Complete rail	1 holder, width 300 cm.	43335 200,-
AS 350 Complete rail	1 holder, width 350 cm.	433351 226,-
AS 400 Complete rail	1 holder, width 400 cm.	433352 265,-
AS 450 Complete rail	1 holder, width 450 cm.	433353 327,-

Modular fasteners for F45



Ideal for mounting on the high roof



Adapter sets for almost any mounting situation
5 different aluminum profile parts to put together an adapter yourself. The holder parts are 8 cm wide and can be combined with each other (see examples).

Adapter	Price
T-adapter	43364 18,-
B adapter	43365 34,-
C-Adapter	43367 30,-
D-Adapter	43372 15,-
U-adapter	43373 19,-

F45 wall mounting adapter for panel vans and buses



VW T3
From My. '80. With bracket for the rain gutter. 2 holders à 8 cm
43312 120,-




VW T5/T6
Bonding necessary. Transporter or Multivan without C profile. 2 holders of 21.5 cm. Mounting on the vehicle.
right **E4631 110,-**
left, (UK) **E4830 110,-**



NEW 2023
VW T5/T6
For Brandrup gutter. 2 black holders 12 cm each.
440525 116,-




VW T4
With Brandrup gutter or REIMO Multirail 2 holders à 14 cm
433201 112,-



VW T4
For flat and sleeping roof. To screw. 2 holders à 14 cm
43310 116,-



VW T5/T6
Screwing into the existing mounting points, no gluing necessary. Not for C-rail. 2 holders 12 cm each.
E6413 87,45



Multirail adapter
Special adapter for the REIMO Multirail, also for folding sleeping roofs. Black brackets for mounting the F45 to the Multirail. The awning and adapter are removable without affecting the appearance of the vehicle. ATTENTION: Can only be mounted with existing Multirail.

NEW 2023

VW T5 / T6 / T6.1
For REIMO Multirail rain gutter. 2 black holders 12 cm each.
440534 153,-

Citroen Spacetourer
and similar to REIMO Multirail. For L2/L3. Removable.
426770 179,99


VW T5 / T6 / T6.1
Mounting on REIMO Multirail. For KR and LR. Removable.
426768 179,99




Ford Transit
Ford Transit from 7/06 with standard high roof. 2 holders à 40 cm
43456 87,-




NEW 2023
Ford Transit H3
Ford Transit H3/L3. 2 holders of 40 cm and 1 x 8 cm.
440524 170,-



Ford Custom Nugget
Ford Custom Nugget from 2015, H1/L1 with sleeping roof. 2 black holders 8 cm each.
434563 255,-



Ford Custom Nugget
Ford Custom Nugget with high roof. 2 holders à 12 cm
434561 95,-




Ford Custom
2 holders à 12 cm
436257 164,-



Ducato/Boxer/Jumper
From year of manufacture 1994 to 6/06 for series high roof, 2 holders à 8 cm. Bonding necessary.
43324 95,-




Ducato/Boxer/Jumper
From My. 7/06 for series high roof H2, 2 holders 8 cm each. Bonding necessary.
43316 99,-




Ducato/Boxer/Jumper
From My. 7/06 for standard high roof H2 with Roof Rail, 3 holders of 12 cm each
44405 95,-



Ducato/Boxer/Jumper
as of My. 7/06 with Roof Rack, 3 holders 12 cm each
43355 87,-




Ducato/Boxer/Jumper HymerCar and Pössl
For vehicles from My. 07 with standard high roof H2 and folding sleeping roof. 3 holders 12 cm each
444051 180,-




Sprinter <06
For Sprinter with My. < 6/06. With holder for the rain gutter. 2 holders à 8 cm
43311 124,-

Also for VW LT until 06 and Fiat Ducato until 94 suitable



Sprinter / Crafter
From My. 7/06 with high roof. 2 holders à 40 cm
43456 87,-



Sprinter / Crafter
As of My. 7/06 with high roof H3. Also for Westfalia high roof H3. 3 holder à 8 cm
43477 106,-



Mercedes Vito
With original Mercedes roof rack. 2 holders à 14 cm
43317 161,-




Mercedes Marco Polo
Mercedes Marco Polo from 2014. 1 holder à 12 cm and 2 holders à 13 cm
433413 262,-




Holder A **Holder B**


For vans with rain gutter In set with holder A + B. 2 holders of 8 cm.
43311 124,-




Westfalia high roofs
For Westfalia high roofs with awning preparation. 2 holders 12 cm each.
43483 49,-



GRP roofs
For gluing. Especially for high roofs of Mercedes, VW, Renault+Opel, 2Holder à 40 cm
43460 134,-



Trafic/Vivaro until 2015
For long wheelbase with awning F45s 260 cm. 2 holders of 16 cm.
43313 99,-



Renault Trafic, Opel Vivaro, Fiat Talento as of 2015
2 holders of 16 cm.
433133 97,-

Fiamma Privacy Room



Also for panel vans & buses



Privacy Room for roof awnings can be found on page 142.

Privacy ROOMfor F45S and F45L - awning without awning

Basic model		P. Room Van 260 (A)		P. Room 300 Medium (A)		P. Room 300 Large (A)	
		435300	1393,-	435301	1390,-	435302	1390,-
(A) Awning length	Front panels	+ Front extension sets to increase the width					
300 cm	L: 40 cm	436626	85,-				
325 cm	T: 25 cm			435314	57,-	435314	57,-
350 cm	N: 50 cm			435311	63,-	435311	63,-
375 cm	P: 75 cm			435312	81,-	435312	81,-
400 cm	Q: 100 cm			436623	126,-	436623	126,-
425 cm	R: 125 cm			436624	155,-	436624	155,-
450 cm	U: 150 cm			436625	179,-	436625	179,-
500 cm	W: 200 cm			435313	213,-	435313	213,-
550 cm	N+W 50+200 cm					+ 435311 435313	63,- 213,-



The robust awning awning

- Consisting of side panels and front
- Material: Vinyl
- Mounting side panels with FastClip
- Front window roll up, with mosquito net
- Side window roll up, with mosquito net
- Incl. Bag Megabag (140 x 27 x 40 cm)
- Incl. Curtains for all windows
- Door usable left and right
- Zippers connect front and side walls
- Also suitable for Omnistor 5002 & 5003 with optional kit Privacy O (E4263)

Scope of delivery basic model: Front part with door and window, curtains, two side walls with window and mosquito net, clip system profile.

Accessories:


Curtains, 1 pair, Dark Grey	440486	77,-
Curtains, 3 pairs, Dark Grey	440487	190,-
Kit Privacy O	E4263	45,70

for mounting on Thule awning

Windshields: Page 181

Dimension designations for your Privacy Room basic model

(Exception: width 260 = extension 200 cm)



Fiamma Privacy Ultra Light



Privacy ULTRA Light for F45S and F45L - Awning awning without awning

Type	Width awning	Mounting height (B) 180-220 cm		Mounting height (B) 230-280 cm	
		Weight	Price	Weight	Price
UL Van 260	260 cm	12,3 kg	43595		1228,-
UL 300	300 cm, 320 cm			14,2 kg	435950 1275,-
UL 350	350 cm, 370 cm			15,4 kg	435951 1317,-
UL 400	400 cm			16,6 kg	435952 1428,-
UL 450	450 cm			17,8 kg	435953 1473,-

The quick set up awning awning

- One-piece, underhung tent made of side panels, front and roof
- Material: Polyester Ripstop
- Mounting with transverse frame
- Front window fixed, front panel removable
- Side windows with blackout and mosquito net, side walls can be opened
- Incl. Bag Megabag light, for UL 400 with bag Megabag
- Incl. Curtains for front windows

Scope of delivery

Tent consisting of roof, front and side walls, mounting kit for Fiamma awnings, cross-rafters, tension straps with pegs and transport bag.

Accessories

Curtains, 1 pair, Dark Grey	440486	77,-
Curtains, 3 pairs, Dark Grey	440487	190,-
Windshields		Page 181

Fiamma Privacy Room Light The lightweight awning awning

NEW
2023


- Consisting of side panels and front
- Material: Polyester
- Mounting side panels with FastClip
- Front window roll up, with mosquito net
- Side windows with blackout and mosquito net

- Incl. Bag Megabag light (140x25x25 cm)
- Also suitable for vans
- Incl. Curtains for front windows

- Door usable left and right
- Zippers connect front and side walls
- Also suitable for Thule awnings with optional kit Privacy O (E4263)

Privacy ROOM Light for F45S - Awning awning without awning


		P.Room Van 260	P.Room 300 Medium	P.Room 300 Large
Weight		12,0 kg	14,4 kg	14,7 kg
Art.No.		440494	440495	440496
Price		1054,-	1054,-	1071,-
(A)	Front panels	+ Front extension sets to increase the width		
325 cm	Z: 25 cm	-	440498 48,-	440498 48,-
350 cm	N: 50 cm	-	440499 54,-	440499 54,-
375 cm	P: 75 cm	-	440500 67,-	440500 67,-
400 cm	Q: 100 cm	-	440501 107,-	440501 107,-
425 cm	R: 125 cm	-	440502 125,-	440502 125,-



Scope of delivery basic model:
Front part with window and curtains,
2 side panels, pegs.

Accessories:

Curtains, 1 pair, Dark Grey **440486 77,-**
Curtains, 3 pairs, Dark Grey **440487 190,-**
Kit Privacy O E4263 45,70
for mounting on Thule awning
Windshields: Page 181



Magic Kit Privacy

Telescopic reinforcement bars

Reinforce the awning supports for awnings tents

Magic Kit Privacy Front Short

for Privacy 260 to 360 & 450	44410	129,-
for Privacy 400, 410 & 440	44411	163,-
for Privacy 500 & 550	44412	184,-
Magic Kit Privacy Side	44413	80,-



Press-rod

Pressure bars

Vertical pole to support the awning Privacy on the wall of the vehicle. To be ordered separately with Privacy Room Light and Privacy Room CS Light.

E3542 84,-



Door Pole

Door Pole, vertical door pole
Provides better support for the front wall in the door area.

NEW for Fiamma F80S, F80L
440443 54,-
for Fiamma F65
444090 43,-

Fiamma F45S

Special awning for T5/T6/T6.1



Special awning for VW T5/T6 Multivan and California with VW rails

- With matching adapter
- Double piping on the front profile
- Awning width 263/308 cm
- Cloth width 247/292 cm
- Extension: 200 cm
- Weight: 19.5/22.0 kg




Accessories

Awning Privacy Room
for VW T5 KR special awning, consists of: Front part, 2 side parts. Fast construction with Fast Clip System Page 142
Special sealing rubber Page 155

Side wall awning incl. adapter for VW Multivan

For mounting on original VW rail on the roof.



Bonding necessary

Awning (width 260 cm) for VW Multivan KR

Royal Grey, Case Titanium	4376730	879,-
UK version	4376740	879,-
Royal Grey, Case Deep Black	4376780	879,-
UK version	4376782	879,-

Awning (width 300 cm) for VW Multivan LR

Royal Grey, Case Titanium	E46270	909,-
UK version	4376742	909,-
Royal Grey, Case Deep Black	E10168	909,-
UK version	4376783	909,-



Side wall awning incl. adapter for VW California

For California with sleeping roof and side VW Keder rail.



Awning (width 260 cm) for VW California

Royal Grey, Polar White case	4376709	868,-
Royal Grey, Titanium case	4376710	869,-
Royal Grey, Case Deep Black	4376760	869,-



Fiamma F45S

Special awning for Spacetourer + Co.



Awning set F45S

for Citroën Spacetourer/Jumpy ≥ 2016,
Peugeot Traveller/Expert ≥ 2016,
Toyota Proace (Verso) ≥ 2016,
Fiat Scudo ≥ 2016,
Opel Zafira D/Vivaro ≥ 2019

- Awning F45S in width 260 cm
- Incl. vehicle specific adapter

Scope of delivery:

Awning, adapter and crank handle

PPE set F45s White

Case Color: Polar White, Cloth Color: Royal Grey
437680 893,-

PPE set F45s Black

Case Color: Deep Black, Cloth Color: Royal Grey
437681 912,-

Accessories for Fiamma F45S: front and side panels page 152-153

Roof awning F40van

- Reinforced articulated arms
- Mounting with deep-seated adapters
- Space-saving, reduced protrusion


Cloth Royal grey, case Deep Black.

Technical data: Awning width 270 cm, fabric width 257 cm, extension: 225 cm, weight: 19.0 kg, mounting adapter required.

Awning F40van 44364 956,-



Dimensions



Fiamma F40van Special awning for buses

Mounting adapter for F40van

For VW T5 / T6 Transporter and Multivan without C-rail in the roof

2 holders in black (1 x 20 cm + 1 x 25 cm)

NEW: short wheelbase

Incl. Kit upgrade 440530 119,-

NEU: kurzer Radstand UK-Version

Incl. Kit upgrade 440531 119,-

short wheelbase UK version 443651 114,10



For Ford Custom

2 black holders

short wheelbase 44336 255,-

short wheelbase UK version 443000 255,-

long wheelbase (also UK) 44339 247,-



- Mounting on existing roof points
- No drilling, no gluing
- Can be dismantled again at any time

For PSA 260 Van

Citroën Spacetourer, Peugeot Traveller, Toyota Verso and the like. Black.

443371 403,-

For Mercedes

V-Class from 2014

2 black holders

(1 x 39 cm + 1 x 22 cm)


44337 310,-

For Renault Traffic from 2014

2 black holders

short wheelbase (also UK) 44349 217,-

long wheelbase (also UK) 44338 288,-



Sealing tape Rain Guard

Sealing tape Rain Guard for F40van

Provides a seal between the awning and the Vehicle roof. An ideal extra to the adapter.

VW T5 / T6	433884	155,-
Ford Custom kR	433006	160,-
Ford Custom kR (UK version)	433005	160,-
Ford Custom IR	433008	160,-
Ford Custom IR (UK version)	433007	160,-
Mercedes V-Class	433009	182,-

Awning awning and side parts F40van

Room Van Awning F40van

- No additional linkage
- Ripstop material - lightweight and tear resistant

- Incl. Pannier
- Width 270 cm, mounting height 180-210 cm

Room Van Side Panel & Front Panel



Room Van. Side parts without window, erectable front with window, weight 4.8 kg

443600 776,-



Room Van Premium. Side panels with roll-up windows and mosquito net, front with door, weight 5.4 kg

443601 904,-



Side W Pro F40van
Side part with window, weight 3.0 kg

443602 249,-



Front wall Blocker Pro 260 Van
Front part with panoramic window

4349151 227,-

Fiamma F35 pro For buses, vans and small caravans



F35 PRO for vans - housing titanium

Wide	Excerpt	Weight	H _{max.} front	Royal Grey	Royal Blue	Price
180 cm	180 cm	8,5 kg	195 cm	43775	43770	501,-
220 cm	225 cm	10,5 kg	225 cm	43776	43771	552,-
250 cm	225 cm	11,5 kg	225 cm	43777	43772	572,-
270 cm	225 cm	13,0 kg	225 cm	43778	43773	576,-
300 cm	225 cm	14,0 kg	235 cm	43779	43774	598,-

- Case in Deep Black or Titanium color
- Robust, anodized aluminum housing
- Practical roller blind pullout
- The double keder rail allows two front parts or accessories to be retracted at the same time
- Lightweight, compact and quick to open and close
- Support feet lie in the awning tube
- Extensive range of accessories

F35 PRO for Vans - Case Deep Black

Wide	Excerpt	Weight	H _{max.} front	Royal Grey	-	Price
180 cm	180 cm	8,5 kg	195 cm	43721	-	501,-
220 cm	225 cm	10,5 kg	225 cm	43729	-	552,-
250 cm	225 cm	11,5 kg	225 cm	43780	-	572,-
270 cm	225 cm	13,0 kg	225 cm	43781	-	576,-
300 cm	225 cm	14,0 kg	235 cm	43735	-	598,-

Scope of delivery:

Awning in housing, pegs and lines for fastening to the ground.

Accessories for Fiamma F35

Vehicle adapter	right side
Front and side walls	Page 152-153
Awning PrivacyRoom CS Light	Page 148



Fiamma compact awning for Caddy, Berlingo and Co.

- Mounting on the roof rack
- Practical roller blind pullout
- Support feet lie in the awning tube

FIAMMA F35 Pro with a width of 180 cm is ideal for small vehicles. Weighing only 8.5 kg and extending 180 cm, it provides a shaded area of 2.9 m². The assembly can be mounted on almost all roof racks with the specified adapter. Case color: Titanium.

Scope of delivery: Awning, pegs and guy lines.

Awning width 180 cm

Cloth Royal Grey	43775	501,-
Cloth Royal Blue	43770	501,-

Awning width 220 cm

Cloth Royal Grey	43776	552,-
Cloth Royal Blue	43771	552,-

Accessories for Fiamma F35:

Front and side walls	Page 152-153
other mounting adapters	Page 147



Awning installation on Caddy & Co.

For mounting, there are universal adapters, e.g. for roof racks, or vehicle-specific adapters adapted to individual vehicles. You can find the adapters on the right side or ask your dealer.

Awning widths: For Caddy kR, Citroen Berlingo, Peugeot Partner and Ford Tourneo Connect up to My. 2013 awning width is recommended 180 cm, for Caddy Maxi - a width of 220 cm.

Adapter for F35 PRO



VW T5 / T6
Screwing to existing points, no gluing.
Not for C-rail.
2 holders 12 cm each.
E6413 87,45



VW T5 / T6
For Multivan or Transporter with roof rail. Gluing necessary. 2 holders 12 cm each.
43340 99,-



VW T5 / T6
For Multivan/Transporter without roof rail. Gluing necessary. 2 x 21,5 cm.
433403 112,-
UK 433404 112,-

Multirail adapter **NEW 2023**
Special adapter for the < REIMO Multirail, also for folding sleeping roofs. Black brackets for mounting the F35 Pro to the Multirail. The awning and adapter are removable without affecting the appearance of the vehicle. ATTENTION: Can only be mounted with existing Multirail.




VW T5 / T6 / T6.1 vw bus with REIMO Multirail rain gutter. Suitable for left & right hand drive. Removable. 2 black holders 8 cm each.
440533 136,-


PROFI TIPP

VW T5 / T6 / T6.1 Mounting on the REIMO Multirail. Suitable for KR + LR. Removable.
426768 179,99

Citroen Spacetourer and similar to REIMO Multirail. For L2 / L3. Removable.
426769 179,99



Westfalia Kepler VW T6 LR
for L2, 2 holders of 10 cm each.
433406 127,-




VW T5 / T6 VW California.
2 holders à 12 cm
433401 101,-




VW T5 / T6 VW Bus
with Branderup gutter. Suitable for left & right hand drive. 2 black holders 8 cm each.
440532 119,-




VW T3
Adapter set for rain gutter mounting. 2 holders à 8 cm.
43441 96,-




VW T4
Adapter kit for flat roof mounting. 2 holders à 8 cm
43330 69,-




VW T4
For Branderup gutters
2 holders à 8 cm.
433201 112,-




VW Caddy Maxi
with folding sleeping roof
Black, from My. 2016,
2 holders 12 cm each.
433418 141,-



VW Caddy Maxi
Black, from My. 2016,
for awning width 220 cm.
2 holders à 8 cm.
433417 101,-



Ford Transit Custom
2 holders à 12 cm
436257 164,-



Dreamer
Cap Land/Cap Fun
Ford Transit Custom
2 holders 12 cm each.
433416 125,-



Dreamer
Cap Coast (L1)
Cap Land/Cap Life (L2)
Ford Transit Custom
2 holders à 12 cm
44335 131,-




Citroën Spacetourer, Peugeot Traveller, Toyota Verso, Opel Zafira as of 2019
2 holders à 20 cm
44329 150,-




Campérêve Cap Road
on Peugeot Expert, 2 black holders 12 cm each. Suitable for left & right hand drive.
440529 68,-




Mercedes Benz Vito until My. 2004.
2 holders à 8 cm.
43341 109,-



Mercedes Benz Vito/Viano and V-Class
as of 2014, 2 holders à 13 cm. Not with REIMO-SD.
433412 105,-



Mercedes Benz V-Class Marco Polo as of 2014
1 holder à 12 cm and 1 holder à 13 cm.
433413 262,-



Westfalia Jules Verne Mercedes Vito
2 holders 12 cm each.
433414 121,-




Nissan NV200/Evalia
For awning width 220 cm. 2 holders à 8 cm.
433415 116,-



Kit car for roof rack
2 holders à 8 cm.
43398 103,-



Standard
2 holders à 8 cm.
43348 85,-



Eriba Touring
Adapter kit for Eriba Touring. 2 holders à 8 cm
43366 103,-



Renault Traffic
Until My.2015
2 holders à 12 cm
433131 89,-



Opel Vivaro
From My. 2015
2 holders à 12 cm
433132 94,-

Fiamma Privacy Room CS Light
Awning awning for F35 pro



Awning Tent Retrofit Kit for F35 Pro

Type	250 VAN	270 VAN	280	310
for awning	F35 (250 cm)	F35 (270 cm)	F35 (270 cm)	F35 (300 cm)
Mounting height	180-220 cm	180-220 cm	240-260 cm	240-260 cm
Weight	8,7 kg	9,1 kg	11,6 kg	11,8 kg
Accessories needed			Adapter 434743 (for mounting on F35 270)	Adapter 434743 (for mounting on F35 300)
Art.No.	440490	440491	440488	440489
Price	945,-	950,-	987,-	1010,-

Adapter for PrivacyRoom CS Light to F35 Pro 434743 18,-

More living space for the F35 PRO with awning retrofit kit

- With Fast Clip fastening system: aluminum profile made of two parts, into which the side panels are pulled in faster can.
- Connection to the vehicle wall by elastic tensioning straps
- Front retractable into the awning keder rail
- Connection front/side parts by zippers
- Door retractable left or right
- Windows of the front with curtains
- Windows of the side parts with mosquito nets
- Incl. Pannier Mega Bag light

Fiamma SlideOut



SlideOut systems can be found in the motorhome technology section

Special SlideOut awning system for vehicles with extendable walls

The awning for mobile vehicle walls

Ideal solution for vehicles with retractable side and rear walls. They protect the extension with an awning cloth that can be rolled out up to one meter and also automatically rewinds.

Special awning Slide Out

Type	200	280
Awning width A	198 cm	278 cm
Cloth width B	192 cm	272 cm
Extract C	100 cm	100 cm
Weight	7,3 kg	10,0 kg

Housing Polar White


Royal Grey	42527	42528
Price	462,-	534,-

Fiamma ZIP

Fiamma F45 with optional awning



ZIP S



ZIP L



Detail



Basic model



①



②



③

- Assemble awning based on F45 and complete awning
- Side parts are connected to the awning cloth with zippers
- All Crystal windows can be opened.
- Increased tightness against wind
- The door in the front can be mounted on the left or right side
- The fastening system (Rapid Set) stabilizes the awning
- Tight connection to the vehicle through padded bar

Scope of delivery: Awning based on F45 incl. mounting brackets/adapters, front and side panels, ZIP zipper system, Crystal window roll-up, standard with mosquito net and curtains, Rapid Set mounting system and Rafter tensioning pole, Skirting windshields, tensioning straps, hooks and Mega Bag for privacy and poles

Accessories for Fiamma ZIP:

Additional tie rods	see page 154
Curtains, 1 pair	440486 77,-
Curtains, 3 pair	440487 190,-



How to order the Fiamma ZIP with matching awning

Choose the length of the awning below according to your needs. Attention: These are special awnings. It does not go the normal F45.

Order the matching awning basic model in the desired attachment height and complete the full width with the specified front panel extensions.

1. Select awning							+ 2. Order awning basic model in addition			+ 3. Front extension		
Awning model	(A) Total width	(C) Extract	Weight	Color Royal Grey	Color Royal Blue	Price	Awning basic model available in 2 heights	Item no.	Price	Order extension front panels	Item no.	Price
Fiamma ZIP Housing White												
ZIP 300 (F45S)	306 cm	250 cm	23,5 kg	434051	434052	1096,-	Privacy Room M B: 225 - 250 cm or Privacy Room L B: 225 - 250 cm	434037	1559,-	—		
ZIP 350 (F45S)	356 cm		23,5 kg	434053	434054	1158,-				① 50 cm	435311	63,-
ZIP 400 (F45L)	406 cm		36,5 kg	434055	434056	1515,-				② 100 cm	436623	126,-
ZIP 450 (F45L)	456 cm		36,5 kg	434057	434058	1754,-				③ 150 cm	436625	179,-

Fiamma Caravanstore

Caravan awning for the keder rail



The caravan awning in the case

- Lightweight and compact, arms and support feet lie in the awning tube
- Pullout possible to half length
- Waterproof case
- Mounting in the existing keder rail
- Awning cloth lightweight and waterproof, can be rolled up in both directions
- No wrinkling, even if awning is closed for a longer time
- For caravans, folding caravans and small motorhomes

Accessories:
side parts
Privacy Room CS Light

Blocker front/
Page 152-153
see below

Kit hobby
For mounting the
Caravan gate
to hobby living-
trolley 2009.
E3325 17,-



Fiamma Caravanstore/Caravanstore XL - the light caravan awning for the keder rail

	Case light gray										Case black	
Type	190	225	255	280 XL	310 XL	360 XL	410 XL ¹⁾	440 XL ²⁾	500 XL ³⁾	550 XL ³⁾	310 XL	410 XL ²⁾
Total width	193 cm	235 cm	264 cm	286 cm	316 cm	366 cm	415 cm	448 cm	497 cm	547 cm	316 cm	415 cm
Cloth width	162 cm	202 cm	232 cm	254 cm	284 cm	334 cm	384 cm	414 cm	465 cm	515 cm	284 cm	384 cm
Excerpt	180 cm	225 cm	225 cm	250 cm	250 cm	250 cm	250 cm	250 cm	250 cm	250 cm	250 cm	250 cm
Weight	6,0 kg	7,5 kg	8,5 kg	10,1 kg	11,2 kg	12,3 kg	13,5 kg	14,6 kg	15,8 kg	16,9 kg	11,2 kg	13,5 kg
Royal Grey	44362	443621	443622	44423	444231	444232	444233	444234	444235	444236	44425	444252
Royal Blue	44363	443631	443632	44424	444241	444242	444243	444244	444245	444246		
Price	429,-	473,-	499,-	489,-	508,-	536,-	593,-	679,-	744,-	791,-	543,-	

¹⁾ For 410 cm incl.: 1 tie rod Rafter

²⁾ For 440 cm incl.: 1 Rafter + additional. Front support

³⁾ At 500 cm + 550 cm incl.: 2 add. Front supports

Fiamma Privacy Room CS Light

Retrofit awning for caravan door



More living space for caravan gate and Caravan Gate XL

- For Caravanstore from model 2004 with awning extension of 225 cm and Caravanstore XL with 250 cm extension
- With Fast Clip attachment system:
- Connection to the caravan wall by elastic tension straps
- Front retractable into the keder rail
- Connection front/side parts by zippers
- Door retractable left or right
- Windows of the front with curtains
- Windows of the side parts with mosquito nets
- Incl. Pannier Mega Bag light

Awning Tent Retrofit Set for Caravan Gate / Caravan Gate XL

Basic model		CS Light 280		CS Light 310		CS Light XL 280		CS Light XL 310	
		440488	987,-	440489	1010,-	440492	1051,-	440493	1063,-
Awning length	Front panels	+ Front extension sets to adjust the width							
360 cm	N: 50 cm			440499	54,-			440499	54,-
410 cm	Q: 100 cm			440501	107,-			440501	107,-
440 cm	S: 130 cm			440503	136,-			440503	136,-
500 cm	V: 190 cm							440504	167,-
550 cm	K+K+V 20(2x)+190cm							2 x 440497 + 440504	50,- 167,-



Fiamma Caravanstore ZIP XL Caravan awning with optional awning



Caravan awning in case

- Awning in case, awning can be ordered as an accessory
- Robust YKK zippers
- "Rapid" linkage - facilitated assembly

Scope of delivery awning:

Caravan gate awning, aluminum poles "Rapid Set" and Mega Bag. From type 360 with additional front support, from type 500 with 2 additional front supports.

Optional Privacy Caravanstore Zip awning


- Roll up front part and side parts
- Robust YKK zippers
- Incl. Transport bag "Mega Bag"

Scope of delivery awning:

Front with door and 2 side walls, each including window with mosquito net and curtains, aluminum frame "Rapid Set", tension straps, hooks and Mega

Bag. Accessories:

NEW 2023	Curtains, 1 pair, Dark Grey	440486	77,-
	Curtains, 3 pairs, Dark Grey	440487	190,-



How to order the CaravanStore ZIP XL with matching awning

Choose the length of the awning according to your needs. If desired, order the matching awning base model and complete the full width with the specified front panel extensions.

1. Select awning							+ 2. Order awning basic model in addition			+ 3. Front extension		
Awning model CaravanStore	(A) Total width	(B) Mounting height/ (C) Extension	Weight	Color Royal Grey	Color Royal Blue	Price	Matching awning basic model Privacy Cstore ZIP	Item no.	Price	Order extension front panels	Item no.	Price
ZIP XL 280	288 cm	240-260 / 250 cm	31,1 kg	443751	443752	670,-	XL 280	443766	1453,-	—		
ZIP XL 310	318 cm		32,5 kg	443753	443754	694,-	XL 310	443767	1529,-	—		
ZIP XL 360	369 cm		34,3 kg	443755	443756	812,-	XL 310	443767	1529,-	① 50 cm	435311	63,-
ZIP XL 410	419 cm		35,7 kg	443757	443758	839,-				② 100 cm	436623	126,-
ZIP XL 440	449 cm		37,2 kg	443759	443761	865,-				③ 130 cm	436634	155,-
ZIP XL 500	509 cm		38,9 kg	443762	443763	1048,-				④ 190 cm	436635	213,-
ZIP XL 550	559 cm		40,7 kg	443764	443765	1101,-				⑤ 2x 20 cm + ④ 190 cm	436620	57,-
											436635	213,-

SUN AND RAIN PROTECTION FOR FIAMMA AWNINGS



Blocker Pro



Rainproof front part with panoramic window

Front wall with large window and gray floor extension.
Made of water-repellent, UV-resistant vinyl.
Feeding into the keder rail. With pegs.



Designation	F45	F80S	F80L	F65	C-St	F35	Width A	Width B	Height C	Art. No.	Price
Blocker Pro 100	●	●		●	●	●	± 100	100	225-280	44381	132,-
Blocker Pro 250	●				●	●	± 235	250-260	225-280	434915	204,-
Blocker Pro 260 VAN*	●				●	●	± 250	260-270	180-220	4349151	227,-
Blocker Pro 300	●	●		●	●	●	± 285	300-320	225-280	4349152	230,-
Blocker Pro 325			●				± 310	325		4349161	241,-
Blocker Pro 350	●	●		●	●		± 335	340-370	225-280	4349153	241,-
Blocker Pro 375	●						± 360	375	225-280	4349154	257,-
Blocker Pro 400	●	●		●	●		± 385	400-410	225-280	4349155	261,-
Blocker Pro 425	●	●		●			± 410	425	225-280	4349156	283,-
Blocker Pro 440					●		± 415	440	225-280	4349157	283,-
Blocker Pro 450	●	●		●			± 435	450	225-280	4349158	283,-
Blocker Pro 500	●				●		± 463	500	225-280	4349159	317,-
Blocker Pro 550	●				●		± 513	550	225-280	4349160	343,-

* also suitable for F40 VAN and original VW California awning.

Side W Pro



Rainproof side panel with window

Practical side wall with large window and bottom extension.
Made of water-repellent, UV-resistant vinyl. Incl. telescopic rafter pole and pegs.



Designation	F45	F80S	F80L	F65	C-St	F35	Depth A	Height B	Art. No.	Price
Side W Pro F80L XL			●				275	245-280	434969	312,-
Side W Pro F80L XXL			●				275	281-310	434970	333,-
Side W Pro F45/F65/F80	●	●		●			230	225-280	434972	263,-
Side W Pro XXL F45/F65/F80	●	●		●			230	280-330	434973	310,-
Side W Pro F45S f. VW T5/T6 *	●						190	180-200	434974	263,-
Side W Pro F65/F80 Fiat Duc.		●		●			230	225-280	434975	263,-
Side W Pro Caravanstore					●	●	210	240-260	434976	245,-
Side W Pro Caravanstore XL					●		240	240-260	434977	282,-
Side W Pro F35 Van						●	210	180-220	434978	255,-

* also suitable for VW California from year of manufacture 2003.

Side W Pro Shade



Rainproof side part with window & blackout

Side wall with large window and roll-up blackout. Otherwise like Side W PRO.
Incl. telescopic aluminum tension rod and pegs.



Designation	F45	F80	F65	C-St	F35	Depth A	Height B	Item no.	Price
Side W Pro Shade right	●	●	●			230	225-280	434979	364,-
Side W Pro Shade left	●	●	●			230	225-280	434980	364,-

Side W CaravanStore



Rainproof side panel with window

Side wall with window made of water-repellent, UV-resistant vinyl. Incl. telescopic aluminum rafter rod and rubber tensioners.



Designation	F45	F80	F65	C-St	F35	Depth A	Height B	Item no.	Price
Side W Caravanstore				●	●	210	240-260	434981	201,-
Side W Caravanstore XL				●		250	240-260	434982	259,-

● Possible for the marked awning types. No adapter necessary.

● Mounting only possible with adapter!!!

The mounting of these side parts is only possible with the corresponding adapter.


Adapter kit for mounting on F65(S) / F65(L) **434991** **12,-**

Adapter kit for mounting on F80S **434990** **40,-**

Adapter kit Omnistor 5002/5003 **434995** **19,-**

Lattice mesh shade front part

Mesh front wall. Reflects 85% of the light. Feeding into the keder rail. Can be rolled up with fastening clips. Incl. Pegs and tension straps. The mesh fabric is translucent and breathable.



Designation	F45	F80s	F80L	F65	C-St	F35	Width A	Width B	Item no.	Price
Sun View XL 100	●	●		●	●	●	± 100		44384	114,-
Sun View XL 260	●			●	●	●	± 250	250 - 260	44385	144,-
Sun View XL 300	●	●		●	●	●	± 285	300 - 320	44386	152,-
Sun View XL 325			●				± 310	325	434905	167,-
Sun View XL 350	●	●		●	●		± 335	340 - 370	44387	167,-
Sun View XL 375	●						± 360	370	44388	187,-
Sun View XL 400	●	●		●	●		± 385	400 - 410	44389	187,-
Sun View XL 425	●	●					± 410	425	44390	203,-
Sun View XL 450	●	●		●			± 435	450	44391	203,-
Sun View XL 500	●				●		± 463	500-510	44392	226,-
Sun View XL 550	●				●		± 513	550	44393	240,-



Sun View Side

Lattice mesh shade side panel

Side wall made of breathable translucent mesh. Reflects 85% of the light. Provides a pleasant indoor climate. Incl. Rafter tension rod, tension straps and pegs.



Designation	F45	F80s	F80L	F65	C-St	F35	Depth A	Height B	Item no.	Price
Sun View Side F80L			●				275	245 - 310	434906	271,-
Sun View Side F45/F70/F65	●	●		●			230	220 - 260	44394	249,-
Sun View Side Caravanstore					●	●	210	240 - 260	44395	233,-
Sun View Side Caravanst. XL					●		240	180 - 260	44396	236,-



Vinyl rainproof front part

Practical front wall, which protects from rain and sun. Feeding into the keder rail. Includes pegs and tension straps.



Designation	F40	F45	F80s	F80L	F65	C-St	F35	Width A	Width B	Art. No.	Price
Blocker 260	●	●				●	●	± 253	260-300	44382	130,-
Blocker 300		●	●		●	●	●	± 285	300-320	434901	139,-
Blocker 325				●				± 310	325	434904	154,-
Blocker 350		●	●		●	●		± 335	340-370	434902	154,-
Blocker 400		●	●		●	●		± 385	400-410	434903	158,-
Blocker 450		●	●		●			± 438	>450	44383	179,-




Shade valance

Glare shield for F45, F65, F80 Caravanstore and F35

Shade valance - practical sun visor

Practical valance for pulling into the piping rail. Series at Caravanstore. Suitable for any awning with keder rail. Can be shortened to awning width.



Designation	F40	F45	F80	F65	C-St	F35	Width A	Width B	Art. No.	Price
Valance from Mesh	●	●	●	●	●	●	550	190-550	437471	36,-



TENSION RODS

Adapter set for
Thule awnings



Kit Privacy O - Optional Kit

Optional kit that allows the installation of Fiamma products Privacy Room and Privacy Room Light on awnings Thule 4900-5002-5003-5200, Tristor 2. Weight 0,2 kg

E4263 45,70

Awning tensioning poles - Rafter / Rafter PRO

- Increases the rigidity of the awning, better fabric tensioning
- For awnings up to 250 cm extension (adjustable from 142-265 cm)
- Suitable for all housing awnings

Rafter straight



**Rafter - straight tie rod
434554 55,-**

Rafter PRO curved



Rafter PRO - curved tension rod
Additionally improves water drainage. Attention: do not use in intense sunlight.
43315 77,-

Adapter F65

For older awnings F65 adapter is necessary to mount the rafter.

E4360 9,30

Rafter LED Rafter LED CS



You can find more
awning lights on
Page 176 + 177

Rafter LED - Awning tension rod with LED

- Tension rod with built-in 12 V LED lamp
- Comfortable light with 36 LED light points, only 2.7 watts
- For awnings up to 250 cm extension (adjustable from 142-265 cm)

Rafter LED, for F45 and F65 43359 110,-
Rafter LED CS, for F35 Pro and Caravanstore 433592 103,-

Magic Rafter PRO - crossbar with elevation

- Optimal transverse tensioning for awnings up to 450cm wide
- Better water drainage due to elevation of the cloth
- A stiffener reduces wind noise
- Attention: Do not use in intense sunlight

43360 141,-



Rafter aluminum tie rods with twist locks

Tension rod for caravan door
with extension 225-250 cm

434553 42,-

Wall mount

Support feet are securely hooked in.
For mounting on the vehicle wall.

Aluminum 43549 34,30

Plastic white E1887 25,60

Fig. shows aluminum



Magic Rafter - cross tension rod

- Universal rafter is clamped between the awning arms
- Better fabric tension, increased wind stability

43381 86,-



Privacy Rail Kit

Keder rail kit, with 4 rails of 100 cm each, which allows the attachment of an additional front part, should the awning not have a double keder rail in the front panel. Also suitable for attaching to the side panels

43596 36,-





Transport bag

- Large and durable bag
- Ideal for transporting poles & tents

Mega Bag Elite (gray sides/red straps)

Dimensions: L150 x H35 x D35 cm

443971 168,-

Mega Bag Smart L (black sides/red straps)

Dimensions: L195 x H25 x D25 cm

443973 87,-



Set of 6 hooks for pulling into the keder rail of the front profile. Suitable for Fiamma and Thule Omnistor awnings. With 7 mm hole.

43443 9,-



Awnings repair kit

- Quick repair for tears in the awning cloth
- Self-adhesive
- Easy handling

43540 26,-



Rain end caps drain rainwater in a targeted manner. Ideal for use with awnings. 2 rubber covers to be placed on the front panel. For F45 and Fiamma ZIP.

Rain Caps F45S	43408	23,-
Rain Caps F45L	43409	23,-



Awning spoiler improves air resistance and appearance. Protection from damage. Material ABS. Is glued on with Sikaflex. For awning F 45, F 45L and others.

43493 32,-

For F80s



Kit Cover + RainGuard Slim = sealing profile set

For awning F80s with black flat adapter bracket on Fiat Ducato panel van. Set of self-adhesive sealing profile RainGuardSlim and side covers Cover.

For F80S in 320 cm	440457	1256,-
For F80S in 370 cm	440458	1322,-
For F80S in 400 cm	440459	1375,-

RainGuard awning waterproofing

- Waterproofing against water penetration
- Between awning and vehicle wall
- Prevents the flow of rainwater

RainGuard Van


For awnings F45S and F35 Pro, which are connected with small distance to Minivans are mounted. Width 11 cm, color black 300 cm **433881 108,-**



RainGuard California

For awnings on VW T5/T6 California. Mounting by plugging into the original VW rail. Length 200 cm.

433880 46,-




RainGuard Lower

For F45S awnings at distance between Cassette and vehicle with elevated mounting.

1fm **43388 13,-**

550 cm **433882 82,-**




RainGuard S

For awnings mounted on flat wall with standard bracket. Clamps behind the awning.

1fm **43384 10,-**

550 cm **433841 57,-**




RainGuard M

For awnings mounted with adapters protruding up to 4 cm or on curved walls.

1fm **43383 11,-**

550 cm **433831 62,-**




RainGuard L

For awnings mounted with adapters protruding up to 9 cm or on strongly curved walls.

1fm **43485 12,-**


550 cm **434852 70,-**



RainGuard Kit F65/F80

For F 65 or F 80S, cover the gap between the roof and the adapter. 450 cm. Self-adhesive

434851 47,-



Support plates PLATE For supporting base on the ground, more secure in windy conditions. Plastic. With pegs for Fiamma and Omnistor. 20 x 20 cm. 2 piece

43547 17,-

Spare parts for Fiamma awnings

End caps housing

for F45i, F1		
white, right	43826	23,50
white, left	438261	19,40
for F45 Plus, F50		
white, right	43827	23,90
white, left	438271	
for F45iL, F1L		
white, right	43828	23,60
white, left	438281	19,20
silver, left	438283	46,-
for F45 Plus L		
white, right	43829	27,80
white, left	438291	27,80
for F45s		
white, right	E4434	45,50
white, left	E3914	45,50
silver, right	E6063	45,50
silver, left	E4968	45,50
black, right	E11465	45,50
black, left	E6667	45,50
for F65, Eagle		
white, right	43830	19,20
white, left	438301	22,40
silver, right	438302	21,90
silver, left	438303	21,90
for F65s version 15		
white, right	E4869	45,50
white, left	438304	45,50
silver, right	E3152	45,50
silver, left	E4374	45,50
black, right	E5272	45,50
black, left	E6471	45,50
for F80s		
white, right	E9589	45,50
white, left	E9571	45,30
silver, right	E11892	45,40
silver, left	E11056	45,40
black, right	E10646	45,40
black, left	E10647	45,40



End caps
(symbol representation)



End caps front profile

for F45i, F1		
white, right	43831	10,10
white, left	438311	10,10
for F45iL, F1L		
white, right	43832	10,10
white, left	438321	10,10
silver, right	438322	13,90
silver, left	438323	18,80
for F45s		
white, right	E4435	14,50
white, left	E3938	14,50
silver, right	E6377	14,50
silver, left	E4933	14,50
black, right	E10592	14,50
black, left	E7192	14,50
for F65, Eagle		
white, right	43833	13,70
white, left	438331	13,70
silver, right	438332	20,-
silver, left	438333	20,-
for F65s version 15		
white, right	E4948	12,90
white, left	E3807	12,90
silver, right	E4280	16,70
silver, left	E5983	16,70
black, right	E3197	16,70
black, left	SA1137	16,70
for F80s		
white, right	E5497	13,60
white, left	E9682	13,60
silver, right	E10422	13,60
silver, left	E11057	13,60
black, right	E72	13,60
black, left	E11588	13,60



End caps
Front profile
(symbol representation)



Awning foot joints top

for F45i, F1		
right	43822	15,60
left	438221	15,60
for F45iL, F45TiL, F1L, F65		
right	43823	16,70
left	438231	16,70



Joint



Knurl




Foot lock

Awning foot lock

for awning foot with knurled screw		
1 pc.	43824	6,50
for caravan door, F35		
2 pcs.	438242	24,30

Locking piece for keder rail


for caravan door		
2 pcs.	43825	11,50



Locking piece

Clips for Privacy Room

10 pcs.	43834	30,70
---------	-------	-------



Hand cranks, handle foldable

51 cm	43356	44,-
123 cm	43357	53,-

Hand crank telescopic

154 - 240 cm	43358	65,-
2 mounting clips	43486	10,-

All images in symbolic representation. Further spare parts can be found on our homepage www.reimo.com at the respective article.

With the camping accessories from Thule you are flexible on the road and have plenty of space, comfort and safety. With renowned products of the Belgian company Omnistor, Thule has for years offered awnings and accessories for many vehicle sizes. Thule itself was founded in Sweden in 1942 and offers for its motorhome and Caravan accessories have a warranty of 2 years. In addition to wall, roof and keder rail awnings, Thule sells many other useful products for camping and caravanning.

Different types of awnings



Roof awning TO 6300

Widths: 260 - 500 cm
 Excerpt: up to 250 cm
 Cloth colors: Mystic Grey, Sapphire Blue
 Housing colors: White, silver anodized, anthracite



Roof awning TO 9200

Widths: 400 - 600 cm
 Excerpt: up to 300 cm
 Cloth colors: Mystic Grey, Sapphire Blue
 Housing colors: White, silver anodized, cream



Wall awning TO 5200

Widths: 190 - 500 cm
 Excerpt: up to 250 cm
 Cloth colors: Mystic Grey, Sapphire Blue
 Housing colors: White, silver anodized, anthracite



Wall awning TO 8000

Widths: 400 - 600 cm
 Excerpt: up to 275 cm
 Cloth colors: Mystic Grey, Sapphire Blue
 Housing colors: White, silver anodized, cream, anthracite



Wall awning TO 4200

Widths: 260 - 300 cm
 Excerpt: up to 250 cm
 Cloth colors: Mystic gray
 Housing colors: White, silver anodized, anthracite



Special awning TO 3200

Widths: 190 - 300 cm
 Excerpt: up to 250 cm
 Cloth colors: Uni gray
 Housing colors: Silver anodized, anthracite



Special awning TO 5102


Widths: 260 cm
 Excerpt: up to 200 cm
 Cloth colors: Mystic gray
 Housing colors: Light gray, anthracite



Case awning TO 1200

Widths: 230 - 550 cm
 Excerpt: up to 250 cm
 Cloth colors: Mystic Grey, Sapphire Blue
 Housing colors: White

Housing colors



Cloth colors



ROOF AWNING SET AND AWNING AWNINGS FOR FIAT DUCATO

Thule Omnistor 6300 Awning set for Fiat Ducato



- For Fiat Ducato from year of manufacture 2007 with vehicle height H2 (ca. 252 cm)
- Incl. Adapter set and sealing foam tape between awning and vehicle and adapter cover caps
- For vehicles with

length 541 cm	= awning 325 cm
length 599 cm	= awning 375 cm
length 636 cm	= awning 400 cm

Awning set with 6300 incl. adapter

Wide	325 cm	375 cm	400 cm
Excerpt	250 cm	250 cm	250 cm
Weight	24,0 kg	27,5 kg	29,0 kg

Housing White - Caps White

Mystic gray	428000	428001	428002
Price	1324,-	1374,-	1414,-

Case silver - caps black

Mystic gray	428065	428066	428067
Price	1349,-	1399,-	1439,-

Housing silver - caps gray

Mystic gray	428072	428073	428074
Price	1349,-	1399,-	1439,-

Housing black - caps black

Mystic gray	428075	428076	428077
Price	1349,-	1399,-	1439,-

Awning Panorama for FIAT Ducato panel van



- Side parts adapted to the vehicle contour
- All pages completely removable with zipper
- OPTION: Removable mosquito screens
- Incl. Bottom apron and 2 panniers

Scope of delivery:

Tent, pack bag, pegs and windbreak to prevent drafts from moving under the vehicle.

Further info and accessories: See page 174.

Thule Panorama - awning tent for Ducato H2

Tent width	Mounting height	Item no.	Price
325 cm	Ducato (230 - 250 cm)	431791	2710,-
375 cm	Ducato (230 - 250 cm)	431792	2790,-
400 cm	Ducato (230 - 250 cm)	431793	2790,-

Awning QuickFit for FIAT Ducato panel van



- Side parts adapted to the vehicle contour
- Small pack size
- Floor skirt and curtains included
- Front window can be opened completely
- 18 kg light
- Suitable for all Fiat Ducato awning widths (325 cm - 350 cm - 375 cm - 400 cm)
- Also suitable for Ducato models before 2007

Scope of delivery:

Tent, pack bag (dimensions ca. 70 x 35 x 35 cm), pegs, curtains and windbreak so that no drafts can pass under the vehicle.

Further info and accessories: See page 173.

Thule QuickFit - awning tent for Ducato H2

Tent width	Mounting height	Item no.	Price
300 cm	Ducato (230 - 250 cm)	432145	919,-



Roof mounting set
3 rails á 130 cm

432143 49,-



Incl. Pannier

Thule Omnistor 6300

Awning for vans and caravans



Shade and weather protection for vans, motorhomes and caravans

- Widths up to 500 cm, adjustable dropout angle
- From 375 cm with additional tensioning arms for perfectly tensioned awning cloth
- 3. Support foot optionally available from 375 cm width to increase stability
- Integrated rain gutter in the front strip



TÜV Rheinland,
one of the most qualified providers of product testing and certification, has also certified many Thule products.



Additional clamping arms
Robust articulated arms with integrated, patented Tensioning arms ensure a perfectly tensioned awning fabric.

Thule Omnistor 6300 - Housing color white

Wide	260 cm	300 cm	325 cm	350 cm	375 cm	400 cm	425 cm	450 cm	500 cm
Excerpt	200 cm	250 cm	250 cm	250 cm	250 cm	250 cm	250 cm	250 cm	250 cm
Weight	20,6 kg	24,1 kg	25,1 kg	26,8 kg	28,5 kg	30,5 kg	31,8 kg	33 kg	35,6 kg
Mystic gray	42830	428301	428302	428303	428304	428305	428306	428307	428308
Sapphire blue	42831	428311	428312	428313	428314	428315	428316	428317	428318
Price	929,-	1009,-	1149,-	1149,-	1209,-	1239,-	1319,-	1319,-	1419,-

Thule Omnistor 6300 - Housing color silver anodized

Wide	325 cm	350 cm	375 cm	400 cm	450 cm
Excerpt	250 cm	250 cm	250 cm	250 cm	250 cm
Weight	25,1 kg	26,8 kg	28,5 kg	30,5 kg	31,4 kg
Mystic gray	42832	428320	428321	428322	428323
Sapphire blue	42833	428330	428331	428332	428333
Price	1174,-	1174,-	1234,-	1264,-	1344,-

Thule Omnistor 6300 - Housing color black

Wide	260 cm	300 cm	325 cm	350 cm	375 cm	400 cm	425 cm
Excerpt	200 cm	250 cm	250 cm	250 cm	250 cm	250 cm	250 cm
Weight	20,6 kg	24,1 kg	25,1 kg	26,8 kg	28,5 kg	30,5 kg	31,8 kg
Mystic gray	42834	428340	428341	428342	428343	428344	428345
Price	954,-	1034,-	1174,-	1174,-	1234,-	1264,-	1344,-

Motor kit for Thule Omnistor 6300

for retrofitting a 230 V tubular motor to existing awning.

White	430754	480,-
Silver anodized	430755	480,-
Black	430756	480,-

Scope of delivery for Thule Omnistor 6300

Telescopic crank, support foot attachment to the wall and pegs.

Accessories for Thule Omnistor 6300

Vehicle-specific adapter sets, absolutely necessary for mounting	Page 161
Thule awning tents QuickFit, Panorama or Residence G3	Page 172-174
Thule Windscreen, Sun- and Rainblocker	Page 170-171
Tension rods and accessories	Page 175

3. Support foot (possible from 375 cm width) **E5049 84,-**

Tent and LED mounting rail

Mounting rails for mounting under the awning. For attaching awning QuickFit and simultaneous installation of LED lighting. 3 rails of 130 cm. Anthracite **43889 62,-**

LED Strip, side emitting

Special LED tape for above LED mounting rail. Side emitting, self-adhesive. 12 V. Length 400 cm **43890 127,-**

Thule Omnistor 9200 for large motorhomes and caravans



Extra large shade for extra large vehicles

- Largest extension with 300 cm - width up to 6 m
- Optimally suitable for many vehicle types with various adapter sets
- With integrated additional tensioning arms for high fabric tensioning

Scope of delivery Thule Omnistor 9200

Telescopic crank, support foot attachment to the wall, pegs and tension rod.

The Thule Omnistor 9200 with 230 V EM motor kit

- 230 VAC EM (= electrical-mechanical limit switch) Motor
- Remote control and control box included
- The control box ensures that the awning cannot be opened while driving
- Easy connection to a 230 VAC mains (if you have a 12V connection, you can use a 300 watt inverter)

Control box dimensions: 160 x 92 x 51 mm, motor cable length: 5 m, power supply: 4 x 0.75 mm². EMC approved, motor with thermal protection.

Mounting

It is essential to order one of the adapters listed on page 161.

Accessories for Thule Omnistor 9200

Thule Panorama Awning	Page 174
Thule Residence G3 awning tent	Page 173
Thule Windscreen, Sun- and Rainblocker	Page 170 - 171

Motor kit for Thule Omnistor 9200

for retrofitting a 230 V EM motor to existing awning.

Easy programming, with control box and remote control. Description see above

White	426722	700,-
Silver anodized	426723	700,-
Cream	426724	700,-



Suitable inverter 12 V to 230 V

for connecting the awning motor to the 12 volt on-board system.

Continuous power 500 W	82293	74,90
------------------------	-------	-------

Thule Omnistor 9200

Wide	400 cm	450 cm	500 cm	550 cm	600 cm
Excerpt	300 cm	300 cm	300 cm	300 cm	300 cm
Weight	41,0 kg	44,5 kg	48,0 kg	51,5 kg	55,0 kg

Housing color white

Mystic gray	428200	428210	428220	428230	428240
Sapphire blue	428202	428212	428222	428232	428242
Price	1589,-	1809,-	2019,-	2219,-	2389,-

Housing color white with 230 V EM motor*

Mystic gray	426748	426745	426749	426752	426755
Price	2159,-	2379,-	2589,-	2789,-	2959,-

Housing color silver anodized

Mystic gray	428204	428214	428223	428234	42825
Sapphire blue	428205	—	428225	428235	428250
Price	1629,-	1849,-	2059,-	2259,-	2429,-

Housing color silver anodized with 230 V EM motor*

Mystic gray	426743	426746	426750	426753	426756
Price	2199,-	2419,-	2629,-	2829,-	2999,-

Housing color cream

Mystic gray	42826	428260	428261	428262	—
Price	1589,-	1809,-	2019,-	2219,-	—

Housing color cream with 230 V EM motor*


Mystic gray	426744	426747	426751	426754	426757
Price	2159,-	2379,-	2589,-	2789,-	2959,-


*The weight increases by ca. 3 kg

Mounting system for flat roofs

Adapters are mounted on tilting and sliding cross rails. Awning closes with roof edge or keder rail. Is screwed to the edge strip. For awning widths up to 350 cm you need 1 x Set 2, for widths from 375 cm to 400 cm you need 1 x Set 3 and for widths from 450 cm you need you need 2 x set 2.

Set 2 with 2 mounting rails	43010	205,-
Set 3 with 3 mounting rails	43011	285,-



Roof mounting adapter for vans and buses


Renault / Opel
Renault Master,
Opel Movano
until yr. 2010
2 Holder **43023 168,-**




Mercedes / VW
Mercedes Sprinter from '06,
VW Crafter '06 to '17
Only for series high roof
3 Holder **43041 115,-**



VW Crafter
from YOM 2017
Only for series high roof H2
3 Holder **43048 351,-**
UK version **43055 351,-**



Fiat / Peugeot / Citroën
Fiat Ducato,
Peugeot Boxer, Citroën Jumper
1994-2006
2 Holder **43022 159,-**



For H2
Fiat Ducato, Peugeot Boxer, Citroën Jumper
from 2007,
Opel Movano from 2021
Set for awning width 325 cm
3-piece. **430092 199,-**
Set for width 375 and 400 cm
4-piece. **430093 214,-**

Thule Roof Rack for Fiat Ducato from 2007 with height H2
Longitudinal crossbars with adapter for awning mounting TO 6300

- Set of 2 base rails with SmartClamps ❶ and Awning fixings ❸.
- The roof must be 10 cm from the attachment points be free of obstacles to the inside.
- Mounting the SmartClamps ❶ at the original attachment points.
- The base rails ❷ are glued and connected to the SmartClamps.

Vehicle length	Awning	Item no.	Price
541 cm	3,25 m	41103	429,-
599 cm	3,75 m	41104	469,-
636 cm	4,00 m	41105	479,-



Roof girder crossbars
optionally available
(see carrier systems)




NEW 2023
TO 6200
Renault Master G2
Renault Master ≥ 2010 and
Opel Movano 2010 - 2021.
Master L2 = awning 550 cm
Master L3 = awning 600 cm
Master L4 = awning 670 cm
3 holders à 17,5 cm.
426780 199,-




Sealing tape self-adhesive,
25 x 30 mm, 2 x 200 cm.
For sealing between the awning
and the roof.
43292 53,-

Roof mounting adapter for motorhomes and caravans



TO 9200
TO 6200
TO 6300
Hobby Caravan 2009
2 x 27 cm + 2 x 50 cm
E7013 214,-



TO 9200
TO 6200
TO 6300
Hobby Premium and Ontour
2 x 27 cm + 2 x 50 cm
E4542 214,-



TO 9200
TO 6200
TO 6300
Hobby Caravan 2014
2 x 60 cm + 2 x 27 cm
E5488 214,-



TO 9200
TO 6200
TO 6300
Hobby Optima LED
Deluxe / Premium
2 x 50 cm + 2 x 27 cm
431103 214,-




TO 9200
TO 6200
TO 6300
Adria Roof Adapter
For caravan as of My. 2015,
awning widths of 2-6 m.
43134 214,-



TO 9200
TO 6200
TO 6300
Flat adapter
Also prevents the passage of
rainwater.
300 cm **43027 222,-**
350 cm **43028 248,-**
400 cm **43029 285,-**




TO 9200
TO 6200
TO 6300
Roof Top Adapter
For motorhomes & caravans
with flat roofs, 2 x 27 cm +
2 x 50 cm.
4 Holder **430410 173,-**



TO 9200
TO 6200
TO 6300
Carthago Malibu
Malibu adapter 4,50 m. Also
suitable for Fendt Caravan
Modellid as of 2020.
450 cm **430201 350,-**



TO 9200
TO 6300
Rapido
350 cm **430608 340,-**
400 cm **430609 377,-**
450 cm **430610 441,-**



TO 9200
TO 6200
TO 6300
**Rapido Distinction
Roof Adapter**
450 cm **43046 350,-**




TO 9200
TO 6200
TO 6300
Caravan Roof
Z. E.g. Dethleffs caravans
2014, Fendt caravans (except
Brillant), also LMC and Trigano
caravans
400 cm **431145 285,-**
450 cm **431146 350,-**
500 cm **431147 350,-**
550 cm **431148 419,-**




TO 9200
TO 6200
TO 6300
Hymer
Hymer 2013 caravans and
motorhomes, Eriba Nova
350 cm **43114 248,-**
400 cm **431140 285,-**
450 cm **431141 350,-**
500 cm **431142 350,-**
550 cm **431143 419,-**
600 cm **431144 419,-**




TO 9200
TO 6200
TO 6300
Carthago Chic from 2014
+ Malibu as of 2021
400 cm **430211 285,-**
450 cm **430212 350,-**
500 cm **430213 350,-**
Until YOM 2014
400 cm **E3741 285,-**
450 cm **43021 350,-**
500 cm **E3543 350,-**
550 cm **43109 419,-**



TO 9200
TO 6300
Caravan Roof LED
Integrated LED channel for
an optional LED. Suitable for
various vehicles: eg Kabe,
LeVoyageur Héritage
425 cm **426761 364,-**
450 cm **426762 364,-**
500 cm **426763 364,-**
550 cm **426764 432,-**
600 cm **426765 432,-**



TO 9200
TO 6300
Laika Kreos
for awning width 375-500 cm.
3 Holder **426782 214,-**



TO 9200
TO 6300
Laika Ecovip
for awning width 375-500 cm.
3 Holder **426781 214,-**

Thule Omnistor 5200 for motorhomes and vans



NEW
2023

Thule Omnistor 5200

Width cm	190	230	260	300	315	350	375	400	450	500
Extract cm	140	180	200	250	250	250	250	250	250	250
Weight kg	14,2	17,0	19,0	22,6	23,4	25,4	26,7	28,0	30,4	32,8

Housing color white

Mystic gray	42600	42601	42602	42603	–	42604	–	42605	42606	42666
Sapphire blue	42607	42608	42609	42610	–	42611	–	42612	42613	42667
Price	799,-	829,-	869,-	949,-		1039,-		1119,-	1239,-	1369,-

Housing color silver anodized

Mystic gray	42628	42629	42630	42631	–	42632	–	42633	42634	42668
Sapphire blue	–	–	–	–	–	42637	–	–	42639	426000
Price	824,-	854,-	894,-	974,-		1064,-		1144,-	1264,-	1394,-

Housing color anthracite

Mystic gray	–	–	42650	42651	42669	42652	42678	42653	426530	426001
Price			894,-	974,-	1064,-	1064,-	1104,-	1144,-	1264,-	1394,-

Thule Omnistor 5200 with 12 V motor* - housing color white

Mystic gray	–	–	–	42595	–	42599	–	42596	42597	426002
Price				1319,-		1409,-		1489,-	1609,-	1739,-

*The total weight of the awning with the motor increases by ca. 1 kg

Fast shade for caravans, compact motorhomes and vans

- Extension up to 2.50 m, width up to 5.00 m
- Housing with integrated rain gutter
- Robust and stable articulated arms with failure setting
- Thule Pitch System - Freely adjustable dropout angle
- Optimum fabric tension due to additional clamping arms (from 400 cm series, for 300 cm and 350 cm retrofittable with part no. 432960)
- Third support foot can be mounted optionally
- Cloth roll adjustment for perfect closure

Accessories for Omnistor 5200

Adapter sets for special mounting situations p. 166-167
Thule Awning Tents p. 172-174 Thule Windscreen, Sun- and Rainblocker p. 170-171 Thule Tension Poles p. 175

Additional Clamping arm set for 300 cm and 350 cm
432960 44,-

Additional support foot, recommended from 350 cm
E5049 84,-

Scope of delivery of Thule Omnistor 5200

3 or 4 adapters, depending on the width of the awning, for attachment to a vertical vehicle wall, telescopic crank, support foot attachment to d. Wall, pegs & tension rod.

12 Volt motor kit for Thule Omnistor 5200 for retrofitting to the existing awning. Width + 3 cm, weight + 600 g.



White **430751 480,-**
Silver anodized **430752 480,-**
Anthracite **430753 480,-**

Anthracite

Tent & LED Mounting Rail for Thule Omnistor 5200

for mounting under the awning. With keder rail for attaching tent EasyLink or QuickFit and mounting place for LED light strips.

Only with Thule Omnistor 5200



Thule Pitch System

The adjustable drop angle on the Thule Omnistor 5200's hinged arms allows the awning to be extended and retracted even when the door is open.



Optimal closure

Also new is a simple cloth roll adjustment for perfect closing on the opposite side of the gearbox.



	White	Silver	Anthracite	
300 cm	43149	431490	431491	119,-
350 cm	431492	431493	431494	119,-
400 cm	431495	431496	431497	129,-
450 cm	431498	431499	–	134,-

Thule Omnistor 8000

for large motorhomes and caravans



Noble wall awning with large extension for large motorhomes and caravans

- Largest extension of up to 275 cm - width up to 600 cm
- Housing in white, anodized or cream
- With integrated additional tensioning arms for high fabric tensioning
- Optional motor kit with remote control is available

Scope of delivery of Thule Omnistor 8000

3 or 4 adapters, depending on the length of the awning, for attachment to a vertical vehicle wall, telescopic crank, support foot attachment to the wall, pegs and tension rod.

The Thule Omnistor 8000 with 230 V EM motor kit

- 230 VAC EM (= electrical-mechanical limit switch) Motor
- Remote control and control box included
- The control box ensures that the awning cannot be opened while driving
- Easy connection to a 230 VAC mains (for a 12V connection you can use a 300 Watt inverter)

Control box dimensions: 160 x 92 x 51 mm, motor cable length: 5 m, power supply: 4 x 0.75 mm². EMC approved, motor with thermal protection.

Accessories for Thule Omnistor 8000

Adapter sets for special mounting situations	S. 166-167
Thule QuickFit awning tent	S. 172
Thule Panorama Awning	S. 174
Thule Residence G3 awning tent	S. 173
Thule Windscreen, Sun- and Rainblocker	S. 170-171

Motor kit for Thule Omnistor 8000

Description see above

Motor Kit 230 Volt EM White	426718	700,-
Motor kit 230 Volt EM silver anodized	426719	700,-
Motor Kit 230 Volt EM Cream	426720	700,-
Motor kit 230 Volt EM Anthracite	426721	700,-

Suitable inverter 12 V to 230 V

for connecting the awning motor to the 12 volt on-board system.

Continuous power 500 W	82293	74,90
------------------------	-------	-------

Thule Omnistor 8000					
Wide	400 cm	450 cm	500 cm	550 cm	600 cm
Excerpt	275 cm	275 cm	275 cm	275 cm	275 cm
Weight	41,4 kg	44,6 kg	48,2 kg	51,8 kg	55,4 kg
Housing color white					
Mystic gray	4323610	4323640	432370	4323600	4323602
Sapphire blue	4323620	4323650	4323670	4323350	-
Price	1429,-	1599,-	1879,-	2029,-	2179,-
Housing color white with 230 V motor*					
Mystic gray	426725	426728	426731	426735	426739
Price	1999,-	2169,-	2449,-	2599,-	2749,-
Housing color silver anodized					
Mystic gray	4323810	432383	432389	4323800	4323802
Sapphire blue	-	432386	4323870	-	-
Price	1469,-	1639,-	1919,-	2069,-	2219,-
Housing color silver anodized with 230 V motor*					
Mystic gray	426726	426729	426732	426736	426740
Price	2039,-	2209,-	2489,-	2639,-	2789,-
Housing color cream					
Mystic gray	432355	432356	432357	432358	432359
Price	1429,-	1599,-	1879,-	2029,-	2179,-
Housing color Cream with 230 V motor with 230 V motor*					
Mystic gray	426727	426730	426733	426737	426741
Price	1999,-	2169,-	2449,-	2599,-	2749,-
Housing color anthracite with 230 V motor*					
Mystic gray	-	-	426734	426738	426742
Price	-	-	2489,-	2639,-	2789,-

*The total weight of the awning with the motor increases by ca. 2 kg



Motor kit for Thule Omnistor 8000

Give your awning a long life

with the professional-
Cleaning agents



① **Awning cleaner
for natural & synthetic fabrics**

1000 ml **61417** **20,95**
Attention:: H315, H319

② **THULE PVC cleaner
in the pump spray bottle
for easy cleaning of awning cloths.**
500 ml **E6100** **9,99**
GP* 19,98 / 1 Liter

③ **Mold Remover** Removes thoroughly and automatically mold, mildew stains and musty odor from all types of fabrics and protects against new infestation.

500 ml **61440** **13,50**
GP* 27,00 / 1 liter
Danger: H290, H314, H400, H412, EUH031, EUH206

④ **Impregnating concentrate**
4-fold impregnation concentrate for all canopies, sun sails, awnings, tents, parasols and similar fabrics. Solvent free.

1000 ml **61445** **27,95**

⑤ **Tent cleaner and waterproofing agent**

Also for parasols and clothing; breathable. Against electrostatic charge.
1000 ml **61409** **24,95**
Danger: H225, H315, H319, H304, H336, H411, EUH066

⑥ **Seam seal**
Sealed water repellent and weather resistant. Makes leaking seams in tents, awnings, tarpaulins or clothing waterproof again.

100 ml **61446** **10,50**
GP* 105,00 / 1 Liter
Danger: H225, H319, H336

⑦ **Seam sealant with brush**
Ready-to-use seam sealer in a practical brush can. Seals all seams and makes leaking seams waterproof again.

100 ml **61447** **14,95**
GP* 149,50 / 1 Liter
Danger: H225, H315, H319, H335, H336, H411, EUH066

GP* = Base price per specified unit

Thule Omnistor 4200

Lightweight awning for compact vans



TO 4200

- Suitable for a wide range of compact vans
- Special removable adapters for the REIMO Multirail
- Perfect fixation of the support feet
- Stowage of the support feet in the front panel
- Lightest in its category: 17.5 kg for 2.60 m length

Scope of delivery:

Awning TO 4200 in width 260 cm or 300 cm with crank. Suitable, vehicle-specific adapters must be ordered separately. Case: White, Silver or Anthracite, Cloth: Mystic Gray.

Accessories for Omnistor 4200:

Vehicle specific adapters	Page 166-167
REIMO Multirail	Page 101
Thule Residence G3 Awning Tent	Page 173
Thule Sun and Rain Blocker	Page 170-171
Thule Windscreen	Page 171

Thule Omnistor 4200

Width cm	260	300
Extract cm	200	250
Weight kg	17,5	19,7

Housing color white

Mystic gray	426771	426773
Price	742,-	810,-

Housing color silver anodized

Mystic gray	426772	426774
Price	742,-	810,-

Housing color anthracite

Mystic gray	426700	426701
Price	779,-	849,-

Patented cloth roll support:

The cloth roll support improves the fabric tension and reduces the risk of wrinkling in the cloth.

Intelligent innovation:

The support feet swivel vertically out of the front bar: no risk of damage to the vehicle wall.

Improved support: The support feet are held in position so that they do not fall out of the front panel when the awning is opened.

Perfect fixation: Strong clamping force of the support feet to cope with the high loads of mark-tents and guy ropes.

Adapter selection

Mounting example of a Multirail-Adapter on the REIMO Multirail

① Thule Rainblocker complete set

to extend the awning (width 260 cm) to the awning.

Scope of delivery: 2x Rainblocker Front XS, W 130 cm, H 185 cm, 2x Rainblocker Side XS, transport bag
Weight ca. 11 kg

NEW Thule Residence G3 B 260 cm	42925	1775,-
--	--------------	---------------

② Rain Blocker G2 Front - Front wall with window

Wide	Height	Item no.	Price
130 cm	185 cm	430841	164,-

③ Rain Blocker G2 Side - side panel with window

Excerpt	Type	Height	Item no.	Price
200 cm	XS	180 - 199 cm	430883	269,-

④ Sun Blocker G2 Front - front wall mesh fabric

Wide	Height	Item no.	Price
100 cm	170 cm	430873	134,-
240 cm	170 cm	430874	159,-

o.Fig. View Blocker Front - front wall without window

Wide	Height	Item no.	Price
240 cm	140 cm	430822	149,-




Wall mounting adapter for motorhomes and caravans



TO 4200
TO 5200
TO 8000

Hymer 2016
400 cm **430634** 285,-
450 cm **E10323** 350,-



TO 4200
TO 5200
TO 8000

Hymer C-Camp ≤ 2011
300 cm **E1691** 222,-
350 cm **43101** 248,-
400 cm **43102** 285,-
450 cm **43104** 350,-
500 cm **43103** 350,-
550 cm **43100** 419,-




TO 4200
TO 5200
TO 8000

Hymer B2 - VAN
350 cm **43110** 248,-
400 cm **43111** 285,-
450 cm **43112** 350,-
500 cm **43113** 350,-



TO 4200
TO 5200

Eriba Touring until My. 07
3x4 cm
3 Holder **43108** 129,-



TO 5200

Bürstner 2017
2x40 cm + 2x8 cm
4 Holder **43007** 108,-



TO 5200
TO 8000

Wall adapter Frankia
350 cm **430601** 248,-
400 cm **430602** 285,-
450 cm **430603** 350,-
500 cm **430604** 350,-
550 cm **430605** 419,-
600 cm **430606** 419,-



TO 4200
TO 5200
TO 8000

Dethleffs Globebus
300 cm **430790** 47,-
350 cm **43079** 61,-
400 cm **43080** 80,-
> 400 cm **430801** 80,-



TO 4200
TO 5200
TO 8000

Carado / Sunlight
1x17,5cm + 1x40cm + 1x4cm
3 Holder **43135** 172,-



TO 5200

Hobby Optima Ontour
2x40 cm + 2x8 cm
4 Holder **43008** 158,-



TO 5200

Knaus 2017
2x17,5 cm + 2x4 cm
4 Holder **43005** 108,-



TO 5200

Knaus Deseo
350 cm **43006** 407,-



TO 4200
TO 5200
TO 8000

Rapido 7
3 Holder **SA655** 172,-
300 cm **E1507** 222,-
400 cm **SA174** 285,-
500 cm **E4577** 350,-




TO 4200
TO 5200
TO 8000

Rapido 9
4 Holder **SA444** 91,-




TO 4200
TO 5200
TO 8000

Universal Flat Adapter
5 x 40 cm **430415** 145,-
5 x 75 cm **E7099** 160,-
300 cm **SA865** 197,-
400 cm **430416** 253,-
500 cm **430417** 314,-
600 cm **E4957** 373,-




TO 4200
TO 5200
TO 8000

Pilote Explorateur
400 cm **E2957** 285,-



TO 4200
TO 5200
TO 8000

Eden / Allegro ≥ 2010
3 Holder **43004** 129,-



TO 4200
TO 5200
TO 8000

Eden / Allegro ≤ 2010
3 Holder **E8782** 129,-
400 cm **E8074** 285,-


NEW 2023



TO 4200
TO 5200

Bailey
Awning width 400-450 cm,
not for motorhome Autograph
81-6, for caravans only with TO
4200, 5 holders à 15 cm.
426783 160,-

NEW 2023



TO 3200
TO 4200
TO 5200

Omni Wall
Universal adapter for various,
universal attachment to motor-
homes / caravans,
2 x 8 cm + 1 x 4 cm
3 Holder **426784** 124,-

NEW 2023



TO 3200
TO 4200
TO 5200

Omni Roof
Universal roof adapter
for mounting on the roof of
motorhomes / caravans,
3 x 8 cm
3 Holder **426785** 129,-



TO 5200

Ducato H2 Lift Roof
315 cm **430637** 329,-
375cm **430638** 359,-
400 cm **430639** 359,-



TO 4200
TO 5200

Fiat Ducato & Iveco
Adapter Fiat Ducato H2
with folding sleeping roof.
3 holder à 17,5 cm
430631 172,-



TO 4200
TO 5200

Fiat from My. 2007 - H3
Adapter Fiat Ducato and
similar with H3 series roof.
Incl. Sealing tape.
3 holders: 2x50 cm + 1x10 cm
430632 138,-



TO 3200
TO 4200
TO 5200

Fiat until My. 2006
Fiat Ducato,
Peugeot Boxer,
Citroen Jumper
for series high roof H2
3 Holder **43063** 104,-
NEW **426786** 104,-

Wall mounting adapter for vans and buses


TO 3200
TO 4200
TO 5200

Brandrup T4/T5/T6
Brandrup Rail,
for special rain gutter.
2 holder á 8 cm.
43025 113,-

Also suitable for
UK

TO 4200
TO 5200



**VW T4 Brandrup Rail
G2**
to screw on
430607 169,-

Also with folding sleeping roof

TO 4200

Adapter for the Reimo Multirail

For VW T5/T6/T6.1:

Short wheelbase	426704	189,-
Long wheelbase	426706	197,-
UK short wheelbase	426705	189,-
UK long wheelbase	426707	197,-
Mercedes Vito	426766	319,-

Fig. shows
MB adapter




Fig. shows VW
adapter



TO 3200
TO 4200
TO 5200



VW T4
Sleeping roof adapter
2 holder á 8 cm
43026 121,-


NEW 2023

TO 4200
TO 5200



VW T4
to screw on,
2 holders á 8 cm.
426789 121,-

TO 4200
TO 5200



**VW T4/T5
Minivan Fixed**
For sleeping roof
426702 138,-
UK **426703 138,-**

TO 4200



**Westfalia Kepler Five/
One/Six**
Five = awnings 260 cm
One & Six = awning 300 cm
426712 169,-

TO 3200



**Westfalia Kepler Five/
One/Six**
Five = 270 cm
One & Six = 300 cm
426758 169,-

NEW 2023

TO 4200
TO 5200



VW T2 / T3
3 holders: 2x8 cm + 1x4 cm
426788 159,-


NEW 2023

TO 4200



PSA Minivan G2
for vehicle length 495 cm, 2 holders, awning width 260 cm,
Peugeot Traveller/Expert ≥ 16
Citroën Spacetourer/Jumpy ≥ 16
Fiat Scudo ≥ 16
Toyota Proace (Verso) ≥ 16
Opel Zafira/Vivaro ≥ 19
426778 189,-
UK **426779 189,-**

TO 5200



PSA Minivan Fixed
Peugeot Traveller/Expert ≥ 16
Citroën Spacetourer/Jumpy ≥ 16
Fiat Scudo ≥ 16
Toyota Proace (Verso) ≥ 16
Opel Zafira/Vivaro ≥ 19
426708 169,-
UK **426709 169,-**

NEW 2023

TO 3200
TO 4200
TO 5200
TO 8000



Renault / Opel
Adapter Renault Master until 2010, Opel Movano
Series high roof as of My. 1998,
3 Holder **426787 197,-**

High roof H3


TO 4200
TO 5200
TO 8000



Renault / Opel
Adapter Renault Master until My. 2010, Opel Movano with high roof.
2 holders á 50 cm
430630 138,-

Also suitable
for UK

TO 4200
TO 5200




Renault / Opel
Renault Trafic all model years,
Opel Vivaro until 2019.
With and without pop-up roof.
2x50 cm. **43105 129,-**

TO 4200
TO 5200




Westfalia adapter
For vehicles with high roof
and side mounting points. 3
holders á 8 cm. **430633 101,-**

TO 4200
TO 5200



Westfalia Ford Nugget
2 holders á 12 cm. For awning
260 cm. **430600 101,-**


TO 4200
TO 5200



Ford Transit/Tourneo Custom Minivan Fixed
426710 169,-
UK **426711 169,-**


NEW 2023

TO 5200



Ford Transit H3
for Transit ≥ 2014, 3 holder
Awning width 300 cm for Transit L2 (550cm)
Awning width 350 cm for Transit L3 (600cm)
Awning width 400 cm for Transit L4 (670cm)
426776 197,-
UK **426777 197,-**

TO 5200
TO 4200




Mercedes Vito/V-Class
with SCA pop-up roof 152
For awnings 260 cm
426713 189,-

TO 4200
TO 5200
TO 8000



Ford Transit
High roof adapter,
3 holders: 2x50 cm + 1x50
cm
E2069 91,-

TO 5200



Ford Transit
High roof adapter,
For H3 - 2014,
426759 172,-

TO 3200
TO 4200
TO 5200



Van adapter
For vehicles with rain gutter,
2 holders each 4 cm & 8 cm.
Incl. 2 different angles.
43051 121,-

Thule Omnistor 3200 for vans and camping buses



- Very large extension of 250 cm
- Small cassette with light weight
- Manually unrollable - one-man operation
- Soft, water-repellent cloth made of polypropylene.
- Cloth tensioning system with ratchet technology

- Quick Lock system for variable height adjustment of the support feet
- Contemporary look, perfect integration on the vehicle

THULE 3200

Wide	190 cm	230 cm	250 cm	270 cm	300 cm
Excerpt	250 cm	250 cm	250 cm	250 cm	250 cm
Weight	12,0 kg	13,8 kg	14,7 kg	15,6 kg	16,9 kg

Housing silver anodized

Uni gray	—	—	426800	426801	426802
Price	—	—	649,—	669,—	689,—

Housing Black

Uni gray	426803	426804	426805	426806	426807
Price	629,—	649,—	669,—	689,—	709,—

Scope of delivery:

Awning for manual operation. A vehicle-specific adapter is required for mounting (please also order).

Accessories for THULE 3200:

Thule Sun and Rain Blocker
Page 170-171


Thule Rainblocker Sets T3200

Front set with height 185 cm,
Width 250 cm (112+127 cm),
2-piece **430064**

Front set with height 185 cm,
Width 270 cm (112+147 cm),
2-piece **430066**

Front set with height 185 cm,
Width 300 cm (112+181 cm),
2-piece **430067**

Mounting adapter THULE 3200



Wall Adapter Flat Wall

Also suitable for UK.

42688 56,—

Roof adapter Roof Rack

Also suitable for UK.


42689 98,—



VW T5/T6 Fixed

For fixed mounting on the VW bus.


42690 138,—
UK 42696 138,—



VW T5/T6 Multirail

For mounting on the REIMO Multirail.

KR 42691 189,—
KR UK 42697 189,—
LR 426911 197,—
LR UK 426971 197,—



VW T5/T6 Brandrup

For mounting on a Brandrup rain gutter.

42692 169,—



Citroën Spacetourer

Peugeot Traveller, Toyota Verso and Opel Zafira D.

42693 169,—
UK 42699 169,—



Ford Custom

Fixed mounting on Ford Transit/Tourneo Custom.

42694 169,—
UK 42679 169,—



Renault Trafic

Fixed mounting also on Vivaro/Talento/NV300. Also suitable for UK.

42695 129,—

More adapters one page before

Thule Omnistor 5102 Special awning for VW T5/T6/T6.1



If VW Original rail not available, please purchase via VW.

Adapter

VW T5/T6/T6.1 LHD	426716	138,—
VW T5/T6/T6.1 RHD	426717	138,—
Hymer Car 302 - Ducato H1	E3758	121,—

For T5/T6 Transporter or Multivan

- For VW Multivan or Transporter from My. 2003*
- With 90 cm long crank adapted to the height of the vehicle - quick to extend
- For flat roof with C-rail on the roof
- Rail can also be retrofitted (available from VW dealers)

Thule Omnistor 5102

Wide	260 cm
Excerpt	200 cm
Weight	19,8 kg
Housing anthracite	426714 879,—
Housing light gray	426715 879,—

Accessories for Omnistor 5102:

Thule Residence G3 awning tent
for VW Transporter/Multivan T5/T6

Color gray **433012 1775,—**

Thule awning Residence Page 173
Thule Sun and Rain Blocker Page 170-171
Thule Windscreen Page 171

Scope of delivery: Awning without adapter.

***Not suitable for vehicles with high or pop-up roof.**

Thule Omnistor 1200

large pullout in compact envelope



THULE Omnistor 1200 - Caravan awning in case

- Attachment by pulling into the keder rail
- Toolless assembly
- Easy and fast set up
- Support legs and clamping arms in the front bar
- Cover and cloth made of high quality PVC
- New type of fabric tensioning system with ratchet
- Additional support foot for awnings from 400 cm

The Thule Omnistor 1200 is an extremely light-weight and strong pocket awning in compact PVC cover with sewn piping and zipper. The assembly is done simply by pulling in the Bag into the welt rail - without tools, without drilling.

Wide	230 cm	260 cm	300 cm	325 cm	350 cm	375 cm	400 cm	425 cm	450 cm	500 cm	550 cm
Excerpt	200 cm	220 cm	250 cm	250 cm	250 cm	250 cm	250 cm	250 cm	250 cm	250 cm	250 cm
Weight	9 kg	10,4 kg	12 kg	12,6 kg	13,4 kg	14,2 kg	15 kg	15,3 kg	16,6 kg	18,4 kg	20 kg
Mystic gray	42416	42400	42402	42404	42406	42408	42410	42412	42414	42418	42420
Sapphire blue	42417	42401	42403	—	42407	42409	42411	42413	42415	42419	42421
Price	529,—	539,—	549,—	559,—	579,—	599,—	639,—	679,—	729,—	779,—	829,—



Support Kit

The pressure of the clamping arms is evenly distributed on the caravan wall.



Cloth tensioning system

Perfect tension of the cloth with the help of the new ratchet technology



Additional support foot

additional for awnings from 4 m
E5049 84,—

Accessories for Thule Omnistor 1200

Thule QuickFit awning tent p. 172
Thule Sun and Rain Blocker p. 170-171
Tie rods and accessories p. 175





Modular, combinable blocker system G2

- Side parts (Side) incl. aluminum tension rod for fastening
- With keder profile for retracting the side wall
- Delivery includes pegs and guy ropes
- Front wall (front) is pulled into the keder rail of the awnings

Aluminum rafter -
Tension rod with
piping

Connector
Support
foot

PVC fabric

roll up
Front parts

Quick-
Connector



Sun Blocker G2

- Lightweight translucent mesh fabric
- Protection against sun rays
- Side panels incl. aluminum tension rod for fastening with keder profile for retracting the side panel

③ Sun Blocker G2 Side - side panel

Awning type	Excerpt Type	Mounting height	Item no.	Price
T 3200 (Van/SUV)	250 cm XS	180 -199 cm	430802	254,-
TO 5200/5003/5102/6200/6300	200 cm S	190 -224 cm	430880	254,-
TO 5200/5003/6200/6300	250 cm M	225 -244 cm	430851	254,-
TO 5200/5003/6200/6300	250 cm L	245 -264 cm	430852	254,-
TO 6900/8000	275 cm M	225 -244 cm	430853	274,-
TO 6900/8000	275 cm L	245 -264 cm	430854	274,-
TO 9200	300 cm M	225 -244 cm	430855	304,-
TO 9200	300 cm L	245 -264 cm	430856	304,-
TO 1200	250 cm M	225 -249 cm	430882	254,-

④ Sun Blocker G2 Front - Front Wall

Awning type	Wide	Height	Item no.	Price
	100 cm	170 cm	430873	134,-
	240 cm	170 cm	430874	159,-
	280 cm	170 cm	430875	174,-
for all	330 cm	170 cm	430876	189,-
Thule Omnistor	380 cm	170 cm	430877	199,-
Awnings	430 cm	170 cm	430878	209,-
	480 cm	170 cm	430879	229,-



View Blocker perfect privacy screen

- Protection against rain, wind and sun
- Made of weatherproof PVC
- Side panels incl. aluminum tension rod for fastening with keder profile for retracting the side panel

⑤ View Blocker Side - side panel

Awning type	Excerpt Type	Mounting height	Item no.	Price
TO 5200/5003/6200/6300	200 cm S	205-224 cm	430887	269,-
TO 5200/5003/6200/6300	250 cm S	205-224 cm	430888	269,-
TO 5200/5003/6200/6300	250 cm M	225-244 cm	430831	269,-
TO 1200/5200/5003/6200/6300	250 cm L	235-254 cm	430886	269,-
TO 5200/5003/6200/6300	250 cm L	245-264 cm	430832	269,-



⑥ View Blocker Front - Front Wall

Awning type	Wide	Height	Item no.	Price
	240 cm	140 cm	430822	149,-
	280 cm	140 cm	430823	154,-
for all	330 cm	140 cm	430824	159,-
Thule Omnistor	380 cm	140 cm	430825	164,-
Awnings	430 cm	140 cm	430826	194,-
	480 cm	140 cm	430827	214,-

Thule Windscreen - windbreak for all types of awnings


Self rolling windbreak made of easy-care PVC fabric.

150 cm high and extendable up to 300 cm. Quickly attaches the windshield to the support leg wall bracket or vehicle keder rail. Simply unroll and attach to awning support foot or free-standing with the supplied guy set set up.

Includes carrying bag and Mounting material, guy ropes and herrings.

Weight 4,5 kg


Pack size 160 x 10 x 12 cm



44590

254,-

Usable for
all types of awnings



Rain Blocker G2 front parts

- Made of waterproof PVC with large window
- St protects from sun, wind and rain
- Different width front parts can be combined with each other

① Rain Blocker G2 Front - Front Wall

Awning type	Wide	Height	Item no.	Price
	112 cm	185 cm	430804	159,-
Combinable with Side XS	127 cm	185 cm	430841	164,-
Suitable also	147 cm	185 cm	430806	174,-
for T 3200	181 cm	185 cm	430807	194,-
and TO 4900	250 cm	185 cm	430064	
	270 cm	185 cm	430066	
	125 cm	210 cm	430842	164,-
Combinable with	150 cm	210 cm	430843	174,-
Side S and TO 1200	175 cm	210 cm	430844	194,-
	200 cm	210 cm	430845	209,-
	100 cm	230 cm	430857	154,-
Combinable with	150 cm	230 cm	430858	174,-
Side M, L, XL, XXL	175 cm	230 cm	430859	194,-
and G2C (Caravan)	200 cm	230 cm	430860	209,-

Rain Blocker G2 Front - Front wall sets for TO 4900

Awning type	Total width	Height	Item no.	Price
Combinable with Side XS	260 cm	185 cm	430065	294,-
for TO 4900	Set of 2 parts with width of 127 cm each			
	300 cm	185 cm	430067	
	Set of 2 parts with width 112 cm + 181 cm			

also for VW T5/T6



Rain Blocker G2 side panels

- Made of waterproof PVC with panoramic window
- St protects from sun, wind and rain
- Side panels incl. aluminum tension rod for fastening with keder profile for retracting the side panel

② Rain Blocker G2 Side - side panel

Awning type	Excerpt	Type	Mounting height	Item no.	Price
T 3200 (Van/SUV)	250 cm	XS	180 -199 cm	430803	269,-
TO 5200/4900/5102/VW California	200 cm	XS	180 -199 cm	430883	269,-
TO 5200/5003/5102/6200/6300	200 cm	S	205 -224 cm	430881	269,-
TO 5200/5003/6200/6300	250 cm	S	205 -224 cm	430861	269,-
TO 5200/5003/6200/6300	250 cm	M	225 -244 cm	430862	269,-
TO 5200/5003/6200/6300	250 cm	L	245 -264 cm	430863	269,-
TO 5200/5003/6200/6300	250 cm	XL	265 -284 cm	430864	269,-
NEW TO 5200 Fiat Ducato H2	250 cm		230 -250 cm	430891	269,-
NEW TO 5200 Ford Transit H3	250 cm		245 -264 cm	430890	269,-
TO 6200/6300 (Caravan)	200 cm	G2C	235 -254 cm	430889	269,-
TO 6200/6300 (Caravan)	250 cm	G2C	235 -254 cm	430800	269,-
TO 8000	275 cm	M	225 -244 cm	430865	289,-
TO 8000	275 cm	L	245 -264 cm	430866	289,-
TO 8000	275 cm	XL	265 -284 cm	430867	289,-
TO 8000	275 cm	XXL	285 -304 cm	430884	289,-
TO 9200	300 cm	M	225 -244 cm	430868	319,-
TO 9200	300 cm	L	245 -264 cm	430869	319,-
TO 9200	300 cm	XL	265 -284 cm	430870	319,-
TO 9200	300 cm	XXL	285 -304 cm	430885	319,-
TO 6200/6300 - Fiat Ducato	250 cm		230 -250 cm	430872	269,-

Awning QuickFit
also for FIAT Ducato
on page 158

Quick pitch tent to hang under

- Universal fit - suitable for almost any type of awning
- Light weight, small pack size
- Is hung under the awning, creating a double insulating roof
- Round arch canopy protects during rain
- Includes floor skirt, curtains & bag
- Front window can be opened completely

Scope of delivery:

Tent, pack bag (measure ca. 70 x 35 x 35 cm), pegs, Curtains and windbreak to prevent drafts under can pull the vehicle.



Only 15 minutes assembly time

Thule QuickFit



Thule QuickFit - awning tent for ultrafast assembly

Tent width	Mounting height	in cm	for awning width	Weight	Item no.	Price
260 cm	Medium	225 - 244	300 cm	15,7 kg	43214	889,-
260 cm	Large	245 - 264	300 cm	16,1 kg	432140	909,-
260 cm	Extra-Large	265 - 284	300 cm	16,4 kg	4321411	929,-
310 cm	Medium	225 - 244	350 cm	16,7 kg	432148	919,-
310 cm	Large	245 - 264	350 cm	17,1 kg	432149	939,-
310 cm	Extra-Large	265 - 284	350 cm	17,4 kg	4321412	959,-
360 cm	Medium	225 - 244	400 cm	17,7 kg	432141	949,-
360 cm	Large	245 - 264	400 cm	18,1 kg	432142	969,-
360 cm	Extra-Large	265 - 284	400 cm	18,4 kg	4321413	989,-

Assembly note

Mounting is possible under the awning if ...

... a roof or wall awning is installed and an 8 mm keder rail is still accessible underneath.

... an awning is installed and there is no keder rail underneath. However, then a Mounting set necessary.


Accessories for awning QuickFit



Side Tensioning Kit

Fixation set consisting of two flex rods for additional bracing of the side walls.


432147 49,-



The windows can be replaced with mosquito inserts.
How to create an airy living space

Mosquito net inserts

for side wall	432150	174,-
for front wall 260 cm	4321501	199,-
for front wall 300/310 cm	4321502	209,-
for front wall 360 cm	4321503	219,-



Mounting sets QuickFit

...Roof awnings

Thule Omnistor 6200, 6300 and 9200 up to 400 cm wide.
3 rails á 130 cm

432143 49,-

Side wall awnings

Keder rail in 400 cm length

White **4321430 49,-**

Anthracite **4321431 49,-**

...Caravan awnings

Thule Omnistor 1200 to 450 cm

Awning width **4321471 49,-**

Mounting kit for awnings with extension over 250 cm



For mounting on awnings with an extension 275 cm to 300 cm. The greater distance is bridged with this set.

8 parts **432146 29,-**

Mounting set for FIAMMA awnings



Special set for mounting the tent on Fiamma awnings.

8 parts. **4321470 29,-**

Thule Residence G3

Exclusive awning awning

• High quality cloth material made of PVC

Excellent PVC cloth quality for optimal wind and water resistance in the colors black, gray and white.

• Robust sealing

A profile with double rubber lips creates a perfect seal between the vehicle wall and the tent walls. Thanks to connecting profiles, front and side walls can be combined to form a closed tent.

• Installation

A clamping profile ensures the connection of the side wall with the awning cloth for a perfect roof seal. The side panels slide into the clamping profile, the front panel is pulled into the front profile of the awning. From a width of 350 cm, the door can be used on the left or right.

• Protection

The side windows are equipped from the outside with a window film that can be opened by zipper. For insect protection, a fly gauze is standard on both side walls.

Incl. Packing bags for tent skin, poles and accessories



Color combination

Black

Silver

White



- 1 Incl. Windshield and Wheel cover
- 2 Side windows with mosquito nets and foil cover
- 3 Front wall with door right or left from width 350 cm
- 4 Windows in front and door can be rolled up
- 5 Piping on front to accommodate accessories, such as Sun Blocker

NEW
2023

DUC = sizes for Fiat Ducato H2
FT = sizes for Ford Transit H3

Residence G3 for Eriba Touring



Complete tent

A true outdoor living room. Special model for an Eriba Touring caravan in combination with Thule Omnistor 6300 roof awning (for 325 cm). Incl. Wind skirt, wheel cover and pannier.

433010 1975,--

Residence G3 for VW T5/VW T6 - also California / MB Vito



Complete tent

for mounting VW T5/T6 Transporter or California with short wheelbase or MB Vito. Front, side panels and all mounting parts. Width 260 cm.

NEW 2023
for TO 5102 433012 1775,--
for TO 4200 42925 1775,--

Accessories for Thule Residence G3:

Curtain sets		see below
Thule Sun Blocker Front G2		S. 170
Windshield (as a replacement)		S. 175
Connection profiles for accessories		
Double piping 6 x 1m	42908	55,--

Side walls (in pairs, only for vehicles with straight walls)

Mounting height	TO 5003/5200	Price	TO 6200/6300	Price	TO 6900	Price	TO 8000	Price	TO 8000	Price	TO 9200	Price
Awning	Extension 250 cm		Extension 250 cm		Extension 275 cm		Extension 250 cm		Extension 275 cm		Extension 300 cm	
S (215 - 230 cm)	42901	1450,--	429011	1450,--	—	—	—	—	429014	1600,--	—	—
M (230 - 245 cm)	42902	1450,--	429021	1450,--	429022	1600,--	—	—	429024	1600,--	429025	1700,--
DUC (230 - 250 cm)	42900	1450,--	42900	1450,--	—	—	—	—	—	—	—	—
NEW FT (245 - 264 cm)	42924	1450,--	—	—	—	—	—	—	—	—	—	—
L (245 - 260 cm)	42903	1450,--	429031	1450,--	—	—	—	—	429034	1600,--	429035	1700,--
XL (260 - 275 cm)	42904	1500,--	429041	1500,--	429042	1650,--	429043	—	429044	1650,--	429045	1750,--
XXL (275 - 290 cm)	42905	1550,--	429051	1550,--	429052	1700,--	—	—	429054	1700,--	429055	1800,--
3XL (290 - 310 cm)	42906	1650,--	429061	1650,--	429062	1800,--	—	—	429064	1800,--	429065	1900,--

Front walls

Awning width	300 cm	315 cm	325 cm	350 cm	375 cm	400 cm	425 cm	450 cm	500 cm	550 cm	600 cm
Heights S, M, L, XL	42915		429151	429152	429153	429154	429155	429156	429157	429158	429159
Price	580,--		630,--	630,--	680,--	680,--	730,--	730,--	840,--	890,--	940,--
NEW Heights DUC & FT	42919	42918	42920	42921	42922	42923	—	—	—	—	—
Price	580,--	630,--	630,--	630,--	680,--	680,--	—	—	—	—	—
Heights XXL, 3XL	42916	—	429161	429162	429163	429164	429165	429166	429167	429168	429169
Price	700,--	—	750,--	750,--	1420,--	800,--	850,--	850,--	960,--	1010,--	1060,--

Curtain sets for Residence G3 - fabric color gray





Wide	Color gray	Price
350 - 400 cm	42912	229,--
425 - 500 cm	42913	249,--
550 - 600 cm	42914	274,--

Weights:

The weight for a complete tent in 300 cm medium is about 27.0 kg, at 600 cm Large ca. 35.5 kg.



Awning Panorama also for
FIAT Ducato with TO 6300
see page 158



Optionally, the side walls can
be removed and replaced by
mosquito nets

Color combination

Thule Panorama

Premium awning awning

- **High quality cloth material AIRTEX®**
made of 100% polyester, coated on one side with acrylate and teflon based impregnation. A fungicide coating prevents mold. It absorbs virtually no moisture and is water resistant and washable.
- **Problem-free assembly, high stability**
and neatly stowed in 2 packing bags. The front wall is pulled into the front profile of the awning. Side wall attachment is done with a clamping profile. With large window areas, the outdoor feeling is created. All sides are fully removable with zippers.
- **Intelligent ventilation**
via openings on both sides that allow perfect air circulation. Both side windows have mosquito nets.



Mosquito net inserts for Panorama


Mosquito net side wall	432736	304,-
Mosquito net front wall (for 400-600 cm)	432737	284,-

Panorama - Premium complete awning tent for Thule Omnistor awnings

Awning-type	Mounting height the awning (to lower edge of housing)	Awning width												432737		284,-	
		300 cm	Price	350 cm	Price	400 cm	Price	450 cm	Price	500 cm	Price	550 cm	Price	600 cm	Price		
8000	Medium (230 - 244 cm)	—		—		43182	3110,-	431821	3110,-	431822	3190,-	431823	3190,-	431824	3270,-		
	Large (245 - 259 cm)	—		—		43183	3110,-	431831	3110,-	431832	3190,-	431833	3190,-	431834	3270,-		
	Extra-Large (260 - 274 cm)	—		—		431835	3190,-	431836	3190,-	431837	3270,-	431838	3270,-	431839	3350,-		
9200	Medium (230 - 244 cm)	—		—		43195	3270,-	431951	3270,-	431954	3350,-	431955	3350,-	—			
	Large (245 - 259 cm)	—		—		43196	3270,-	431961	3270,-	431964	3350,-	431965	3350,-	431966	3430,-		
	Extra-Large (260 - 274 cm)	—		—		431967	3350,-	431968	3350,-	431969	3430,-	431970	3430,-	431971	3510,-		
NEW 2023 5200 5300	Medium (230 - 244 cm)	431870	2630,-	431871	2710,-	431872	2790,-	431873	2870,-	431881	2950,-		1 Thule awning 2 Side window with Mosquito nets 3 Front wall with door openings right and left				
	Large (245 - 259 cm)	431874	2630,-	431875	2710,-	431876	2790,-	431877	2870,-	431880	2950,-						
	Extra-Large (260 - 274 cm)	—		—		431878	2870,-	431879	2950,-	431882	3030,-						
6002	Medium (230 - 244 cm)	43184	2630,-	431841	2710,-	431842	2790,-	431843	2870,-								
6200	Large (245 - 259 cm)	43185	2630,-	431851	2710,-	431852	2790,-	431853	2870,-								
6300	Extra-Large (260 - 274 cm)	—		—		431854	2870,-	431855	2950,-								

Panorama - complete awning for Opel Movano ≥ 2022, Fiat Ducato and similar

Awning-type	Mounting height the awning (to lower edge of housing)	Awning width							
		300 cm	Price	315 cm	Price	350 cm	Price	375 cm	Price
NEW 2023 5200	230 - 250 cm	431883	2630,-	431884	2710,-	431885	2710,-	431792	2790,-
								431793	2790,-



Awning Thule Veduta

Width 400 cm	431825	3090,-
Width 425 cm	431826	3170,-
Width 450 cm	431827	3170,-
Width 500 cm	431828	3250,-

Included

The floor with double windbreak for protection from dirt and rain. Wind skirt and wheel cover included. Two panniers.

Accessories

Sun Blocker Page 170
Garda set 42914

274,-

Thule Veduta

Awning awning for caravan

Use only in combination with a roof awning TO 6300/6200 mounted on the caravan (mounting height 245-259 cm). With sloping front wall for maximum living space and extra sense of space.

- **Cloth material AIRTEX®**
AIRTEX® is ideal for awnings. The lightweight fabric (200g/m²) is made of 100% polyester and is coated on one side with acrylate and impregnated.
- **Versatility**

All window panels can be removed. One side wall has two integrated door openings for rolling up sideways. All windows are equipped with mosquito nets. The mosquito net is equipped with transparent covers that can be opened and rolled up by zippers. The front wall consists of one piece with two large windows.



Foam tape

seals space between vehicle and awning. 2 parts à 2 meters. Closed-pored and self-adhesive.

Dimensions: 25 x 30 mm

43292 53,-



Sealing rubber for TO 4200

For sealing to the vehicle. Can also be used with other awnings. With double adhesive tape.

Length 400 cm **432805 64,-**



Sealing rubber for series 5 and 8



For sealing the gap between the vehicle wall and the awning, for awning installation with flat adapters.

Gcurved walls

400 cm **432802 57,-**
30 m roll **43295 315,-**

Straight walls

400 cm **432803 57,-**
30 m roll **432951 315,-**



Omni-Gutter rain gutter

Multifunctional self-adhesive rain gutter.

Length 350 cm **432806 62,-**

Length 450 cm **43031 72,-**



from **49,-**

Panniers

2 bags in the set to store awnings tents, blockers or accessories.

Dimension large bag: 120 x 20 x 30 cm, small bag: 120 x 20 x 20 cm

E4610 78,-

Panniers for stowing linkage and blockers.

Dimension bag: 130 x 20 x 30 cm **42917 49,-**

Curtain sets for awnings awnings

Curtain sets for Thule Residence G3

Width B	Set gray	Price
350 - 400 cm	42912	229,-
450 - 500 cm	42913	249,-
550 - 600 cm	42914	274,-




Windbreaks for awnings

Drafts can no longer pass under the vehicle.

for B 300 cm	43076	80,-
for B 325 cm	430760	81,-
for B 350 cm	430761	81,-
for B 375 cm	430762	83,-
for B 400 cm	43077	83,-
for B 450 cm	430771	85,-
for B 500 cm	43078	91,-
for B 550 cm	430781	91,-
for B 600 cm	430782	94,-

Wheel cover orifice

430783 61,-



Wheel cover

Height ca. 65 cm

Top with piping, bottom with eyelets.



Awning tension rods round

to stabilize the awning. Also suitable as a receptacle for side panels. Aluminum (spring loaded and lockable).

Thule Tension Rafter G2 aluminum for side wall awnings

200 cm for TO 5200/5003	432973	57,-
250 cm for TO 5200/5003	432974	59,-
275 cm for TO 8000	432975	67,-

for roof awnings

200 cm for TO 6200/6300	432976	57,-
250 cm for TO 6200/6300	432977	59,-
300 cm for TO 9200	432978	71,-

for caravan awnings

250 cm for TO 1200	432972	59,-
--------------------	---------------	-------------

Cloth clamps for tension rods

Clamps for a more secure attachment of the awning fabric on the tensioning or Blocker rod. Suitable for oval blocker-Tensioning bars, rafter G2 and square-Telescopic clamping rod TO 1200.

2 piece **430068 38,-**



Awning cleaner

Thule PVC cleaner

for cleaning awning cloths. Practical pump spray bottle.

Content 500 ml.

E6100 9,99

GP 19,98/ 1 Liter



PROFI TIP

Awning cranks



Telescopic, from model year 1992
43159 58,89
 for 6 series, adjustable 130-190 cm
43034 67,10
 for awning 5102, foldable
43035 54,30



Retaining clips
 for marker crank
 2 piece **E283 10,20**

End caps

for TO 2000
 White R **43142 16,50**
 White L **E235 16,50**
 for TO 5003
 White R+L **E2673 13,80**
 for TO 5102
 Gray R+L **E2067 24,90**
 Anthracite R+L **E5213 24,90**
 for TO 5200
 White R+L **E6507 24,90**
 Silver R+L **E6457 24,90**
 Black R+L **E8421 24,90**



for TO 8000
 White R **E2878 13,80**
 White L **E2875 13,80**
 Silver R **E3206 36,90**
 ① Silver L **E3205 36,90**

End caps



Fig. similar to
 for TO 9200
 ① Silver R+L **E5577 28,-**
 for TO CaravanStyle
 2 piece **E7020 28,-**

End plates

for TO 5003
 Right **SA1117 18,70**
 for TO 5102
 Right **E2186 24,90**
 for TO 8000
 Left **E2874 105,30**
 ① Right **E2877 40,20**



Clips for Safari Room



6 piece **432030 14,20**
Bracing rubbers
 4 piece **SA876 19,30**

Curtain rolls



for Safari Room
 12 piece **E234 13,20**

Double keder rail

100 cm **E289 6,-**

Crank gear



① For TO 5002/5003/5200
43192 65,70
 For TO 6200 and 6300
E9261 65,70



Clamping lever

for height adjustment at the awning foot incl. plastic cover.

For models until 2010,
 2 piece **43158 11,50**
 For models from 2010,
 2 piece **E4181 13,90**

End caps front profile

for TO 2000
 White R+L **E3651 10,-**
 for TO 5003
 White R+L **E3652 13,-**
 for TO 5102
 Gray R+L **E3476 14,60**
 Anthracite R+L **E5363 14,60**
 for TO 5200
 White R+L **E6586 18,-**
 Silver R+L **E10197 18,-**
 Black R+L **E10284 18,-**
 for TO 8000
 White R+L **E2876 13,20**



Fig. similar to
 for TO 6200
 ① White R+L **43144 18,-**
 Silver R+L **E9630 18,-**
 Anthracite R+L **E5482 18,-**



Interlocks
 for 5000/5002
43204 12,60

Rafter G2 end pieces


End pieces on the awning housing:

for TO 5200/5002/5003/4900/
 5500/5800 **E5419 7,50**
 for TO 8000 **SA702 5,40**
 for TO 9200 **E8953 16,50**
 for TO 6002/6900/6502/6802
E9210 6,90
 for TO 1200 **E8539 20,70**

End pieces on the front profile:

for TO 5200 **E6833 10,80**
 for TO 5003 **E4826 5,70**
 for TO 4900 **E5511 8,-**
 for TO 5002/5500/5800/8000
E8294 9,60
 for TO 6200 **E5341 10,80**
 for TO 9200 **E9242 10,80**
 for TO 6002 **E9210 6,90**
 for TO 6900/6502/6802
E8294 9,60

Repair kit



Repair adhesive tape for awning cloth.
 5 pieces á 50 x 145 mm
432891 28,-

Support foot holder

for awning foot
 2 piece **43157 22,50**

More spare parts
 at www.reimo.com



Perfect Roof 2000


The light roof awning

Perfect Roof 2000 - light and compact

Wide	350 cm	375 cm	400 cm
Excerpt	250 cm	250 cm	250 cm
Weight	25,0 kg	28,0 kg	31,0 kg

Housing White

Horizon Grey	447037	447038	447039
Price	1155,-	1215,-	1225,-



PR 2000 for vans and travel caravans

- Long extension length - lots of shade
- Plastic end caps
- Support legs integrated into the awning front rail, thereby no limitation of the mounting height
- Colorproof cloth without weld, one piece, waterproof, washable and rot-proof
- Ideal for small caravans, keder rail for awnings remains free despite awning

Mounting adapter for roof awnings Perfect Roof 2000 and 2500

Series high roof H2



Fiat Ducato from 2007

Ducato - Jumper - Boxer
from year of manufacture 7/2006.
Also suitable for Niesmann Bischoff
Arto and Rapido V53 & V56.

3pcs for awnings up to 400 cm
438570 175,-
1pcs for awnings with W 375 cm
E3521 299,-



Caravan universal adapter

5,00 m **439755**



Sealing tape against rain-water

Foam sealing tape for sealing between awning and vehicle, self-adhesive.
W 30 mm, H 25 mm
2 x 1,5 m

439060 54,-



DOMETIC OUTDOOR

Housing colors

WHITE

SILVER

ANTHRAZITE

Cloth colors

HORIZON GREY

GREY WAVES

Perfect Roof 2500

Large drawer, aluminum end caps



PR 2500 for caravans and motorhomes

- Support legs with patented Easy Lock Flipper
- Cloth made of one piece, color-proof, waterproof, washable and rot-proof
- Expansion to awning awning possible
- Aluminum end caps - shock and impact resistant

Perfect Roof 2500 - With aluminum end caps

Wide 375 cm 450 cm

Housing silver with extension 250 cm

Horizon Grey 447272

Price 995,-


Grey Waves 438483

Price 975,-

Housing silver with extra large extension 275 cm


Horizon Grey 447332

Price 995,-



Awning tent Camp Room for wall and roof awnings

- For roof and wall awnings with extension 250 cm
- Waterproof and windproof connection due to clamping profile
- All windows with blackout and mosquito net
- Standard windshield against drafts
- From width 450 cm with 2 doors
- Incl. practical carrying bag



Scope of delivery:

Front wall and 2 side walls, patented clamping profile, wind screen against drafts underneath the vehicle, curtain set and carrying bag.



How to measure correctly

← B →



The height is measured from the bottom edge of the awning housing to the ground.

for wall awnings

Mounting height H 220 - 229 cm:

Awning B 550 cm 438586 1780,-

Mounting height H 230 - 259 cm:

Awning B 350 cm 438592

Awning B 400 cm 438593

Awning B 500 cm 438595 1804,-

Mounting height H 260 - 289 cm:

Awning B 450 cm 438604

Awning B 550 cm 438606 1920,-

for roof awnings

Mounting height H 230 - 259 cm:

Awning B 350 cm 438552

Mounting height H 260 - 289 cm:

Awning B 500 cm 438566

Ducato version standard roof H2:

Awning B 325 cm 438568 1738,-

Awning B 375 cm 438569 1784,-

Photo right shows Ducato version with additional windbreak





Perfect Wall 1100

Elegant housing design

PW 1100 - A classic

- New, shapely awning housing without visible screws
- New slide-out support feet for comfortable handling
- The tension rod can be stored in a space-saving way in the Stow front bar
- Patented Easy Lock Flipper locks the support feet in place
- Robust awning cloth made of one piece - no welded seam

The PW 1100 offers many innovative product features in set-up and handling. It is housed in a clean casing.

Perfect Wall 1100


Wide	260 cm	400 cm	450 cm
Excerpt	250 cm	250 cm	250 cm
Weight	21,0 kg	30,0 kg	33,0 kg

Housing White



Horizon Grey	447391	44739
Price	1099,-	1109,-

Housing anthracite

Horizon Grey	447395	447398	447399
Price	859,-	1125,-	1129,-




Vehicle specific mounting adapter for wall awning Perfect Wall 1100 & 1500



wall awning adapter are required when the standard mounting plates are not suitable. As standard, these plates are included:




B Awning	Mounting plates
260-350 cm:	1 x pcs. 35 mm 2 x pcs. 80 mm
400-450 cm:	2 x pcs. 80 mm 2 x pcs. 160 mm
500-550 cm:	2 x pcs. 160 mm 2 x pcs. 400 mm



DOMETIC OUTDOOR



Housing colors



Cloth colors




AWNING SEALING PROFILES AND TENSION RODS


Sealing profiles for wall awnings



Sealing profile universal
suitable for wall awnings
from Fiamma, Thule and
Dometic.
450 cm **438820** **21,90**



Thule sealing profile wide
suitable for wall awnings
Thule Series 5 and 8.
400 cm **432802** **57,-**
30 m **43295** **315,-**



Thule sealing profile narrow
suitable for wall awnings Thule
Series 5 and 8.
400 cm **432803** **57,-**
30 m **432951** **315,-**



**Fiamma sealing profile
RainGuard L**
For Fiamma awnings mounted
with adapters protruding up
to 9 cm or on strongly curved
walls.
lfm **43485** **12,-**
550 cm **434852** **70,-**



**Fiamma sealing profile
RainGuard M**
For Fiamma awnings moun-
ted with adapters protruding
up to 4 cm or on curved
walls.
lfm **43383** **11,-**
550 cm **433831** **62,-**

Thule tie rods round

to stabilize the awning. Also suitable as a receptacle for side panels. Made of aluminum (spring loaded and lockable).




**Thule Tension Rafter G2 aluminum
for side wall awnings**

200 cm for TO 5200/5003	432973	57,-
250 cm for TO 5200/5003	432974	59,-
275 cm for TO 8000	432975	67,-
for roof awnings		
200 cm for TO 6200/6300	432976	57,-
250 cm for TO 6200/6300	432977	59,-
300 cm for TO 9200	432978	71,-
for caravan awnings		
250 cm for TO 1200	432972	59,-




Fiamma tie rods - Rafter / Rafter PRO

- Increases the rigidity of the awning, better fabric tensioning
- For awnings up to 250 cm extension (adjustable from 142-265 cm)



Rafter - straight tie rod
For F45 and F80

434554 **55,-**



Rafter PRO - curved tension rod
Additionally improves water drainage. Attention: do not use in intense sunlight.
For F45 and F80

43315 **77,-**

Adapter F65 for Rafter and Rafter PRO
For older awnings F65 adapter is necessary to mount the rafter.

E4360 **9,30**



Rafter for caravan gate aluminum with twist lock
with extension 225-250 cm

434553 **42,-**

No drafts under the vehicle



For motorhomes,
550 x 60 cm, to close the wheel
recess, can be shortened if neces-
sary. Fastening with press studs.
434381 112,--



Fiat Ducato from My. 6/06,
497x45 cm. Fastening with magnets
and rope tension. Suitable for all
vehicle lengths up to 636 cm.
434383 191,--



VW T5/T6/T6.1, 250 x 42 cm.
Fastening with magnets and rope
tension.
434382 127,--

Inflatable windbreak



Just put under the car
and inflate (without pump).
L 250cm Ø30cm, ca. 3.2 kg.
Packing size: ca. 45x14x12cm.
HD PVC **905991 129,--**

**NEW
2023**

You will find further windshields on page 388 + 390



Signal storm band

Band is easily visible in the twilight.
Suitable for awnings and tents for
storm protection. **Scope of delivery:**
belt two-piece, 13 m, adjustable, 2
relief springs **94832 21,95**

Awning security



Peggy Peg Fix&Go AntiFlap

This awning clamp reduces the
annoying "flapping noise" almost com-
pletely. Widely projecting awnings can
be tightened even better with several
AntiFlap's per side. Fix&Go AntiFlap
is compatible with almost all awning
systems, whether with round, oval or
square rafter poles.

Contents: 2 Fix&Go AntiFlap, addi-
tionally needed: 2 rafters of the awning
manufacturer.

94851 53,50



Peggy Peg TieStraps

For supplementary bracing of
awnings and bag awnings in bad
weather to relieve the joint arms.
Per piece **94846 13,50**



Peggy Peg anchor plate 6-pcs

Universal mounting plates
Scope of delivery 2 anchor plates,
2 storm hooks, 2 Uni plates
94831 18,99



Peggy Peg Fix&Go Bridge

The optional use of the Fix&Go Bridge increases the distance between the
anchor plate and the floor by 2 cm. The bridge-like design allows water to flow
largely unimpeded and dirt particles are simply flushed out. If required, the
Fix&Go Bridges can also be stacked inside each other and the ground clearan-
ce increased, of course also on fine sandy surfaces. Attention should be paid
to the length of the Peggys used. Content: 2 Fix&Go Bridges.

94850 8,40



Peggy Peg Fix&Go An- chor Plate 2.0

Secure fixing of awning feet and tent
poles, no sinking into soft ground or
lifting off. The retraction of awnings
is possible. For all screw pegs from
Peggy Peg. **94828 13,99**

Fix&Go Tube - Flexible ballast tank

Ideal extension of the Fix&Go anchor plate for setting up the awning on
Pavement, concrete or asphalt. Fix&Go Tube is lightweight
and compact and becomes a 10 kg additional weight.
Application: Attach the adapter shoe to a
Fix&Go anchor plate to the awning base.
Fill the hose with 10 liters of water and insert it into the
Place the basket, then attach it to the
Attach awning leg. One Fix&Go tube per side results in
20 kg ballast to use the awning even in light winds.
Attention: Fix&Go Tube does not replace an awning attachment to the ground!

Fix&Go Tube, 1 piece 94853 26,50


set of 2 Tube Pavilion: Design like Fix&Go Tube, but without adapter shoe.
Simply attach to gazebo leg with Velcro. **948531 41,99**



Croc adapter set of 4

Pull into welt rail and can be used
to hang hangers or other items. To-
gether with Crocodile Peggy can also
be attached a tension belt. 4 pcs.
94845 7,50

AWNING AND TENT GUY ROPES



Guy set

- Storm band for awnings or awnings
- Complete set with pegs and tension spring
- Prevents the awning from blowing up



Belt width 4 cm

Length: 11 m	432882	10,90
Length: 14 m	432881	14,90
Protection set, open with velcro set of 3	43541	7,90



Storm protection - roof retaining strap XL

- Storm protection for awning or awning
- Extra sturdy design
- Belt length 12.5 m - extra long
- Prevents waving of the Awning or awning
- Complete with pegs and tension springs

43288	19,50
-------	-------

Storm lock for Thule Omnistor awnings



Hold Down Kit

Prevents the awning from blowing up. Fastening between articulated arms and awning cloth. 11 m long black strap with pegs, fastening material and bag. For awnings up to 6 m wide.

432860	38,--
--------	-------



Hold Down Side Strap Kit

Attachment to the support legs. Also possible with awning awning. 2 straps, 3 m each, fixing material, pegs and bag. Not suitable for Thule Omnistor 2000.

432864	43,--
--------	-------



DOMETIC

Dometic TieDown Kit

For tensioning the awnings from Dometic. Incl. Webbing, pegs, damping springs and storage bag.

432867	26,--
--------	-------



LED WARNING SOLAR

- Securing the storm bracing in the dark

Scope of delivery: 2 LED lights with integrated solar battery for attachment to awning tensioning straps. Also fits into the keder rail of caravans and motorhomes.

432863	44,--
--------	-------



FIAMMA

Storm bracing TIE DOWN

- Protects in wind
- Stretch over the joint arms of the awning and anchor in the ground
- Belt length 11 m - for awnings up to 6 meters

Black	43286	25,--
Yellow	432861	25,--



FIAMMA

Storm bracing TIE DOWN S

- Secure attachment to the front panel of awnings F65, F45 + F35 and Caravan Store

Scope of delivery: 2 tension bands à 300 cm 2 ground nails and 2 tension springs. Also fits into the keder rail of caravans and motorhomes.

F45/F65/F80 Black	432862	34,--
F45/F65/F80 Yellow	432865	34,--
Caravan Store	E4495	33,--

Awning hanger

6 piece

Ø 5+7 mm incl. S-hook,
for pulling into the keder rail
the awning

901274

5,95



Piping eyelets 5+7mm - 6 pieces

The eyelets have 5 mm piping on one side and 7 mm piping on the other. This makes them suitable for caravans, motorhomes, awnings and can be used multifunctionally, e.g. as a holder for storm lines, solar showers, utensil bags, coat hooks, etc.

set of 6

901693

4,95



Keder adapter

Suitable for attaching an awning to
the front profile of the awning. Length
3 m, double piping Ø 5+8 mm

904493

31,50



Anti-flutter clamps for awnings, sun sails, tarpaulins, etc.

- Easy to fix
- Also available as extra wide jumbo version
- Prevents fluttering noise
- Reduces damage

① 2 pieces with 1x short and long belt each

901276

12,95

② Clamp Jumbo 1 piece extra wide

901275

19,95



Locking piece Keder rail - set of 2

Prevents the keder from slipping out
or shifting in the keder rail.

Ø 5 mm

901271

3,95

Ø 7 mm

901272

3,95



Locking piece keder rail

For keder strips with Ø 7mm,
fixes your caravan awning, awning,
sun sail or similar.

2 piece

901273

7,50



FROLI anchor plates, 2 pieces

- Securing tents, awnings, marquees, etc.
- Test load 200kg
- Made in Germany

2 anchor plates to secure tent, awning,
Awnings and much more. Simply use the included
screws in the floor. Available are additional points for attaching, for example,
dog leashes, boats and other camping accessories.

2 anchor plates (Ø140mm), 10 fixing screws (8x180mm)

94859

20,95



① Railing for Thule Omnistor 6300

- Mounting without drilling
- Load capacity 100 kg

Roof rails / carrier incl. awning mounting adapter

for Fiat Ducato, Peugeot Boxer and Citroen Jumper
from My. 6/2006. For long wheelbase 403 cm
(599 cm vehicle length) and standard high roof H2.
Consisting of 2 x 3 support legs, 4 cross members.
For Ducato from 2007

42155

969,-

② Railing for Thule Omnistor 5003/5200

- Aerodynamic shape
- No drilling work necessary
- Optional crossbars in any number

Roof rail / carrier STYLE

For Fiat Ducato, Peugeot Boxer and Citroen Jumper
from My. 6/2006. Aluminum.

for wheelbase 403 cm

42151

1299,-

for wheelbase 345 cm

42152

1299,-

Roof rack sets by THULE
you will find on page 609 + 610



③ Cross member, 2 pieces

100 kg payload/crossbeam pair, 200 kg max. pay-
load.


421521

186,-

④ Awning mounting adapter for mounting a
Thule Omnistor 5 series wall awning

421522

113,-



LED light



LED lighting comfort under the awning – with or without motion sensor

- 12 Volt LED Outdoor Light Cold White
- Mounting under the awning housing, also suitable for other applications (e.g. as door light, garage)
- With 31 LEDs

For lighting the exterior and the garage. The average lighting time of an LED is 25,000 hours. Super Bright LED with $\varnothing$ 5 mm. Light tone 7000 ° K, 3.1 watts, cable length about 1.2 m.

Without motion sensor, Weight 0,4 kg **43532** **72,-**

With motion sensor, Light duration 60 sec, lights only in the dark when someone approaches. Weight 0,5 kg **435325** **100,-**



12V



LED Case for F70, F45S and F45L

Lighting set with 180 LEDs to be pulled into the bottom groove of the awning housing of F70, F45S or F45L. The basic set is for awnings with a width of 300 cm. The individual light elements can be connected by pressing them together. The basic set can be extended as required with the extension sets.

LED basic set 250 cm **43598** **154,-**
LED extension set 50 cm **43599** **38,-**

NEW
2023



FIAMMA Rafter LED - tension rod

- For FIAMMA F40van and F45s 260 cm
- Mounting on the awning arms
- LED light warm white (ca. 3000 K)
- Incl. Connection cable for cigarette lighter

Tensioning rod with LED lighting for an optimally tensioned cloth and a cozy atmosphere.

Aluminum anodized, weight ca. 1.7 kg

Tension rod with LED **440514** **119,-**



12V

Front profile lighting

12 Volt LED Awning Lighting

- 2 lights with 10 LED each
- Including 5 m connection cable
- Snaps into the front panel
- 2.4 watts, 0.2 amps

43461 **50,-**



100,-

Self-adhesive articulated arm lighting

LED 12 Volt light bar for the articulated arms

- 4 light strips with 9 LED points each
- For gluing to the articulated arms
- With cable guide 1.22 m long
- Also for other applications
- Dimensions: L30 x D0.7 x B1.7 cm
- 4 Watt, 0.36 Amp

433591 **100,-**



Cable duct kits

① **Kit Cables Rail**: two rails of small size. Ideal for folding arm awnings without a device for passing cables.

Dimensions per rail: 13x3x1225 mm.

434612 **21,-**

② **Kit Cables Guide**: two flexible profiles, ideal for the awnings with the device for the passage of cables.


Dimensions per profile: 1225 mm, $\varnothing$ 6.5 mm.

434600 **13,-**

Enjoy evening atmosphere



①



83178



12V



②

① Awning lighting

- Suitable for outdoor use
- Dimmable with dimmer (831003)
- Self-adhesive with M3 adhesive tape

LED Strip White 780 Lumen/m
120 LEDs /m, 12 V, 9.6 W/m. Dimmable. IP 67.
Strip width 10 mm. Can be shortened every 25 mm. Warm white 3000K.
500 cm **83170** **69,90**

LED Strip White 390 Lumen/m
60 LEDs /m, 12 V, 4.8 W/m. Dimmable. IP 67.
Strip width 7 mm. Can be shortened every 50 mm. Warm white 3000K.
500 cm **83171** **44,90**

LED Strip White 195 Lumen/m
30 LEDs /m, 12 V, 2.4 W/m. Dimmable. IP 66. Strip width 7 mm. Can be shortened every 100 mm. Warm white 3000K. 500 cm **83174** **24,90**

LED Strip White

620 lumens/m, 150 LEDs /m, 12 V, 10.8 W/m. Dimmable. IP 67. Strip width 10.5 mm. Self-adhesive. Warm white 3000K.
500 cm **83178** **89,90**

② Radio remote control with dimmer

Remote control as a keychain.
Functions: ON / OFF / Brighter / Darker.
Switching capacity 96 W, quiescent current ca. 30 mA. Housing dimensions: L90 x W60 x H37 mm.
831003 **19,90**

Awning light with 14 LEDs

12/24 volt DC 2.5 watt with plastic clamp, easily attaches to tent or awning poles. 5 meter cable and safety universal plug 2 A, fits DIN and cigarette lighter sockets. LED light does not attract insects. **81191** **125,-**



You can find more
LED strips in the
Electrical area



12V



12V


Self-adhesive LED flex tape

THULE Omnistor
Suitable for outdoor use. Can be shortened every 5 cm. Flexible, with self-adhesive 3M tape. 1 m connection cable. 60 Power LEDs/m with 340 to 380 mA/m. 12 volt. Waterproof IP66.

4 m length	433001	97,-
5 m length	43300	127,-
6 m length	433002	147,-

LED flex ribbon, side emitting

THULE Omnistor
Special LED tape for above LED mounting rail. Side emitting, self-adhesive. Length 400 cm **43890** **127,-**



Tent and LED mounting rail for TO 5200

for mounting under the awning. With keder rail for attaching tent EasyLink or QuickFit and mounting place for LED light strips.

300 cm, White	43149	119,-	400 cm, White	431495	129,-
300 cm, silver	431490	119,-	400 cm, silver	431496	129,-
300 cm, Black	431491	119,-	400 cm, Black	431497	129,-
350 cm, White	431492	119,-	450 cm, White	431498	134,-
350 cm, silver	431493	119,-	450 cm, silver	431499	134,-
350 cm, Black	431494	119,-			



LED mounting rails for Thule roof awnings

For mounting under the awning. Combines the possibility of mounting awnings with the simultaneous use of LED lighting. Without LEDs.

Set for TO 6200/6300/9200 6 x 100 cm, natural aluminum **43998**
Set for TO 6200/6300 3 x 130 cm, anthracite. o. Fig. **43889** **62,-**