

Windows



Tinted safety glass hinged windows

For VW T6.1 / T6 / T5

NEW
2023

SAFETY GLASS

LIGHTTH-ROUGH-LATNESS: 18%

2 STEP-LOOSELY OFF-STATOR

MIT 2 CONCLUSI-ON-RAILS

WITH VENTILATION POSITION



**FIT FOR
VW T6.1 / T6 / T5**



Installation position	Wheelbase	Review W x H (mm)	Outer dimension WxH (mm)	Weight (kg)	Item no.	Price
	short + long	730x360	1135x585	12,0	315916	505,-
	short + long	730x360	1135x585	12,0	315915	505,-

Tinted acrylic sliding windows

RW Style Slide

NEW
2023

OPTIONAL
Blackout system with Privacy and Mosquito protection pleated blind with magnetic closure



ACRYL-GLASS

DOUBLE GLAST

UV CONSIS-TENT

LIGHTTH-ROUGH-LATNESS: 10%

LEFT AND RIGHT MONTIER-BAR

FOR WALL-STRENGTHS FROM 30-50 mm

MATERIAL FRAME: ALU



Windows						Blackout system		
Detail W x H (mm)	Viewing ca. W x H (mm)	Outer dimension W x H (mm)	Weight (kg)	Item no.	Price	Outer dimension WxH (mm)	Item no.	Price
500x450	330x330	527x477	2,7	318022	249,-	528x478	3180010	93,-
700x300	520x180	727x327	2,6	318023	269,-	728x328	31800130	97,-
700x400	520x280	727x427	4,0	318024	289,-	728x428	3180020	103,-
900x450	720x330	927x477	4,8	318025	373,-	928x478	3180030	118,-
1000x500	820x380	1027x527	5,9	318026	429,-	1028x528	31800170	128,-

Safety glass window.....	620 - 626
Acrylic window.....	625 - 634
Special windows/pull eyes.....	635
Spare parts windows.....	636 - 638
Cassette blinds /spring blinds.....	639 - 640
Cab darkening systems.....	641 - 644
Curtains for cab / living space.....	645
Roof hoods.....	646 - 657
Spare parts roof hoods.....	655 - 657, 662 - 663
Roof hoods REMItop/roof hoods.....	658 - 659

Fans / ventilators.....	659 - 661
Mosquito nets/insect screens.....	664 - 670
Thermal mats.....	671 - 674
Vehicle insulation/protection outside.....	674 - 678
Thermal curtains for panel vans.....	679
Vehicle insulation motorhomes.....	680
Window cleaning.....	681
Ventilation grille cab.....	682 - 684
Wind deflector.....	685

NEW
 2023


Sliding window



Rigid window



Windows rear doors

FIT FOR

VW CADDY
SAFETY
GLASSLIGHTTH-
ROUGH-
LATENESS:
18%CE
E17**NEW: VW Caddy Maxi from Bj. 2021**

Installation position	Outer dimension W x H (mm)	Weight (kg)	Item no.	Price
	970x493	6,0	316027	269,-
	970x493	6,0	316026	269,-
	830x470	5,5	316034	289,-
	830x470	5,5	316033	289,-

VW Caddy Maxi Bj. 2008-2020

Installation position	Outer dimension W x H (mm)	Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	714x538	3,7	316021	88,50	4,7	31618	228,-
	714x538	3,7	316020	88,50	4,7	31617	228,-
	1044x545	5,5	31605	119,-	—	—	—
	1044x545	5,5	31604	119,-	—	—	—
	591x504	3,0	316023	189,-	—	—	—
	750x596	4,3	316022	189,-	—	—	—

VW Caddy/Maxi Bj. 2015-2020

Installation position	Outer dimension W x H (mm)	Weight (kg)	Item no.	Price
	1377x588	9,0	316025	279,-

VW Caddy/Maxi Bj. 2004-2016

Installation position	Outer dimension W x H (mm)	Weight (kg)	Item no.	Price
	1257x591	9,0	316024	269,-

FIT FOR

**CITROËN JUMPY 3 / SPACETOURER
 PEUGEOT EXPERT 3 / TRAVELLER
 TOYOTA PROACE 2 / PROACE VERSO
 OPEL VIVARO / ZAFIRA FILFE (AB BJ. 2017)
 FIAT SCUDO**
SAFETY
GLASSLIGHTTH-
ROUGH-
LATENESS:
18%CE
E17

Sliding window



Rigid window

Installation position	Wheelbase	Outer dimension W x H (mm)	Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	short + long	1100x541	—	—	—	7,0	31701	247,-
	short + long	1100x541	—	—	—	7,0	31700	246,-
	long	1175x534	6,0	31705	129,-	7,5	31703	299,-
	long	1175x534	6,0	31704	129,-	7,5	31702	299,-
	short + long	675x495	3,5	31707	189,-	—	—	—
	short + long	735x495	3,5	31706	189,-	—	—	—



When installing the windows, please ensure that the bonding surfaces are load-bearing and free of dust, adhesives and grease.

**For the installation of safety glass windows we recommend:****① Activator 205, for cleaning the bonding surface**

Solvent-based, colorless adhesive cleaner for cleaning adhesive surfaces in combination with Sika adhesives/sealants. 30 ml 294100 12,95 Gefahr:

② SikaTack Pro bonding set, for bonding the window

Pane adhesive set for bonding safety glass panes. 1-2 sets are needed for the installation of a vehicle window. Set contents: 1x SikaTack PRO 300 ml cartridge, 1x windscreen adhesive nozzle, 1x SikaPrimer-207 (30ml), 2x sponge 294841 39,40 Gefahr: H334

FIT FOR

VW T6.1/T6/T5SAFETY
GLASSLIGHTTH-
ROUGH-
LATENESS:
18%2 STEP-
LOOSELY
OFF-STA-
TORMIT 2
CONCLU-
SION-
RAILSWITH VEN-
TILATION
POSITION

Safety glass hinged window

VW T6.1 / T6 / T5 as of Bj 2004

Installation position	Wheelbase	Outer dimension WxH (mm)	Review W x H (mm)	Weight (kg)	Item no.	Price
	short + long	1135x585	730x360	12,0	315916	505,-
	short + long	1135x585	730x360	12,0	315915	505,-

Expected to be available Q2/2023



FIT FOR

**VW T6.1/T6/T5
VW T4**SAFETY
GLASSLIGHTTH-
ROUGH-
LATENESS:
18%

Safety glass sliding window

VW T4 Bj 1990-2004

Rigid windows			Sliding window		
Installation position	Wheelbase	Outer dimension WxH (mm)	Weight (kg)	Item no.	Price
	short + long	1126x523	—	7,5	31503 223,-
	short + long	1126x523	—	7,5	31504 223,-
	briefly	967x522	5,0	31505	102,-
	briefly	967x522	5,0	31506	107,-

VW T5/T6 Bj from 2004

Rigid windows			Sliding window		
Installation position	Wheelbase	Outer dimension WxH (mm)	Weight (kg)	Item no.	Price
	short + long	1135x585	6,5	315910	103,50
	short + long	1135x558	8,0	31591	207,-
	briefly	922x572	5,0	31599	94,-
	briefly	922x572	5,0	31598	94,-
	lang	1257x570	6,8	315990	104,-
	lang	1257x570	6,8	315980	104,-
	short + long	729x579	4,0	316004	108,-
	short + long	729x579	4,0	316003	108,-

VW T5 My 2004-2016

Rigid windows		
Installation position	Wheelbase	Outer dimension WxH (mm)
	short + long	1445x575

VW T6/T6.1 as of Bj 2016

Rigid windows		
Installation position	Wheelbase	Outer dimension WxH (mm)
	short + long	1544x562



Sliding window



Rigid window



Rear window

FIT FOR
**MERCEDES
 BENZ VITO**
SAFETY
GLASSLIGHTTH-
ROUGH-
LATENESS:
18%
Mercedes Benz Vito Bj 2004-2014

Installation position	Wheelbase	Outer dimension WxH (mm)	Rigid windows			Sliding window		
			Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	short/medium/long	1096x565	6,0	31511	107,-	7,5	31521	220,-
	short/medium/long	1096x565	6,0	31510	119,-	7,5	31520	220,-
	briefly	1169x521	7,5	31523	107,-	—	—	—
	briefly	1169x521	7,5	31522	107,-	—	—	—
	long	1296x521	6,5	31513	119,-	—	—	—
	long	1296x521	6,5	31512	119,-	—	—	—

Mercedes Benz Vito ab Bj 2015

Installation position	Wheelbase	Outer dimension WxH (mm)	Rigid windows			Sliding window		
			Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	short/medium/long	1100x570	6,0	315962	107,-	7,5	31597	220,-
	short/medium/long	1100x570	6,0	315961	107,-	7,5	31596	220,-
	medium	1195x531	6,0	315970	107,50	—	—	—
	medium	1195x531	6,0	315960	107,50	—	—	—
	long	1300x529	6,6	315966	107,50	8,1	315964	253,-
	long	1300x529	6,6	315965	107,50	8,1	315963	253,-

 FIT FOR
**RENAULT TRAFIC
 FORD TRANSIT CUSTOM**
SAFETY
GLASSLIGHTTH-
ROUGH-
LATENESS:
18%
Renault Traffic Bj 2002-2015

Installation position	Wheelbase	Outer dimension WxH (mm)	Rigid windows			Sliding window		
			Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	short + long	1193x665	—	—	—	9,0	316012	247,-
	short + long	1193x665	—	—	—	9,0	316011	247,-
	short + long	670x623	4,0	315913	112,50	—	—	—
	short + long	670x623	4,0	315914	112,50	—	—	—

Renault Traffic as of Bj 2015

Installation position	Wheelbase	Outer dimension WxH (mm)	Rigid windows			Sliding window		
			Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	short + long	1116x598	6,5	316010	105,50	9,0	31593	212,-
	short + long	1116x598	—	—	—	9,0	31592	212,-
	briefly	919x571	5,0	31602	99,-	—	—	—
	briefly	919x571	5,0	31601	99,-	—	—	—
	lang	1319x579	7,5	316014	112,50	—	—	—
	lang	1319x579	7,5	316013	112,50	—	—	—

Ford Transit Custom as of Bj 7/2013

Installation position	Wheelbase	Outer dimension WxH (mm)	Rigid windows			Sliding window		
			Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	short + long	1199x566	—	—	—	8,0	31595	362,-
	short + long	1208x566	—	—	—	8,0	31594	362,-



Sliding window



Rigid window



Sliding window



Rigid window

F. Ducato/P. Boxer/C. Jumper > Bj 2007

Installation position	Vehicle lengths (mm)	Outer dimension WxH (mm)	Weight (kg)	Item no.	Price	Sliding window Weight (kg)	Item no.	Price
	5413/5998/6363	1400x665	9,0	316190	159,-	10,5	31619	257,-
	5413/5998/6363	1434x665	9,0	316200	159,-	10,5	31620	257,-
	5998/6363	1360x585	8,5	316220	145,-	9,5	31622	243,-
	5998/6363	1360x585	8,5	316210	159,-	9,5	31621	251,-
	6363	1128x665	7,3	316230	149,-	8,5	31623	244,-
	6363	1128x665	7,3	316240	149,-	8,5	31624	244,-
	4963/5413/5998/6363	826x665	5,3	31625	98,-	—	—	—
	4963/5413/5998/6363	826x665	5,3	31626	98,-	—	—	—
	270° 4963/5413/5998/6363 (For 270° door hinges)	826x670	5,3	31627	108,-	—	—	—
	270° 4963/5413/5998/6363 (For 270° door hinges)	826x670	5,3	31628	108,-	—	—	—

MB Sprinter from 2007

Installation position	Vehicle lengths (mm)	Outer dimension W x H (mm)	Weight (kg)	Item no.	Price	Sliding window Weight (kg)	Item no.	Price
	5910/6945/7345	1405x766	—	—	—	12,0	315002	326,-
	5910/6945/7345	1408x766	—	—	—	12,0	315003	326,-
	6945/7345	1416x706	10,5	315001	170,-	—	—	—
	6945/7345	1422x766	10,5	315000	170,-	—	—	—

MB Sprinter Bj. 2007-2018

	5910/6945/7345	818x800	6,3	315004	179,-	—	—	—
	5910/6945/7345	818x800	6,3	315005	179,-	—	—	—

MB Sprinter from 2019

	5932/6977/7367	775x775	6,0	315006	193,-	—	—	—
	5932/6977/7367	775x775	6,0	315007	193,-	—	—	—

VW Crafter Bj. 2007-2018

Installation position	Vehicle lengths (mm)	Outer dimension W x H (mm)	Weight (kg)	Item no.	Price	Sliding window Weight (kg)	Item no.	Price
	5910/6945/7345	1405x766	—	—	—	12,0	315002	326,-
	5910/6945/7345	1408x766	—	—	—	12,0	315003	326,-
	6945/7345	1416x706	10,5	315001	170,-	—	—	—
	6945/7345	1422x766	10,5	315000	170,-	—	—	—
	5910/6945/7345	818x800	6,3	315004	179,-	—	—	—
	5910/6945/7345	818x800	6,3	315005	179,-	—	—	—

VW Crafter > Bj 2018

	5986/6836/7391	1488x713	—	—	—	11,5	31710	369,-
	5986/6836/7391	1492x713	—	—	—	11,5	31711	369,-
	6836/7391	1455x637	—	—	—	11,0	31712	369,-
	6836/7391	1455x702	—	—	—	11,5	31713	369,-
	6836/7391	883x682	—	—	—	7,5	31714	349,-
	6836/7391	883x682	—	—	—	7,5	31715	349,-
	5986/6836/7391	776x649	5,0	31716	155,-	—	—	—
	5986/6836/7391	776x649	5,0	31717	155,-	—	—	—

NEW: Ford Transit V 363 > Bj. 2014


Installation position	Vehicle lengths (mm)	Outer dimension W x H (mm)	Weight (kg)	Item no.	Price	Sliding window Weight (kg)	Item no.	Price
	5981	1369x754	—	—	—	11,0	31730	349,-
	5981	1369x754	—	—	—	11,0	31731	349,-
	5981	972x723	8,0	31732	205,-	—	—	—
	5981	977x729	8,0	31733	205,-	—	—	—
	5981	672x718	5,5	31734	185,-	—	—	—
	5981	672x718	5,5	31735	185,-	—	—	—

 FIT FOR
MAXIVANS

 SAFETY
 GLASS

 LIGHT-
 TROUGH-
 LATENESS:
 18%


Sliding window



Rigid window

 NEW
 2023


Tinted safety glass windows RW Eco

**OPTIONAL**

Blackout system with
Privacy and
Mosquito protection pleated
blind with magnetic closure

SAFETY
GLASS
 LIGHT-
ROUGH-
LATENESS:
20%

 WITH
VENTILATI-
ON-
POSITION

 MATERIAL
FRAME:
ALU

 FOR WALL-
STRENGTHS
FROM
30-50 mm

 CORNER RADI-
US WINDOW-
FRAMEWORK:
75 mm
OPTIONAL
AVAILABLEDARKENING
PLISSEEMOSKITO-
PROTEC-
TION
PLISSEEMATERIAL
FRAME:
ALU**Windows**

Detail WxH (mm)	Outer dimen- sion WxH (mm)	Viewing ca. WxH (mm)	Max. Opening (degree)	Exhibitor	Weight (kg)	Item no.	Price
350x500	397x554	245x435	54°	1x stainl. steel . stepless	2,8	31880	138,-
500x300	547x354	395x250	26°	2 x plastic 3 level	2,6	31881	131,-
500x350	547x404	395x300	25°	1x stainl. steel . stepless	2,8	31889	134,-
500x450	547x504	395x400	45°	1x stainl. steel . stepless	3,3	31882	161,-
600x450	647x504	495x400	45°	2 x stainl. steel . stepless	4,5	31870	174,-
700x300	747x354	595x250	26°	2 x plastic 3 level	3,4	31883	160,-
700 x 400	747x454	595x350	38°	2x stainl. steel . stepless	4,5	31871	182,-
700 x 450	747x504	595x400	45°	2x stainl. steel . stepless	4,7	31872	189,-
800 x 450	847x504	695x400	45°	2x stainl. steel . stepless	5,2	31884	238,-
900 x 450	947x504	795x400	45°	2x stainl. steel . stepless	5,6	31885	241,-
900 x 500	947x554	795x450	54°	2x stainl. steel . stepless	6,3	31886	242,-
1000x500	1047x554	895x450	54°	2x stainl. steel . stepless	6,8	31887	254,-

Blackout system

Outer dimen- sion WxH (mm)	Item no.	Price
381x546	318801	93,-
531x346	318811	91,-
531x396	318891	89,-
531x496	318821	96,-
631x496	318701	97,-
731x346	318831	105,-
731x446	318711	102,-
731x496	318721	106,-
831x496	318841	119,90
931x496	318851	123,-
931x546	318861	127,-
1031x546	318871	133,-

Tinted safety glass windows RW Motion

**OPTIONAL**

Blackout system with
Privacy and
Mosquito protection pleated
blind with magnetic closure

SAFETY
GLASSDOUBLE
GLAST
 LIGHT-
ROUGH-
LATENESS:
20%

 LEFT AND
RIGHT
MONTIER-
BAR

 MATERIAL
FRAME:
ALU

 FOR WALL-
STRENGTHS
FROM 30-70
mm

 CORNER RADI-
US WINDOW-
FRAMEWORK:
87 mm
OPTIONAL
AVAILABLEDARKENING
PLISSEEMOSKITO-
PROTEC-
TION
PLISSEEMATERIAL
FRAME:
PVC**Windows**

Detail W x H (mm)	Outer dimen- sion WxH (mm)	Viewing approx. W x H (mm)	Weight (kg)	Item no.	Price
500x300	528x328	380x225	4,8	31657	148,-
500x350	528x378	380x275	6,5	31650	172,-
500x450	528x478	380x375	6,6	31654	199,-
600x350	628x378	480x275	6,2	31653	182,-
600x450	628x478	480x375	7,7	31658	193,-
700 x 300	728x328	580x225	6,4	31659	187,-
700 x 400	728x428	580x325	8,0	31660	211,-
700x450	728x478	580x375	8,7	31661	226,-
800x340	828x368	680x265	7,8	31656	207,-
800x400	828x428	680x325	8,9	31651	222,-
800x450	828x478	680x375	9,9	31655	245,-
900x450	928x478	780x375	10,8	31662	239,-
900x500	928x528	780x425	11,8	31663	379,-
960x450	988x478	840x375	11,4	31652	262,-
1000x500	1028x528	880x425	12,9	31664	309,-

Blackout system

Outer dimen- sion WxH (mm)	Item no.	Price
567x407	316571	78,-
567x457	316501	93,90
567x557	316541	89,-
667x457	316531	87,-
667x557	316581	112,-
767x407	316591	89,-
767x507	316601	97,-
767x557	316611	89,-
867x447	316561	112,-
867x507	316511	116,-
867x557	316551	99,-
967x557	316621	99,-
967x607	316631	111,-
1027x557	316521	116,-
1067x607	316641	118,-

CARBEST
 INNOVATIONS FOR MOBILE LIFE

Tinted universal safety glass windows


SAFETY GLASS
LIGHTTH-ROUGH-LATNESS:
18%
LEFT AND RIGHT MONTIER-BAR
CORNER RADI-US WINDOW-FRAMEWORK::
50 mm



Outer dimension W x H (mm)	Weight (kg)	Item no.	Price
460x280	1,3	31720	139,-
500x350	1,7	31721	161,-
500x450	2,2	31722	169,-
600x350	2,1	31723	173,-
800x340	2,6	31724	176,-
800x450	3,5	31725	195,-
900x450	3,9	31726	199,-


CARBEST
 INNOVATIONS FOR MOBILE LIFE

Acrylic sliding window RW Style Slide


NEW
 2023

RW Style Slide and RW Style can be combined well with each other on the vehicle, as they have the same optics.



OPTIONAL

Blackout system with Privacy and Mosquito protection pleated blind with magnetic closure

ACRYL-GLASS
DOUBLE GLAST
LIGHTTH-ROUGH-LATNESS:
10%
UV CONSISTENT
LEFT AND RIGHT MONTIER-BAR
MATERIAL FRAME:
ALU
FOR WALL-STRENGTHS FROM
30-50 mm

OPTIONAL AVAILABLE
DARKENING PLISSEE
MOSKITO-PROTECTION PLISSEE
MATERIAL FRAME:
ALU

Windows

Detail W x H (mm)	Outer dimension W x H (mm)	Viewing approx. W x H (mm)	Weight (kg)	Item no.	Price
500x450	527x477	330x330	2,7	318022	249,-
700x300	727x327	520x180	2,6	318023	269,-
700x400	727x427	520x280	4,0	318024	289,-
900x450	927x477	720x330	4,8	318025	373,-
1000x500	1027x527	820x380	5,9	318026	429,-

Blackout system

Outer dimension W x H (mm)	Item no.	Price
528x478	3180010	93,-
728x328	31800130	97,-
728x428	3180020	103,-
928x478	3180030	118,-
1028x528	31800170	128,-



RW Style and RW Style Slide can be combined well with each other on the vehicle, as they have the same optics.



ACRYL-GLASS

DOUBLE GLAST

LIGHTH-ROUGH-
LATENESS:
10%

DISK TO
INSIDE
WOODED


UV
CONSIS-
TENT

WITH
VENTILATI-
ON-
POSITION

MATERIAL
FRAME:
ALU

FOR WALL-
STRENGTHS
FROM 25-45
mm

CE
E7



Additional safety-
latch on
Closure latch

OPTIONAL

Blackout system with
Privacy and
Mosquito protection pleated
blind with magnetic closure

OPTIONAL
AVAILABLE

DARKENING
PLISSEE

MOSKITO-
PROTEC-
TION
PLISSEE

MATERIAL
FRAME:
ALU

Windows

Detail WxH (mm)	Outer dimen- sion WxH (mm)	Viewing ca. W x H (mm)	Max. Opening (degree)	Exhibitor (2 pcs.)	Weight (kg)	Item no.	Price
350x500	377x527	295x425	70°	Stainl. steel stepless	2,9	318009	166,-
460x220	487x247	405x145	37°	Plastic 3 level	2,3	318010	154,-
500x300	527x327	445x225	37°	Plastic 3 level	2,6	318011	159,-
500x350	527x377	445x275	36°	Stainl. steel stepless	3,1	318000	167,-
500x450	527x477	445x375	60°	Stainl. steel stepless	3,4	318001	186,-
600x450	627x477	545x375	68°	Stainl. steel stepless	3,9	318012	215,-
700x300	727x327	645x225	37°	Plastic 3 level	3,4	318013	197,-
700x400	727x427	645x325	47,5°	Stainl. steel stepless	4,1	318002	205,-
700x450	727x477	645x375	68°	Stainl. steel stepless	4,4	318014	252,-
800x450	827x477	745x375	68°	Stainl. steel stepless	4,9	318015	275,-
900 x 450	927x477	845x375	60°	Stainl. steel stepless	5,4	318003	282,-
900x500	927x527	845x425	70°	Stainl. steel stepless	5,8	318016	318,-
1000x500	1027x527	945x425	70°	Stainl. steel stepless	6,3	318017	343,-
1000x800	1027x827	945x725	47°	Stainl. steel stepless	8,8	318004	436,-
1100x450	1127x477	1045x375	60°	Stainl. steel stepless	6,4	318005	328,-
1200x300	1227x327	1145x225	37°	Stainl. steel stepless	5,4	318006	296,-
1200x500	1227x527	1145x425	65°	Stainl. steel stepless	7,3	318007	368,-
1450x550	1477x577	1395x475	50°	Stainl. steel stepless	9,2	318008	419,-

Blackout system

Outer dimen- sion WxH (mm)	Item no.	Price
378x528	3180090	84,-
688x248	31800100	79,-
528x328	31800110	79,-
528x378	3180000	88,-
528x478	3180010	93,-
628x478	31800120	96,-
728x328	31800130	97,-
728x428	3180020	103,-
728x478	31800140	105,-
828x478	31800150	112,-
928x478	3180030	118,-
928x528	31800160	125,-
1028x528	31800170	128,-
1028x828	3180040	143,-
1128x478	3180050	130,-
1228x328	3180060	109,-
1228x528	3180070	135,-
1478x578	3180080	139,-



Please pay attention during installation of the windows to ensure that the Adhesive surfaces load-bearing, dust-, are free of adhesives and grease.



For the installation of acrylic windows we recommend:

DEKAseal 8936

Can be used without primer. Dab-on sealant for window frames, open exterior surfaces, drains, roof hatches, hoses and cable penetrations. Application on paints, aluminum, ABS, PMMA or wood.

Danger: H315, H412

310 ml Anthracite 50030
310 ml Black 500314

GP* 60,97/ 1 Liter 18,90
GP* 60,97/ 1 Liter 18,90

ACRYL-
GLASSDOUBLE
GLASTLIGHTTH-
ROUGH-
LATENESS:
40%DISK TO
INSIDE
WOODEDUV
CONSIS-
TENTWITH
VENTILATI-
ON-
POSITIONMATERIAL
FRAME:
ALUFOR WALL-
STRENGTHS
FROM 25-30
mmCORNER RADI-
US WINDOW-
FRAMEWORK:
75 mm**OPTIONAL**
 Blackout system with
 Privacy and
 Mosquito protection pleated
 blind with magnetic closure
OPTIONAL
AVAILABLEDARKENING
PLISSEEMOSKITO-
PROTEC-
TION
PLISSEEMATERIAL
FRAME:
ALU**Windows**

Detail WxH (mm)	Outer dimen- sion WxH (mm)	Viewing approx. W x H (mm)	Max. Opening (degree)	Exhibitor (2 pcs.)	Weight (kg)	Item no.	Price
350x500	380x530	295x425	70°	Stainl. steel stepless	1,9	318100	161,-
500x300	530x330	445x225	2/17/30°	Plastic 3 level	1,9	318101	148,-
500x350	530x380	445x275	2/17/30°	Plastic 3 level	2,0	318102	162,-
500x450	530x480	445x375	70°	Stainl. steel stepless	2,1	318103	190,-
600x450	630x480	545x375	70°	Stainl. steel stepless	2,4	318104	217,-
700x300	730x330	645x225	2/17/30°	Plastic 3 level	2,5	318105	191,-
700 x 400	730x430	645x325	70°	Stainl. steel stepless	2,6	318106	226,-
700 x 450	730x480	645x375	70°	Stainl. steel stepless	2,7	318107	248,-
800 x 450	830x480	745x375	70°	Stainl. steel stepless	3,0	318108	277,-
900 x 450	930x480	845x375	70°	Stainl. steel stepless	3,2	318109	301,-
900 x 500	930x530	845x425	70°	Stainl. steel stepless	3,4	318110	325,-
1000x500	1030x530	945x425	70°	Stainl. steel stepless	3,6	318111	354,-

Blackout system

Outer dimension W x H (mm)	Item no.	Price
392x542	3181000	79,-
542x342	3181001	71,-
542x392	3181002	79,-
542x492	3181003	94,-
642x492	3181004	107,-
742x342	3181005	94,-
742x442	3181006	111,-
742x492	3181007	103,-
842x492	3181008	119,-
942x492	3181009	130,-
942x542	3181010	139,-
1042x542	3181011	139,-



ACRYL-
GLASS

DOUBLE
GLASS

LIGHTTH-
ROUGH-
LATENESS:
10%

DISK TO
INSIDE
WOODED

UV
CONSIS-
TENT

WITH
VENTILATI-
ON-
POSITION

MATERIAL
FRAME:
ALU

FOR WALL-
STRENGTHS
FROM
22-55 mm

CORNER RAD-
US WINDOW-
FRAMEWORK:
75mm

CE
E7

RW Compact and RW Van can be easily
combine with each other on the vehicle,
as they have the same optics.

OPTIONAL

Blackout system with
Privacy and
Mosquito protection pleated
blind with magnetic closure

OPTIONAL
AVAILABLE

DARKENING
PLISSEE

MOSKITO-
PROTEC-
TION
PLISSEE

MATERIAL
FRAME:
ALU

Windows

Detail WxH (mm)	Outer dimen- sion WxH (mm)	Viewing ca. WxH (mm)	Max. Opening (degree)	Exhibitor (2 pcs.)	Weight (kg)	Item no.	Price
350x500	378x528	290x430	63°	Stainl. steel stepless	2,2	31890	184,-
500x300	528x328	440x260	37°	Plastic 3 level	2,1	31891	163,-
500x350	528x378	440x290	40°	Stainl. steel stepless	2,2	31901	182,-
500x450	528x478	440x390	57°	Stainl. steel stepless	2,8	31892	213,-
600x450	628x478	540x390	57°	Stainl. steel stepless	3,4	31899	220,-
700x300	728x328	640x240	37°	Plastic 3 level	2,9	31893	213,-
700 x 400	728x428	640x340	54°	Stainl. steel stepless	3,5	31900	233,-
700 x 450	728x478	640x390	57°	Stainl. steel stepless	3,6	31902	263,-
800 x 450	828x478	740x390	57°	Stainl. steel stepless	4,2	31894	310,-
900 x 450	928x478	840x390	57°	Stainl. steel stepless	4,7	31895	318,-
900 x 500	928x528	840x440	64°	Stainl. steel stepless	5,0	31896	321,-
1000x500	1028x528	940x440	57°	Stainl. steel stepless	5,4	31897	336,-

Blackout system

Outer dimen- sion WxH (mm)	Item no.	Price
377x544	318901	105,-
527x344	318911	104,-
527x394	319011	103,-
527x494	318921	109,-
627x494	318991	121,-
727x344	318931	119,-
727x444	319001	125,-
727x494	319021	118,-
827x494	318941	136,-
927x494	318951	139,-
927x544	318961	145,-
1027x544	318971	151,-

Acrylic display window RW Van

The curved aluminum frame
(Radius: 5000 mm)
adapts perfectly to the contour of
the vehicle.


**ACRYL-
GLASS**
**DOUBLE
GLAST**

 LIGHTTH-
ROUGH-
LATENESS:
10%

 DISK TO
INSIDE
WOODED

**UV
CONSIS-
TENT**

 WITH
VENTILATI-
ON-
POSITION

**MATERIAL
FRAME:
ALU**

 FOR WALL-
STRENGTHS
FROM
26-50 mm

 CORNER RADI-
US WINDOW-
FRAMEWORK:
75 mm


RW Van and RW Compact can be easily
combine with each other on the vehicle,
as they have the same optics.

OPTIONAL

Blackout system with
Privacy and
Mosquito protection pleated
blind with magnetic closure

 OPTIONAL
AVAILABLE

**DARKENING
PLISSEE**
**MOSKITO-
PROTEC-
TION
PLISSEE**
**MATERIAL
FRAME:
ALU**

Windows

Detail WxH (mm)	Outer dimen- sion WxH (mm)	Viewing ca. WxH (mm)	Max. Opening (degree)	Exhibitor (2 pcs.)	Weight (kg)	Item no.	Price
280x380	308x407	225x325	40°	Stainl. steel stepless	1,7	31911	215,-
350x500	377x527	295x445	63°	Stainl. steel stepless	2,6	31929	275,-
490x500	518x527	435x445	63°	Stainl. steel stepless	3,0	31912	294,-
500x300	528x327	445x245	37°	Plastic 3 level	3,1	31924	254,-
500x500	528x527	445x445	63°	Stainl. steel stepless	3,0	31919	295,-
600x450	628x477	545x395	57°	Stainl. steel stepless	3,3	31917	321,-
600x600	628x627	545x545	58°	Stainl. steel stepless	4,0	31925	356,-
750x455	778x477	695x400	56°	Stainl. steel stepless	3,9	31913	346,-
800x500	828x527	745x445	63°	Stainl. steel stepless	4,5	31927	365,-
818x315	846x342	763x260	37°	Plastic 3 level	3,3	31914	299,-
900 x 400	928x427	845x345	55°	Stainl. steel stepless	4,2	31918	391,-
900x450	928x477	845x395	57°	Stainl. steel stepless	4,4	31916	403,-
900x500	928x527	845x445	63°	Stainl. steel stepless	4,9	31928	404,-
960x450	988x477	905x395	57°	Stainl. steel stepless	4,8	31910	419,-
985x465	1013x482	930x410	52°	Stainl. steel stepless	5,1	31915	442,-
1100x600	1128x627	1045x545	58°	Stainl. steel stepless	6,7	31926	492,-


Blackout system

Outer dimen- sion WxH (mm)	Item no.	Price
307x420	319111	117,-
377x540	319291	142,-
517x540	319121	151,-
527x340	319241	137,-
527x540	319191	152,-
627x490	319171	132,-
627x640	319251	172,-
777x495	319131	177,-
827x540	319271	153,-
845x355	319141	153,-
927x440	319181	166,-
927x490	319161	172,-
927x540	319281	176,-
987x490	319101	162,-
1012x505	319151	188,-
1127x640	319261	209,-

ACRYLIC DISPLAY WINDOWS CLASSIC / ELEGANCE

CARBEST
INNOVATIONS FOR MOBILE LIFE

Acrylic hinged window Classic



ACRYL-
GLASS

DOUBLE
GLAST

LIGHTTH-
ROUGH-
LATENESS:
40%

DISK TO
OUTSIDE
WOODED

UV
CONSIG-
TENT

EXHIBITOR
WITH
FIXED-
SCREW

MATERIAL
FRAME:
ASA

FOR WALL-
STRENGTHS
FROM
25-60 mm

CORNER RADI-
US WINDOW-
FRAMEWORK:
12 mm



INCLUSIVE

Blackout system with
Privacy and
Mosquito protection pleated
blind with magnetic closure

IN SUPPLY-
SCOPE
INCLUDED

DARKENING
PLISSEE

MOSKITO-
PROTEC-
TION
PLISSEE

MATERIAL
FRAME:
PLASTIC

Detail WxH (mm)	Outer dimen- sion WxH (mm)	Viewing ca. WxH (mm)	Max. Opening (degree)	Weight (kg)	Item no.	Price
500 x 300	529 x 329	375x175	32°	2	318581	274,-
500 x 350	529 x 379	375x225	60°	3,7	318580	279,-
500 x 450	529 x 479	375x325	70°	4,2	31858	313,-
700 x 400	729x429	575x275	70°	5,5	31859	366,-
900x450	929x479	775x325	70°	7,0	31857	377,-
900x550	929x579	775x425	70°	8,0	318582	405,-
1100x450	1129x479	975x325	70°	8,5	31855	399,-
1200x500	1229x529	1075x375	78°	9,5	31868	467,-
1450x550	1479x579	1375x425	70°	13,0	31869	589,-

CARBEST
INNOVATIONS FOR MOBILE LIFE

Elegance acrylic display window



Window closes outside
flush with the frame

ACRYL-
GLASS

DOUBLE
GLAST

LIGHTTH-
ROUGH-
LATENESS:
40%

DISK TO
INSIDE
WOODED

UV
CONSIG-
TENT

WITH
VENTILATI-
ON-
POSITION

EXHIBITOR
WITH
FIXED-
SCREW

MATERIAL
FRAME:
ASA

FOR WALL-
STRENGTHS
FROM
25-40 mm

CORNER RADI-
US WINDOW-
FRAMEWORK:
12 mm



INCLUSIVE

Blackout system with
Privacy and
Mosquito protection pleated
blind with magnetic closure

IN SUPPLY-
SCOPE
INCLUDED

DARKENING
PLISSEE

MOSKITO-
PROTEC-
TION
PLISSEE

MATERIAL
FRAME:
PLASTIC

Detail WxH (mm)	Outer dimen- sion WxH (mm)	Viewing ca. WxH (mm)	Max. Opening (degree)	Weight (kg)	Item no.	Price
500 x 350	529 x 379	400x265	45°	3,2	318500	279,-
500 x 450	529 x 479	400x365	45°	3,75	318501	299,-
900x350	929x379	800x265	45°	6,32	318507	365,-
900x450	929x479	800x365	45°	5,93	318502	388,-
1000x800	1029x829	900x715	50°	12,4	318506	575,-
1100x450	1129x479	1000x365	45°	7,05	318503	415,-
1200x300	1229x329	1100x215	12°	7,67	318504	382,-
1200x500	1229x529	1100x415	45°	8,09	318505	485,-



PolyVision acrylic display windows CURVED (curved) or AERO (straight)

- Black high quality aluminum frame
- With tinted glass for more privacy
- You will need the mounting clamps, depending on the wall thickness and dimensions of the wall cutout
- Windows are supplied without inner frame

PolyVision CURVED – curved design

Radius 4991 mm for box van

Cutout dimension (WxH)Weight (kg)	Art.No	Price	
900x550	5,9	31120	659,-
520x315	2,5	31121	405,-
750x465	4,4	31122	490,-
490x500	3,3	31123	465,-
258x396	1,7	31124	413,-
686x298	2,9	31125	451,-
280x380	1,7	31126	384,-
220x380	1,4	31127	368,-
818x315	3,6	31128	458,-

PolyVision AERO - straight design

for flat wall, flush design double thermoformed

Cutout dimension (WxH)	Weight (kg)	Art.No	Price
700x520	4,5	31130	525,-
900x520	5,6	31131	612,-
700x400	3,7	31132	506,-
600x560	4,2	31133	519,-
600x450	3,6	31134	502,-
600x550	4,2	31135	502,-
500x400	2,8	31136	447,-
500x520	3,5	31137	488,-
900x500	5,5	31138	607,-
800x450	4,6	31139	545,-

Mounting clamps

For wall thicknesses from 23-32 mm	39001	2,50
For wall thicknesses from 33-37 mm	39002	2,50
For wall thicknesses from 38-42 mm	39003	2,50
Screw (One screw is required per mounting bracket)		
	39004	0,70

CURVED - Curved design



max.
130
km/h

AERO - Straight design



Number of mounting clamps required:

		Wall cutout width		
		WA<=643	643>WA<=1093	WA>1093
Height wall cutout	WA<490	8 pcs.	10 pcs.	12 pcs.
	490<=WA<580	10 pcs.	12 pcs.	14 pcs.
	WA>=580	12 pcs.	14 pcs.	16 pcs.

All-plastic window with integrated blackout blind and mosquito protection

- No cold bridges
- Optimal thermal insulation
- With insect screen and blackout
- Ready preassembled
- Deformation resistant with steel insert

Double acrylic glazing. Optimizes thermal insulation - complies with housing standards.
Outer frame polyurethane, highly insulating.
Ready pre-assembled. Easy and quick to install.
One-hand operation for roller blinds. Safe, with new safety technology.

Plan adjoining window locks and out-stellers. With telescopic shutters and safety window latches.
Finish: acrylic glass tint gray. Outer frame black (RAL 9005) Inner frame cream white (RAL 9001).
Blackout roller blind aluminum coated outside, white inside, insect screen gauze white.

Installation tip for Seitz windows

The inner and outer frames are screwed together. Ready for installation for a wall thickness of 26 mm. For smaller wall thicknesses, an inner frame (e.g. wooden frame) must be used. For larger wall thicknesses, a frame is installed. Longer screws may need to be used. Maximum wall thickness is 53 mm.

S4 Sliding window

Discs- dimension WxH	Cutout- dimension: WxH	Art.No	Price
468x382	500x450	31241	585,-
568x434	600x500	31247	659,-
568x534	600x600	31249	725,-
668x232	700x300	31251	589,-
668x332	700x400	31253	655,-
668x382	700x450	31255	715,-
668x484	700x550	31257	759,-
668x534	700x600	31259	779,-
718x534	750x600	31263	909,-
768x282	800x350	31265	675,-
768x382	800x450	31267	739,-
868x334	900x400	31271	779,-
868x382	900x450	31273	809,-
868x434	900x500	31275	875,-
868x484	900x550	31277	985,-
868x534	900x600	31279	1059,-
968x434	1000x500	31281	899,-
968x534	1000x600	31285	1119,-
1068x382	1100x450	31289	909,-
1168x534	1200x600	31291	1225,-
1268x534	1300x600	31295	1305,-
1418x534	1450x600	31297	1345,-

Complete with interior frame in cream white and insect screen and blackout blind.



The S4 sliding windows can be mounted on the left and right side of the vehicle.

The preferred choice

S4 sliding window with acrylic pane and security window latch. The front pane (viewed in the direction of travel) can be moved. The outer and inner frames are bolted together from the inside, providing a durable and effective seal.

Cutout dimension

The outer frame dimension is approx. 45 mm larger in width and approx. 33 mm larger in height than the cutout dimension.

The proven complete window for motorhomes and caravans

With telescopic shutters and integrated blackout and insect screen. Optimizes thermal insulation. Security bolts prevent the window from opening from the outside.

S4 vent window

Measure over all WxH	Cutout- dimension: WxH	Art.No.	Price	Discs- dimension	Art.No.	Price
393x531	350x500	31190	525,-	318x434	31530	191,-
544x330	500x300	31191	485,-	468x232	31531	147,-
544x380	500x350	31192	545,-	468x282	31532	185,-
544x480	500x450	31193	565,-	468x382	31533	190,-
594x581	550x550	31195	655,-	518x484	31535	234,-
594x631	550x600	31197	665,-	518x534	31537	189,-
644x531	600x500	31198	655,-	568x434	31538	207,50
644x631	600x600	31199	715,-	568x534	31539	188,-
745x330	700x300	31201	565,-	668x232	31541	175,-
745x430	700x400	31202	659,-	668x332	31542	210,-
745x481	700x450	31203	699,-	668x382	31543	187,-
745x481	700x550	31204	749,-	668x484	31544	227,-
745x631	700x600	31205	759,-	668x534	31545	202,-
797x631	750x600	31208	779,-	718x534	31548	239,-
846x380	800x350	31209	659,-	768x282	31549	218,-
846x481	800x450	31210	725,-	768x382	31550	220,-
948x430	900x400	31211	749,-	868x334	31551	209,-
948x481	900x450	31212	759,-	868x382	31552	232,50
948x531	900x500	31213	819,-	868x434	31553	216,-
948x581	900x550	31214	819,-	868x484	31554	222,-
948x631	900x600	31215	875,-	868x534	31555	267,-

Complete with interior frame in cream white and insect screen and blackout blind.

Suitable sealant for window installation can be found on the following pages.



Aluminum frame window with acrylic glazing S7P for panel vans with slightly curved outer surface

- Flush fitting pane
- Excellent thermal insulation
- Double acrylic glazing, dark tinted
- Lightweight aluminum frame
- For wall thicknesses from 22 to 43 mm
- Optional available blackout system

Windows with radius of curvature of 5000 mm, powder-coated aluminum profiles, light weight, excellent thermal insulation, high surface quality, perfectly matched blackout system, homely atmosphere in the interior, with stepless shutters. Please order blackout system for S7P separately.



Cutout dimension WxH (mm)	Overall dimension WxH (mm)	Light measure WxH (mm)	Weight (kg)	Item no.	Price
280 x 380	308 x 408	230 x 330	2,9	31351	609,--
280 x 380	308 x 408	230 x 330	2,9	313510 (Opal)	545,90
490 x 500	518 x 528	440 x 450	4,0	31350	609,--
560 x 465	588 x 493	510 x 415	4,5	31349	609,--
700 x 510	728 x 538	650 x 460	4,8	31348	665,--
750 x 455	778 x 493	700 x 415	4,8	31347	665,--
818 x 315	843 x 343	768 x 265	4,6	31346	665,--
960 x 450	988 x 478	910 x 400	5,6	31304	665,--
985 x 465	1013 x 493	935 x 415	6,1	31344	759,--



Accessories mounting kit for S7P 5000 window

Scope of delivery: mounting brackets and screws for the respective wall thickness.
Important accessories that facilitate the installation of the windows.

Wall thickness in mm	Item no.	Price	Wall thickness in mm	Item no.	Price
22-23	31330	15,--	32-33	31335	15,--
24-25	31331	15,--	34-35	31336	20,--
26-27	31332	15,--	36-37	31337	20,--
28-29	31333	15,--	38-39	31338	20,--
30-31	31334	15,--	40-41	31339	20,--
			42-43	31340	20,--



Blackout system for S7P 5000, cream color

- Duet honeycomb blind and insect screen in flat cassette
- Steplessly adjustable with one hand
- Move individually or together

For cutout dimension W x H (mm)	Item no.	Price	For cutout dimension W x H (mm)	Item no.	Price
280 x 380	31325	369,--	750 x 465	31322	419,--
490 x 500	31326	419,--	818 x 315	31323	419,--
560 x 465	31320	419,--	960 x 450	31324	485,--
700 x 510	31321	419,--	985 x 465	31327	485,--

ParaPress - sliding window

- Thermal separation - without cold bridge
- Glass gray with screen printing on the edge
- Frame painted gray (RAL 9007)

Sliding window (W x H in mm)

Only suitable right (passenger side)

900 x 450 30972 359,--

900x450 mm
For passenger side



ACRYL-
GLASS

DOUBLE
GLAST

LIGHTTH-
ROUGH-
LATENESS:
10%

DISK TO
OUTSIDE
WOODED

UV
CONSIS-
TENT

3 LEVELS-
OFF-
STELLER

FRAME-
LOS



The curved acrylic glass
(Radius: 5800 mm)
adapts perfectly to the contour of
the vehicle.



OPTIONAL

Blackout system with
Privacy and
Mosquito protection pleated
blind with magnetic closure

OPTIONAL
AVAILABLE

DARKENING
PLISSEE

MOSKITO-
PROTEC-
TION
PLISSEE

MATERIAL
FRAME:
ALU



Acrylic windows for box van

Installation position	Detail WxH (mm)	Outer dimension WxH (mm)	Max. Opening (degree)	Weight (kg)	Item no.	Price
Page	260x560	340x653	60°	1,6	31920	169,-
Page	735x560	814x653	60°	4,6	31922	243,-
Sliding door	970x560	1050x653	60°	5,8	31923	274,-
Tail	620x560	700x653	60°	4,1	31921	199,-

Blackout system

Outer dimension WxH (mm)	Item no.	Price
347x669	319201	102,-
822x669	319221	119,-
1057x669	319231	129,-
707x669	319211	117,-



①



②



Order at the same time:

① Sealing rubber profile self-adhesive, for curtain wall windows

For wall thicknesses of 28-32 mm. Self-adhesive. Color: Black

4 m 322704 59,95

40 m 3227040 559,-

② Filler profile for rubber sealing profile 322704/3227040

Color: gray, dimensions: 23 mm x 0.9 mm.

10 m 322730 12,30



Opening window for Fiat Ducato, Peugeot Boxer and Citroën Jumper from Bj. 7/2006

- Optimally adapted to the contour of the vehicle
- Very good privacy protection due to black tint
- Low loss of brightness in the interior
- No protruding fittings - maximum possible safety
- Thermal protection through acrylic insulating glazing

Scope of delivery: window with exhibitor, bolt locks and rubber profile

① Sliding door window 1051 x 650 mm for cut-out size 985 x 465 mm, 2 locking bolts 32200 469,-

Side window (not shown) 816 x 650 mm for cut-out dimension 750 x 465 mm, 2 locking bolts 32204 307,-

② Side frames 566 x 650 mm for cut-out size 500 x 520 mm. 2 locking latch 32201 274,-

Frosted glass 32202 288,-

③ Rear window 816 x 650 mm for cut-out dimension 550 x 490 mm. 1 locking bolt 32203* 338,-

These windows are suitable for panel vans (not suitable for replacing the original glazing). *Rear window does not fit with the 270° door hinges.

CARBEST
 INNOVATIONS FOR MOBILE LIFE


Sliding window for horse trailer – RW TRAILER

Window for horse trailers with protective grid, provides ventilation as well as protection from insects due to integrated mosquito net. Lockable and lockable from the outside. For 40 mm wall thickness, corner radius 100 mm.

Width 790 mm, height 515 mm **31970 349,-**



WITH SEALING RUBBER

Real glass sliding window

- Black aluminum frame, gray tinted lens
- Usable left and right
- Corner radius: 85R

Cut-out dimension W x H (mm)	Overall dimension W x H (mm)	approx. weight	Art. No.	Price
400 x 300	433 x 333	3,1 kg	31610	189,-
800 x 400	833 x 433	6,9 kg	31850	235,-
960 x 450	993 x 483	8,8 kg	31612	245,-
600 x 250	633 x 283	3,8 kg	31613	199,-
500 x 450	533 x 483	5,1 kg	31614	219,-
800 x 450	833 x 483	7,5 kg	31615	239,-
800 x 340	833 x 373	6,1 kg	31616	229,-



292,-

① Aluminum high roof vent window

- Ideal for alcoves or high roofs
- Sturdy aluminum frame
- Safety glass pane without tint
- Angle of swing max. 90
- Aluminum display with manual locking screw
- Wall thicknesses from 30-35 mm, cut-out dimensions 460 x 160 mm

Frame color black	34435	292,-
Frame color silver	34432	299,-
② Window display, Length 20 cm	34475	18,95
Replacement sash (without fig.)	34433	223,-



S7P 5000 vent window for the tailgate VW T6

- Ventilation in the sleeping area of the VW bus
- Double acrylic glazing, excellent thermal insulation
- Flush fitting pane
- Lightweight aluminum frame
- For wall thicknesses from 22-43 mm

Window size: 960x450 mm including adapter. Supplied without interior trim. A rear window wiper, if present, is not required.

31299 850,-

Blackout roller blind for hinged window S7P 5000

Pleated blind with homely honeycomb pattern and black flyscreen in flat-fitting cassette. The roller blinds can be adjusted continuously.

31324 485,-

CARBEST
 INNOVATIONS FOR MOBILE LIFE

① Porthole - RW NAUTIC Ø 295 mm

- Tinted acrylic
- Double glazed
- UV-resistant
- Powder coated aluminum frame, black
- For wall thicknesses of 40 mm

Rigid version (cannot be opened), outer Ø: 323 mm, window Ø: 295 mm. Weight: approx. 1.4 kg.

32263 109,-



Rigid

② blackout system for RW NAUTIC with privacy and mosquito protection pleated with magnetic closure. Aluminum frame, white. Overall dimensions: 374x318 mm, weight: approx. 1 kg

322631 59,90



Portholes rigid or hinged

- Double glazed, Glass color: Grey

③ Porthole rigid incl. rubber profile for clean interior closure

For wall thickness 25-27 mm.

Ø 282 mm, cut-out dimension: 300 mm

32260 124,-

Ø 362 mm, cut-out dimension: 380 mm

32261 146,-

④ Porthole openable

Dimensions: 404 x 426 mm, cut-out dimension: 350 mm,

suitable for wall thickness: 28-32 mm incl. upper hinge strip + 1 exhibitor, with fine screen printing around the edge

32265 252,-

⑤ Porthole exhibitor 32265

Length approx. 19 cm **32278 30,-**



Rigid




Exhibitable



Window display (fittings) for Polivitrum windows

① Polyfix fittings with click-clack mechanism (A)						Screw fittings with click-clack mechanism					
with locking bolt			without locking bolt			with locking bolt			without locking bolt		
200 mm left	322596	15,90	200 mm left	322598	23,30	230 mm left	32259	13,50	200 mm left	322600	23,—
200 mm right	322597	15,90	200 mm right	322599	23,30	230 mm right	322591	13,50	200 mm right	322601	13,90
230 mm left	322594	16,30				280 mm left	322592	17,10			
230 mm right	322595	16,30				280 mm right	322593	17,10			
280 mm left	32250	20,95									
280 mm right	32251	20,95									

② Polyfix fittings with stepless adjustment						③ Screw fittings with stepless adjustment					
with locking bolt			without locking bolt			with locking bolt			without locking bolt		
135 mm left	322602	15,50	135 mm left	322842	23,95	135 mm left	322608	12,80	135 mm left	322616	24,—
135 mm right	322603	15,50	135 mm right	32282	23,95	135 mm right	322609	12,80	135 mm right	322617	24,—
200 mm left	322604	16,70	200 mm left	322841	28,20	200 mm left	322610	14,30	200 mm left	322620	32,—
200 mm right	322605	16,70	200 mm right	32284	25,20	200 mm right	322611	14,30	200 mm right	322621	32,—
300 mm left	32252	17,30				300 mm left	322612	16,70			
300 mm right	32254	17,30				300 mm right	322613	16,70			
230 mm left	322606	17,30				230 mm links	322614	14,—			
230 mm right	322607	17,30				230 mm right	322615	14,—			



Edge cover profile

Cutting out the sheet often results in an unsightly cut edge. This can be concealed with the edge protection profile. When mounting, please check whether the washer can still be glued in properly.

Small clamping range: 0.5 to 1.5 mm.

5 m, black 294559 14,90

GP* 2,98/ 1 m

10 m, black 294551 29,90

GP* 2,99/ 1 m

Wide clamping range: 1.5 to 4.0 mm.

10 m, black 294560 79,90

GP* 7,99/ 1 m



Edge protector for acrylic glass

- High quality silicone rubber
- Fits almost all common curtain sash windows
- Effective protection against possible injuries

Clamping range: 2.8 to 3.5 mm

5 m 312411 45,95

10 m 312412 94,95




Accessories for Polivitrum windows

① **Bolt lock** for screw fitting window 32253 8,20

② **Bolt lock** for Polyfix fitting window with button lock 32258 26,50

③ **Interior cover profile** for Polyvision windows color beige, 5 meters 32256 33,70

④ **Fastening plate set** 20 plates with 3.5 x 16 mm screws for wall thickness 23 to 33 mm 32255 14,20



Window cover profiles light gray Perfect transition to the interior trim. The profile is cut to the depth of the respective wall thickness, glued or fastened with cap screws (not included).

① Inner profile bar 2 m	38000	17,30
② Round arch radius 80°	38004	4,70
③ Rundbogen Radius 60°	38003	4,70

Sealing rubber profile for curtain wall windows

- Self-adhesive

For wall thicknesses of 28-32 mm. Self-adhesive for quick and easier installation. Color: Black.

(filler profile not included in delivery)

4 m 322704 59,95

40 m 3227040 559,-



Filler profile for rubber sealing profile

Suitable for sealing rubber profile 322704/322404.

Color: Gray,

Dimensions: 23 mm x 0.9 mm.

10 m 322730 12,30



All dimensions are approximate

S3 and S4 window spare parts



Sealing rubbers, small parts

- ① End pieces for hanging strip S4 window pair **39825 6,90**
- ② Sealing rubber outer frame wall S3 window 5 m **39821 15,60**
- ③ Sealing rubber outer frame wall S4-S6 window 5 m **39822 14,40**
- ④ Pane seal hinged window **39820 20,30**
- ⑤ Closure with counterpart and screws
 <10/2006 **39817 29,90**
 >11/2006 **39818 33,60**

Window exhibitor, latch


Window display for window height:

- ⑥ 300 mm left **39801 18,60**
 right **39800 18,60**
- ⑦ 400 mm left **39803 19,90**
 450 mm left **39802 19,90**
 right **39804 20,40**
 550 mm left **39807 21,90**
 right **39806 22,90**
 600 mm left **39809**
 right **39808 22,90**
 700 mm left **39813 22,90**
 right **39812 25,60**

Locking latch

- ⑧ left **39816 9,90**
- ⑨ right **39815 9,90**

S4 Window Spare Parts



Cutout dimension	① flyscreen roller blind White	② blackout blind White	③ Inner frame Cream complete w. roller blind
350 x 500	315302 27,-	315301 29,20	E5660 152,-
500 x 300	315342 30,50	315341 32,50	E434 152,-
500 x 350	315342 30,50	315341 32,50	E5661 153,-
500 x 450	315342 30,50	315341 32,50	E4437 154,-
500 x 600	315342 30,50	315341 32,50	E5662 156,-
550 x 550	315372 30,90	315371 33,50	E3756 157,-
550 x 580	315372 30,90	315371 33,50	E5663
550 x 600	315372 30,90	315371 33,50	E5664 158,-
600 x 500	315392 29,90	315391 35,90	E454 157,-
600 x 600	315392 29,90	315391 35,90	E5659 162,-
650 x 300	315402 31,40	315401 35,-	E5666 155,-
700 x 300	315452 32,90	315451 35,90	E5667 156,-
700 x 400	315452 32,90	315451 35,90	E4010 159,-
700 x 450	315452 32,90	315451 35,90	E480 161,-
700 x 550	315452 32,90	315451 35,90	E5668 163,-
700 x 600	315452 32,90	315451 35,90	E4777 165,-
750 x 400	315482 32,90	315481 39,90	E6050 163,-
750 x 450	315482 32,90	315481 39,90	E3877 165,-
750 x 600	315482 32,90	315481 39,90	E5669 168,-
800 x 350	E11926 31,90	315501 36,90	E5670 161,-
800 x 450	E11926 31,90	315501 36,90	E3055 164,-
800 x 550	E11926 31,90	315501 36,90	
900 x 400	315552 32,90	315551 41,40	E5671 168,-
900 x 450	315552 32,90	315551 41,40	E5672 169,-
900 x 500	315552 32,90	315551 41,40	E493 170,-
900 x 550	315552 32,90	315551 41,40	E473 172,-
900 x 600	315552 32,90	315551 41,40	E416 173,-
1000 x 450	315553 33,40	315554 43,90	E5674 173,-
1000 x 500	315553 33,40	315554 43,90	E4914 174,-
1000 x 550	315553 33,40	315554 43,90	E4510 175,-
1000 x 600	315553 33,40	315554 43,90	E5675 176,-
1000 x 800	315602 37,70	315601 49,50	E5673 209,-
1100 x 450	31583 35,90	31633 45,40	
1100 x 550	31583 35,90	31633 45,40	E4587 180,-
1100 x 700	315642 36,90	315641 48,40	E5676 183,-
1200 x 300	315702	315644 49,90	E5677 176,-
1200 x 350	315702	315644 49,90	E5678 177,-
1200 x 500	315702	315644 49,90	E6051 181,-
1200 x 600	315702	315644 49,90	
1200 x 700	31584 38,40	315643 52,-	E1924 202,-
1300 x 550	315722 39,40	315721 47,90	E5679 189,-
1300 x 600	315722 39,40	315721 47,90	E417 195,-
1450 x 550	315752 38,50	315751 52,90	E5680 196,-
1450 x 600	315752 38,50	315751 52,90	E4001 208,-
1450 x 700	315752 38,50	315751 52,90	E5681 218,-
1600 x 600	315772 39,50	315771 59,40	E5682 214,-

- ④ Spring motor for roller blind width 900 to 1600 mm **37208 19,20**

- ⑤ Set of parts for S3 + S4 windows, color gray.

Scope of delivery guide piece, lateral counterholder . One-hand operation, closure, dovetail profile, slider, bearing bush.

399931 24,90

- ⑥ Cover caps + screws **37224 9,90**



REPLACEMENT WINDOWS FOR DOMETIC WINDOWS / SHORTENABLE BLACKOUT SYSTEMS




Acrylic glass replacement window panes with attachments suitable for e.g. Dometic/Seitz display windows

(No original Dometic window panes)

- Suitable for Dometic window models S3/S4/S5
- The replacement window panes are attached to the original window frame hinge
- Double glazed for optimal insulation
- Window panes curved outward
- Acrylic color: gray or bronze
- Scope of delivery: acrylic glass replacement window pane, window stay, hinge and latch

Cutout Window W x H (mm) approx.	Outer dimension Acrylic glass W x H (mm)	Gray		Bronze	
		Item no.	Price	Item no.	Price
350x500	318x434	31400	139,90	31401	143,90
500x300	468x232	31402	140,90	31403	147,90
500x350	468x282	31404	147,90	31405	152,30
500x450	468x380	31406	156,80	31407	163,40
500x600	468x534	31408	166,50	31409	171,90
550x550	518x484	31410	188,90	---	---
550x580	518x512	31411	166,50	31412	171,90
550x600	518x534	31413	166,50	31414	174,90
600x500	568x434	31415	171,90	31416	182,40
600x600	568x534	31417	188,90	31418	193,50
650x300	618x232	31419	171,90	31420	176,70
700x300	668x232	31421	136,90	31422	139,70
700x350	668x282	31423	158,50	---	---
700x400	668x332	31424	159,95	31425	159,95
700x450	668x382	31426	163,90	31427	171,90
700x500	668x434	31428	188,90	---	---
700x550	668x484	31429	188,90	31430	193,50
700x600	668x534	31431	193,50	31432	199,90
750x400	718x332	31433	165,90	31434	165,90
750x600	718x534	31435	195,95	31436	199,90
800x350	768x282	31437	172,40	---	---

800x450	768x382	31438	195,40	31439	199,90
900x400	868x334	31440	195,40	31442	197,90
900x450	868x382	31443	199,90	31444	199,90
900x500	868x434	31445	199,90	31446	201,90
900x550	868x484	31447	199,90	31448	206,90
900x600	868x534	31449	206,90	31450	214,90
1000x450	968x380	31452	206,90	31453	219,90
1000x500	968x434	31456	209,90	31458	222,-
1000x550	968x484	31459	219,90	31461	229,90
1000x600	968x534	31462	228,90	31463	233,50
1100x450	1068x382	31465	239,90	31466	247,90
1100x550	1068x484	31467	249,90	31468	261,-
1200x300	1168x232	31469	179,90	31470	187,90
1200x350	1168x282	31471	198,90	31472	211,90
1200x500	1168x434	31474	264,90	31475	274,90
1200x600	1168x534	31476	268,90	31482	283,40
1300x550	1268x484	31483	273,50	31484	286,40
1300x600	1268x534	31485	276,90	31486	292,-
1450x550	1418x484	31487	289,90	31491	303,90
1450x600	1418x534	31492	299,50	31493	313,-



In height
individually
shortenable



Adjustment mechanism
plastic

The window interior frames with blackout and flyscreen blinds are the perfect addition to make your motorhome shine again.

The roller blind system is available in different widths, the height of 650 mm can be shortened individually and thus adapted to the existing requirements in the vehicle.

(blackout system not pre-assembled)

Overall dimension W x H (mm)	A	B	C	D	Item no.	Price
600x650	694	650	600	750	37833	82,90
700x650	794	650	700	750	37834	83,90
800x650	894	650	800	750	37835	87,90
900x650	994	650	900	750	37836	90,90
1000x650	1094	650	1000	750	37837	93,90
1100x650	1194	650	1100	750	37838	100,90
1200x650	1294	650	1200	750	37839	102,90
1250x650	1344	650	1250	750	37840	106,90
1300x650	1394	650	1300	750	37841	110,50
1400x650	1494	650	1400	750	37842	114,50
1450x650	1544	650	1450	750	37843	114,50
1500x650	1594	650	1500	750	37844	118,50


Blackout system incl. mosquito net

- Complete system for retrofitting or conversion
- Can be shortened individually in height
- Simple assembly
- Almost complete blackout
- Effective insect protection
- Color frame: Cream white
- Color blackout blind: White
- Color mosquito net: gray
- Material frame: Plastic

Double cassette roller blind REMIflair I - very flat

The inexpensive combination blind. Blackout and flyscreen roller blind, high quality equipment, with excellent insulation properties: Exterior: aluminum coated solar control film with almost complete blackout. Effective insect protection, Both roller blinds are guided from the top. Ideal for countertops and for seating groups. Roller blind applies only 3.5 cm. Color: cassette cream white, sun protection film: inside cream white or gray; outside silver coated, effectively reflects sunlight. Insect screen gauze: White.

Window cutout (WxH in mm)	Frame outside (WxH in mm)	Light gray: Silver	Price	Cream white: Silver	Price
700 x 550	770 x 655	–		370506	103,–
800 x 550	870 x 655	–		370516	104,–
900 x 550	970 x 655	–		370526	111,–
1000 x 600	1070 x 705	–		370536	129,–
1100 x 600	1170 x 705	–		370546	143,–
1450 x 700	1520 x 805	37055	154,–	–	



Double pleated blind REMIflair IV

The elegant combination blind. Blackout blind with homely pleated, looks very cozy, insect blind with built-in sealing brushes, so that annoying biting flies have no chance. Flat design: only adds 4 cm. Ideal for countertops and seating areas. Color: cassette cream white; sunscreen pleated: gray-white coated. Insect screen roller blind and blackout are firmly connected by a handle. Roller blinds are infinitely adjustable.

Window cutout (WxH in mm)	Frame outside (WxH in mm)	Gray white White	Price
400 x 350	464 x 450	36700	102,–
500 x 450	564 x 550	36701	115,–
550 x 520	614 x 620	36702	120,90
600 x 550	664 x 650	36703	126,–
650 x 550	714 x 650	36704	131,–
700 x 550	764 x 650	36705	139,–
750 x 550	814 x 650	36706	139,–
800 x 550	864 x 650	36707	150,90
900 x 550	964 x 650	36708	150,90
1000 x 600	1064 x 700	36709	162,–
1100 x 600	1164 x 700	36710	186,–
1200 x 600	1264 x 700	36711	179,90
1300 x 600	1364 x 700	36712	189,80
1450 x 700	1514 x 800	36713	231,–
1600 x 700	1664 x 800	36714	243,–



REMIS spring roller blind - effective blackout

The spring roller blind - functional and inexpensive. Fits all types of windows. Effective sun protection and blackout. Can be used individually, as you can adjust the width to the specific requirements.

Window cutout (WxH in mm)	Gray white Silver	Price	Cream white Silver	Price
For side window				
770 x 600	37102	40,90	371026	40,90
870 x 600	37103	43,95	371036	42,40
970 x 600	37104	44,95	371046	44,95
1020 x 600	37105	49,95	371056	49,95
1120 x 600	37106	48,95	371066	48,95
1270 x 600	37107	54,95	371076	54,95
1420 x 700	37109	58,95	371096	58,95
1620 x 700	–		371116	73,95
For roof hoods				
620 x 600	37101	39,95	371016	38,95





Pleated blind with flyscreen and blackout

- Blinds can be cut individually*
- Exclusive roller blind with high quality finish
- Stable aluminum construction
- Fly screen and blackout pleated roller blind
- Creates cozy atmosphere
- Smooth Softline operation
- Infinitely adjustable
- Noiseless operation
- With aluminum handle
- Upper and lower profile with ventilation slots
- Completely pre-assembled, supplied in kit

Dimensions W x H	Item no.	Price
472 x 501 mm	35100	109,-
472 x 808 mm	35101	132,-
872 x 1100 mm	35105	205,-
1172 x 501 mm	35106	165,-
1172 x 808 mm	35107	199,-
1172 x 1100 mm	35108	245,-
1472 x 501 mm	35109	189,-
1472 x 808 mm	35110	227,50
1472 x 1100 mm	35111	289,-
1800 x 501 mm	35112	213,-
1800 x 808 mm	35113	289,-
1800 x 1100 mm	35114	309,-

* Please note that you need to add the following mounting areas to your window dimension to find your suitable roller blind size: DC (Horrex windows)/RK (rubber frame windows): Width + 78 mm / Height + 78 mm, PV (aluminum windows): Width + 46 mm / Height + 46 mm, S7 (windows by Dometic): Width + 36 mm / Height + 36 mm. Example: DC: Window dimension: 700 x 500 mm > 778 x 578 mm > Roller blind 872 x 808 mm



Duo pleated UCS profile set

- Profile elements for exchange
- Color possible in gray and white


Replacement profile set in gray or white, for UCS Duo pleated blind. Consisting of 4 long parts and 4 corners, the long parts must be shortened to the appropriate length

For internal frames up to length: 800 mm

Gray	35093	45,50
White	35095	45,50

For inner frame from length: 900 mm

Gray	35094	45,50
White	35096	45,90



Example: Seitz spring roller blind

Roller blind spare parts Dometic

For spring blind:

Parts set

(pull tab, retaining knob & 2 end caps)

Beige	E5001
Gray	E5002
Pull tab Gray	37212
Pull tab Beige	37211
Holding button Beige	37218
End cap Beige	E5003
Roller blind carrier 3-piece.	37210
Spring motor all sizes	37205

For Rastrollo 2000:

End piece Roller blind	E2712
Preload bush (pair)	E442

For Rastrollo 2001:

End piece Roller blind	E1521
------------------------	-------

For cassette roller blind 1302:

Parts set one-hand operation

(locking and additional parts)

Gray	E3813
------	-------

For roller frame S3 window:

Cover caps

Ø 9 mm, Beige, 12 pcs.	E5014
Ø 10,5 mm, Beige, 12 pcs.	E5015

For roller frame S4 window:

Screws incl. cover caps

Gray, 12 pcs each.	37224
White, 12 pcs each.	372241
Beige, 12 pcs each.	372242

You can find more roller blind spare parts at: www.reimo.com

There, the spare parts are often listed below the product.

FP210 / FP300 / SP300 / SP310 -

Roller blind system

Matched to the Fiat Ducato models X250 and X290 as well as the identical Peugeot Boxer and Citroën Jumper models.

- Double pleated Duette honeycomb material for maximum insulation against heat and cold
- Operation from the bottom up - optimal privacy protection
- Lightning-fast assembly - no removal of existing components necessary!
- Slim top panel - leaves room for a lift bed
- Infinitely adjustable - lets light into the vehicle or darkens the cockpit completely
- Also suitable for vehicles with rain sensor box
- Beige color

FP210 windshield

specially designed for vehicles with front mirror **37484** **455,-**

FP300 windshield

not suitable for vehicles with rear view mirror or side airbag **37463** **435,-**

SP300 side windows

right/left, for Ducato up to Bj. 8/21 **374395** **509,-**

SP310 Side windows

right/left, only suitable for Fiat Ducato 8, 9 from Bj. 9/21 **37485** **535,-**



Suitable for Fiat Ducato until Bj. 8/21 and Citroën and Peugeot from Bj. 2014.



Only suitable for Fiat Ducato from Bj. 9/21.



ASSEMBLY? MINUTE!

Neither the A-pillar nor the sun visors need to be removed.



SIMPLE INSTALLATION

Without removing the interior trim - free view of the entire exterior mirror.



PERFECT FINISH

Operation from the bottom up - optimal privacy protection.



PERFECT MOUNT

Just snap it in and it sits.



DOMETIC FP200 -

Front window roller blind for Fiat Ducato Bj. 1994 - 2006

The front window blind for the Fiat Ducato 230/244 ensures that it remains pleasantly cool in your van. The roller blind coated on the outside with aluminum was specially developed for Fiat Ducato, Peugeot Boxer and Citroën Jumper with the same design (without roof rack). It provides blackout and insulation in one and makes the stay in the driver's cab much more pleasant. Color gray **37407** **345,-**



345,-



Eclipse - blackout system for Fiat Ducato X290

- Magnetic shutter
- Patent pending
- Anti-tilt technology
- Easy to lock, easy to unlock
- Complete blackout
- Also suitable for vehicles with rain sensor box
- Color cream white / gray

For windshield (Bj. > 2015, also for Ducato 8) Weight approx. 3.5 kg 37470 304,-

For side windows (Fiat Ducato Bj. < 2021) Weight approx. 2.5 kg 37471 352,-

NEW: For side windows (Fiat Ducato 8 Bj. > 2021) Weight approx. 2.5 kg 37486 352,-



Universal windshield blackout with suction cups

- Suitable for many vehicle models such as VW T6, MB Vito and many more
- Extendable to a width of max. 155 cm
- Can be cut to size individually (cutting clamp included)
- The reflective exterior reduces heat in the vehicle
- Can also be used for the rear window
- Fastening with vacuum suction cups(included in delivery)

Easy and quick to attach. Roller blind dimension: W 155 x H 70 cm, material: polyester with aluminum foil. Pack size: 70 x 6.5 x 6 cm, weight: approx. 0.6 kg.

374100 19,90



Picture shows blackout in VW Caddy

NEW
2023



Blackout set (magnetic fastening)

- Simple assembly
- Minimum pack size
- Washable
- 8-piece (living space + driver's cab)
- Material: 100% PES
- Blackout fabric absolutely opaque

For VW Caddy 5 Maxi / Ford Connect 3 L2 as of 7/2022 372272 149,-
 For VW T7 Multivan 372273 159,-



REMIfront IV for Fiat Ducato, Peugeot Boxer, Citroën Jumper, Ford

- High quality and stable roller blind system for the driver's cab
- Effective heat and cold insulation
- Heating or cooling of the interior is significantly reduced
- Perfectly adapted to the cab and interior mirrors
- Made according to EC standard
- No obstruction of view - roller blind is perfectly integrated into the A-pillar

Model / Year of manufacture	Comments	Windscreen	Price	Side window left + right	Price
X250 Year . 2006-2011 ***	Without sensor housing	37414	367,-	374141	488,-
X250 Year . 09/2011-2014 ***	Without sensor housing	374142	361,-	374143	470,-
X290 from Year . Model 2014 ***	Ducato codes LA1/41J/051	374146	407,-	374143	470,-
X290 from Year . Model 2014/2019 ***	Without sensor housing	374144	361,-	374143	470,-
NEW: X290 as of Bj. Model 2019 ***	Front with sensor package	37464	479,-	374143	470,-
NEW: X290 as of Bj. Model 2021 Also for Opel Movano **	Front without sensor package	37480	487,-	37483	469,-
	Front with sensor package small	37481	425,-	37483	469,-
	Front with sensor package large	37482	508,-	37483	469,-
Ford Transit Custom V362 2012 - 2017	Without sight package	374180	504,-	374184	492,-
	Sight package 2	374187	603,-	374184	492,-
	Sight package 3	374188	603,-	374184	492,-
NEW: Ford Transit Custom V362 * from 2018	Without sight package	374140	595,-	374148	519,-
	Sight package 2	374149	663,-	374148	519,-
	Sight package 3	374149	663,-	374148	519,-
Ford Transit V363 2014 - 2019	Without sensor housing	374183	507,-	374189	492,-
NEW: Ford Transit V363 from 2019 *	Front with light and rain sensor	374150	667,-	374194	486,-
	Without sensors	374190	506,-	374194	486,-

* Left Hand Drive & Right Hand Drive. ** Does not apply to Boxer and Jumper. *** Also for Boxer and Jumper.

Adapter for sun visor from Bj. 2006

374213 36,95

Additional trim for even better darkening on the dashboard from Bj. 2011

374212 159,-

BLACKOUT SYSTEMS FOR CABINS



Front and side window blinds for VW Transporter T5/6

REMIfront for Volkswagen Transporter

REMIfront for the windscreen and the Reimo side curtains for perfect insulation and blackout. The area of the driver's cab is optimally integrated into the living area.

Model / Year of manufacture	Windscreen	Price	Side window Left + Right	Price	Colors Frame / Pleated
< 2009	37409	309,-			Grey/Grey
Side curtains			19241	182,-	Grey/Grey

*does not fit in California Beach, Comfortline and Generation, even with head airbag!

- High quality and stable roller blind system for the driver's cab
- Effective heat and cold insulation
- Heating or cooling of the interior is significantly reduced
- Perfectly adapted to the cab of the vehicle
- Made according to EC standard
- No obstruction of view - roller blind perfectly integrated into the A-pillar



REMIfront III for Sprinter and Crafter



REMIfront IV for Renault Master

Model / Year of manufacture	Comments	Windscreen	Price	Side window Left + Right	Price
Sprinter 2006 - 2018, Crafter 2006 - 2016	Straight mirror base	37417	375,-	374171	476,-
	Angled mirror base	374170	375,-		
	With rain sensor	E5926	414,-		
Sprinter from 2013, Crafter from 2013 - 2016	Special packages MB Code LA/JP4/JP2	E6133	487,-		
NEW: MAN Crafter from 2019	Front with storage compartment on top	374162	568,-	374161	499,-
Mercedes Sprinter from 2019	for large sensor housing	37465	477,-	37469	487,-
	for small sensor housing	37478	499,-	37479	487,-
Renault Master / Opel Movano / Nissan Interstar from 04/2011 - 08/2019	Without rain sensor	37424	434,-	374241	520,-
NEW: Renault Master from 2019, Identical in construction Opel Movano 2019 - 2021	Without or with interior mirror	374195	445,-		
	With rain sensor	374196	497,-		
	With assistance systems	374197	558,-		

Curtain set for cab darkening

• Light and privacy screen for VW Bus, Caddy & Vito cab

From year of manufacture 2003. 1-piece. This almost complete opaque blackout of the front and side windows grants an undisturbed retreat. Prevents the cab from heating up and protects against unwanted visibility into the vehicle interior.

VW T5/T6 from Bj. 2003	2-ply, Grey/Black.	19220	159,-
Inexpensive variant			
VW Caddy Maxi 2015 - 2020	1-piece, gray	19221	159,-
Mercedes Vito Metris	1-piece, gray	19229	149,-



Opaque living room blackouts for vans

- Extremely high quality double curtain
- Preassembled + pre-bent
- Fits well with the privacy glazing of your T5/T6
- Best fabric tension, because curtain guide at the top and bottom
- Suitable for station wagons without plastic trim

Material: 36% polyester, 32% polyamide, 23% spandex, 9% other fibers.

Scope of delivery: Complete set for 5 windows with all mounting parts.

Fastening: with curtain rails (pre-bent) and press studs for screwing.

Color Gray inside, black outside:

VW Caddy 2015-2020	19218	269,-
VW Caddy Maxi 2015-2020	19219	269,-
VW T5/6 Multivan/Caravelle	19239	299,-
Ford Transit Custom from Bj. 2014	19217	259,-
Mercedes Vito from Bj. 2015 without interior cl.	19227	299,-
Mercedes Vito from Bj. 2015 with interior cl.	19228	299,-
UK (RHD) Mercedes Vito from Bj. 2015 with interior cl.	192281	299,-

VW T5/T6

Color inside/outside:	short wheelbase		long wheelbase	
Grey/Black	19201	299,-	19202	299,-
Cream/Black	---		192023	299,-
Grey/Black, UK	192014	299,-	192024	299,-
Bordeaux/Black, UK	192016	299,-	-	-
Cream/Black LR, UK	192017	299,-	192027	299,-

Renault Traffic from Bj. 2015

Color inside/outside:	short wheelbase		long wheelbase	
Grey/Black	19216	299,-	192161	299,-
Cream/Black	192164	299,-	192167	299,-



VW T5/T6 partition curtain driver's cab

Separation curtain for driver's cab VW T5/6 from the living area.

Scope of delivery: 1 partition curtain, rail, screws and snaps.



Figure shows opaque variant



Gray, 2-ply, opaque, 180 denier	19245	129,-
--	--------------	--------------



Translucent living room blackouts for vans

- High quality fabric curtains in gray
- Pleasing ambience
- Best fabric tension, because curtain guide at the top and bottom
- Suitable for station wagons without plastic trim

Material: 36% polyester, 32% polyamide, 23% spandex, 9% other fibers.

Fastening: with curtain rails and press studs to screw on

For 5 windows (side and rear windows)

VW T5/T6* KR from Bj. 2003	10-piece	19231	249,-
VW T5/T6* LR from Bj. 2003	10-piece	19232	169,-

*not suitable for bus with plastic interior trim e.g. Multivan, Caravelle etc.



28 x 28 cm

VisionVent S eco - 28 x 28 cm

- Rain protection due to large overhang
- Double glazed - good insulation
- Aerodynamic shape, low height
- Less drafts despite continuous ventilation
- Foldable insect screen frame

Technical data

Telescopic display with locking device, can be set up on four sides. Cut-out dimension 28 x 28 cm, outer dimension of the hood 38 x 39.5 cm, roof thickness 24 - 46 mm, continuous ventilation up to 60cm², height above roof 8 cm.

Interior frame color		Interior frame with double pleated blind	
White	35913	69,95	
Gray	35912	69,95	
Beige	35911	69,95	
Replacement hoods		360232	68,95
white	35910	53,95	
Grau	35909	53,95	
Beige	35908	53,95	
Replacement mosquito net frame			
White	360231	11,95	
Grau	36024	11,50	
Beige	36023	11,95	



28 x 28 cm

40 x 40 cm



Foldable Mosquito net-frame

MPK - frosted glass roof hoods 28 x 28 cm and 40 x 40 cm in beige or gray

- Can be opened on all 4 sides
- Double glazing
- Foldable mosquito net frame
- With forced ventilation
- Blackout blind (optional)

Cutout size 28 x 28 cm

Outer dimensions 34 x 34 cm, roof thickness 2.4 - 4.6 cm, height above roof 7.8 cm, weight 1.4 kg

Cutout size 40 x 40 cm

Outside dimensions 46 x 46 cm, roof thickness 2.4 - 4.6 cm, height above roof 9.1 cm, weight 1.7 kg

Interior frame		Inenn frame	
Beige	36025	63,95	
Gray	360251	63,95	
Replacement lenses with fittings for 36025, handle Beige			
	36022	63,95	
for 360251, Handle Gray			
	36021	59,90	
Replacement mosquito net frame			
Beige	36023	11,95	
White	360231	11,95	
Gray	36024	11,50	
Blackout blind			
	Roller blind beige	E1231	45,95
	Roller blind gray	E1086	45,95
	Roller blind white	E4168	45,95
Mosquito net frame			
	Beige	36092	15,50
	Gray	360921	15,50
Replacement glasses with fittings for hood for 360573, handle Beige			
	36067	82,95	
for hood for 360574, handle gray			
	360671	82,95	



28 x 28 cm

VisionVent S pro - 28 x 28 cm

- Smoke glass hood
- Telescopic exhibitor, can be set up on four sides
- With condensation stop
- Aerodynamic shape, low driving noise
- Covered ventilation in inner hood
- Blackout and fly net as pleated blinds
- Modern white interior frame with double pleated blinds

Technical data

Telescopic display with locking device, can be set up on four sides. Cut-out size 28 x 28 cm, outer dimensions of the hood 38 x 39.5 cm, inner frame 36.5 x 34 x 3.2 cm, roof thickness 24 - 72 mm, continuous ventilation up to 75cm², height above roof 8 cm.

35920 95,50

Retrofit kit for MPK roof hoods 28 x 28 cm:

Blackout and flyscreen net pleated with permanent ventilation through frame. Frame color white. Technical data: Continuous ventilation 75cm². Frame dimensions 365 x 340 x 32 mm.

360232 68,95

Adapter frame for Fiat Ducato For mounting MPK roof hoods

Color: white for MPK models VisionStar/VisionVent

Frame 28 x 28 cm	35923	23,50
Frame 40 x 40 cm	35924	28,95
Frame front 70x50 cm	35925	53,95
Frame rear 70x50 cm	35926	57,50

Roof hood clear & frosted glass 40 x 40 cm

- 4 sides can be exhibited
- With forced ventilation
- Double glazing
- Fly screen and blackout blind
- Large roof overhang, largely rainproof



Cut-out dimension 40 x 40 cm, external dimension 56 x 56 cm, height 92 mm. Roof thickness 2.4 - 5.6 cm, height above roof 10 cm, weight 2.8 kg

Clear glass with inner frame color		Replacement clear glass with handle in the color	
White	360661	108,-	
Gray	360663	108,-	
Frosted glass with frame color			
Gray	360641	99,95	
Replacement milk glass with handle in the color			
	Beige	36069	79,95
	White	360691	79,95
	Gray	360692	79,95
Replacement milk glass with handle in the color			
	Beige	360693	79,95
	Gray	360694	79,-

**VisionStar M pro 2 - 40 x 40 cm and
VisionStar L pro 70 x 50 cm**

- Steplessly adjustable up to 50° with one handle
- Automatic locking and unlocking
- Glass slightly tinted as smoked glass
- Double wall frame for better insulation
- Very flat hood with double glazing
- Including white interior frame with double pleated blinds
- Optionally with or without illuminated inner frame

① VisionStar M pro 2 40x40 cm

Roof thickness from 25 - 60 mm, cutout size 40 x 40 cm, hood size 49 x 47 cm.
Continuous ventilation up to 150 cm², height above roof 8 cm,
infinitely variable up to 50°

VisionStar M pro without illumination	35916	132,-
VisionStar M pro with LED illumination, dimmable	35915	215,-

② Side panels with LED lighting

For retrofitting a VisionStar M pro without illuminated inner frame (35916)
including connection kit.

359320 82,95

③ VisionStar L pro 70x50 cm

Roof thickness from 25 - 60 mm, cut-out size 70 x 50 cm, hood size 81.5 x 58.3 cm. Continuous ventilation up to 150 cm², height above roof 10.5 cm,
continuously adjustable up to 55°

VisionStar L pro without illumination	35922	490,-
VisionStar L pro with LED illumination, dimmable	3592	529,-

④ Side panels with LED illumination

For retrofitting a VisionStar L pro without illuminated inner frame (35922) including
connection kit.

359321 129,50



max.
130
km/h

40 x 40 cm

70 x 50 cm

Retrofit inner frame for all 40x40 and 70x50 cm MPK roof hoods

- Interior frame with blackout pleated fabric and mosquito net
- Continuous ventilation even when pleated is closed
- Easy assembly and handling
- Color inner frame: White

Give your skylight a new design. Interior frame with integrated blackout pleated blind and mosquito net.

40x40 cm without LED lighting	360913	80,90
40x40 cm with LED lighting	35932	148,-
70x50 cm with LED lighting	35934	256,-

40 x 40 cm

NEW
2023

40 x 40 cm





①

②

③

④



from **97,90**

VENT 28 F with aerodynamic shape

- Fresh air for the bathroom and kitchen of their motorhome
- Ideal for small spaces
- Aerodynamically shaped outer dome
- High quality, shockproof and UV resistant
- Permanent ventilation
- Aluminum mosquito net included

Technical data: Cut-out dimension: 28x28 cm, outer dimension: 32x34 cm, roof thickness: 2.8 - 6 cm, height above roof 9 cm, dimensions of inner frame: 31x34 cm. Assembly according to the sandwich principle: no drilling on the roof, inner frame is screwed directly to the outer frame. Weight: 2.1 kg. Optional kit Turbo Vent F possible for motorization.

① White	36033	97,90
② Crystal (slightly translucent)	36038	82,10
③ Kit-Turbo-Vent 28F		
For fan retrofitting on the Vent 28F roof hood	36009	79,80

④ **NEW: Kit frame 28 Ducato**

Kit-Frame Ducato allows the installation of the VENT 28 F roof hood on the Fiat Ducato vehicle roof. The frame shape is specially adapted to the shape of the roof of the Fiat Ducato and can be fitted precisely. Made of durable ASA material. Weight 0.3 kg.

440469 18,70



112,-

Turbo Kit on Hymer roof hood, 50x70 cm



Dometic Midi Heki



Standing or hanging



Omni Vent



Dometic Mini Heki

TURBO KIT - The 12 volt fan for Retrofit for almost all roof hoods

- With adjustable clamping system for hanging
- Can be retrofitted without much effort
- Suitable for large roof hoods
- Fan can also be used standing or hanging
- Direction of rotation can be reversed at the connector plug
- can also be operated with batteries

Fits Seitz Mini/Midi, Heki Remi-Top 400, Omni-Vent, Fiamma Vent 50 x 50.

Can be attached to all roof hoods from 40 x 40 - 50 x 70 cm with telescopic clamping system. (Operation with stationary vehicles and open roof hatch). Supplied with power cable 12 volts for the cigarette lighter (can also be powered by batteries 1.5 volts 8 pieces).

Technical data:

12 Volt/3 Watt Min/Max. current draw: 0.22/0.26 Amp. Air delivery max: 7.2m³/min. Fan diameter 24 cm. Weight: 1.3 kg.

361861 112,-

VENT 40 - Aerodynamic roof hoods 40x40 cm

- Crank roof hood Vent for roof cutout 39 x 39 cm
- With integrated mosquito net
- Aerodynamically shaped outer dome
- High quality, shockproof and UV resistant
- Permanent ventilation
- Reimo recommends the installation of front spoilers

Technical data:


Cut-out dimension: 39 x 39 cm,
outer dimension: 45.5 x 45.5 cm inner frame: 43 x 43 cm,
roof thickness: 3 - 4.5 cm height above roof 8.5 cm

- | | | |
|-----------------------------------|--------|-------|
| ① White | 360822 | 84,- |
| ② Crystal | 36190 | 108,- |
| ③ NEW: Kit frame 40 Ducato | | |

Kit-Frame Ducato allows the installation of the VENT 40 roof hood on the Fiat Ducato vehicle roof. The frame shape is specially adapted to the shape of the roof of the Fiat Ducato and can be fitted precisely.

Made of durable ASA material. Weight 0,4 kg.

440470 24,-



Vent F Pro roof hood 40 x 40 cm with modern pleated blind

- Aerodynamic shape with large roof overhang
- 2 openers for safe and even opening of the hood
- Retractable crank - opening with only one handle
- Removable mosquito net (easy cleaning is possible)
- Pleated blackout blind - stylish and elegant

Technical data:

Cutout dimension: 40 x 40 cm, outer dimension: 57 x 53 cm
Height above roof: 9 cm, inner frame: 49 x 49 cm,
Roof thickness: 2.8 - 5.5 cm,
Assembly according to the sandwich principle, no drilling on the roof,
inner frame is screwed directly to the outer frame.
Weight: 4.7 kg

360832 261,-

Fresh air for the Vent F Pro retrofit roof hood

Effective ventilation with the retrofit kit for above roof hood

Fan diameter 300mm, power: 36Watt/3Amp

Max. Air delivery: 35m³/min.

① Kit-Turbo-Vent F Premium

With user-friendly touch control unit and thermostat

360833 259,-

② Kit-Turbo-Vent F with thermostat

360834 234,-

③ Kit Turbo-Vent F P3 basic version with switch

360835 140,-



Blackout roller blind for roof hoods

- ① **Blackout roller blind Vent 40x40 cm.** To retrofit for Fiamma Crank roof hoods 40 cm. Side grilles for continuous ventilation, housing dimension outside: 44,5x44,5 cm. White 360271 47,-

② Insulating mat Thermovent 40


For Fiamma roof hatches 40 cm, reflects heat and reduces the Heat loss. With mounting kit for quick insertion.

Carries inside 6mm on. 36028 16,-

③ Flyscreen and blackout roller blind Rollo Vent 50

For retrofitting for roof hoods 50 cm. Roller blind outside with reflective Aluminum foil. Cold in winter and heat in summer stay outside.

External dimensions: 52x52 cm. 360911 119,30



XXL roof hood 50x50 cm

- Can be set up on 4 sides
- With flyscreen and blackout blinds
- Made of high quality and UV-resistant plastic.
- Wide overhang, thus largely storm- and rain-proof.

Technical data: cut-out size: 50x50cm, outside size: 57x57cm, roof thickness: 3-7cm, height above roof: 8.5 cm, Dimensions inner frame: 55x55cm

Hood glass:

- | | | |
|----------------------------|--------|-------|
| ① White (weight: 4.5 kg) | 360881 | 165,- |
| ② Crystal (weight: 4.7 kg) | 361822 | 217,- |



from 165,-

165,-
217,-



Crank roof hood with 12 volt fan

① TurboVent Premium with touch control unit

- System control is activated by light finger pressure of the touch pad control
- Electrical surface with signal LED lighting
- Speed regulation and change of running direction with the touch control unit
- Increased service life of motor and control unit
- Thermostat "Polar Control" with on and off switch
- Air exchange in seconds: fan: 3-stage for ventilation, 2-stage for venting
- Control unit with LED signal lighting
- Includes 2 sturdy mosquito nets

② TurboVent with "Polar Control" thermostat

- Air exchange in seconds: fan: 3-stage for ventilation, 2-stage for venting
- Thermostat "Polar Control" with on and off switch
- Includes 2 sturdy mosquito nets

Technical data for TurboVent Premium + TurboVent:

Cutout size: 39 x 39 cm	Outer dimension: 45.5 x 45.5 cm
Roof thickness: 3 - 4.5 cm.	Height above roof: 8.5 cm,
Dimensions inner	Weight: 4.6 kg,
frame: 43 x 43 cm,	
Absorbed power; 36 W.	
Min. current consumption: 0.3/0.2 A,	Max. Current draw: 3 A,
Ventilation diameter: 300 mm	Max: air delivery: 35m³/min
Variable ventilation speed.	Max. ventilation: 80 cm²
Outer frame white	Interior frame ivory white

TurboVent Premium with touch control unit

Hood White	36187	338,-
Hoe Crystal	36188	359,-

TurboVent 12 V Polar Control

Hood White	360971	306,-
Hood Crystal	36180	330,-

We generally recommend the installation of front spoiler



TurboVent Premium with touch control unit



TurboVent with thermostat "Polar Control"



Mini Heki STYLE 40 x 40 cm

Small roof hatch - great light incidence

- Can be opened in 3 positions: fully open, half open, foul weather position
- Double acrylic glazing
- Aerodynamically shaped glass dome
- With blackout blind and fly screen
- Suitable for roof thicknesses from 25 to 42 mm or 43 to 60 mm
- With handle
- For motorhomes and caravans
- Fits perfectly into a standard opening

Convenient setting up of the dome via only one **adjustment bracket**,
3 grid positions : Fully open, fan position and bad weather position.
 Maximum opening angle: approx. 50°

Mounting: Clamping principle, outer frame is put on and sealed.
 The inner frame is simply clipped into place.

Technical data:

Cutout size: 400 x 400 mm
 Outer dimension: 520x535 mm
 Opening angle: 50°
 Weight: 3.3 kg, color: cream white

With forced venting

for roof thickness 25-42 mm	38080	179,-
for roof thickness 43-60 mm	38081	179,-
Replacement glass with forced venting	380891	108,80

For the installation of the HEKI's you need approx.

1 cartridge butyl sealant , white	38062	15,75
Gasket for glass MINI HEKI, lfm	38063	8,90

Without forced venting

for roof thickness 25-42 mm	38082	185,-
-----------------------------	-------	-------



from **179,-**



Recommended maximum speed 130 km/h, depending on the Vehicle body and installation position. We recommend the install of a spoiler (art. no. 36044 or 360442).



from **149,-**



Spoiler
for MINI HEKI

Mini Heki S - Especially for caravans 40 x 40 cm

- Can be opened in all directions
- Convenient setting up of the glass hood via operating handles
- With forced ventilation: 150cm² cross-section
- Black pleated insect screen roller blind light beige, aluminum coated outside, reflects the sunlight
- Pleated blackout blind
- Hood gray tinted
- Single glazed, aerodynamically shaped roof hood
- Frame made of weatherproof ASA plastic

Technical data:

Cutout size: 400x400 mm
 Outer dimension: 500x520 mm
 Weight: 2.9 kg
 Color: cream white

MINI-HEKI S roof hood with forced ventilation

for roof thickness 25-42 mm	38098	149,-
for roof thickness 43-60 mm	380981	149,-
Spoiler for Mini Heki 570 mm long	38109	66,-



FantasticVent roof hood 40 x 40 cm with 12 volt fan

- With quiet 12 volt fan for fast air exchange
- Rain sensor for automatic closing on model 3350 and 7350

Technical data:

Roof cutout: 40 x 40 cm
 Outer dimension: 47 x 47 cm
 Body height: 12.5 cm
 With supply and exhaust air and thermostat.
 Model 7350 with temperature control by remote control.



Included
Remote control at
35954

Model	2250	3350	7350
Rain sensor	no	yes	yes
Opening	Manual	automatic	
Hood:	White	White	White
Item no.:	35951	35953	35954
Price	345,-	469,-	539,-

CARBEST
INNOVATIONS FOR MOBILE LIFE



max.
130
km/h



When mounting a roof hood, we additionally recommend the installation of a front spoiler.
(see page 656)



Aerodynamic roof hood incl. blackout & mosquito protection



- UV resistant dark tinted acrylic glass
- Pleated blackout and mosquito protection
- With night lock
- With inner frame, without forced ventilation
- Cutout size: 400x400 mm
- Overall dimension: 500x500 mm
- Mounting height: 106 mm
- Roof thickness from 30-50mm

Weight: approx. 4.3 kg **31888** **124,90**

PowerVent roof hoods with or without 12V valve gate



- Ideal for wet cells and sanitary areas
- Mosquito protection included
- For roof thicknesses from 25-80 mm
- Cutout size: 280x280 mm
- Overall dimension: 365x365 mm
- Mounting height: 85 mm

Power Vent with 12 V fan

Fan I can turn both directions: For ventilation or for air extraction. Technical data fan: Power: 9.6W, capacity 9m³/h, noise level ≤ 50dB, Ø 175 mm, 5 fan blades, Hood: White (Opaque)

Weight: approx. 2.3 kg **31853** **87,95**

Power Vent without 12 V fan


Hood: Crystal (frosted glass look)

Weight: approx. 2.1 kg **318530** **69,95**



69,95

Panorama roof hoods



- Blackout system and mosquito protection
- 4 integrated LED lights with switch
- Easy operation with gas springs
- For roof thicknesses from 25-60 mm
- Mounting height: approx. 98 mm

Roof hood 45x40 cm

Cutout size: 452x402 mm

Overall dimension: 577x577 mm

Hood: Tinted acrylic, weight: approx. 5.5 kg

Without forced ventilation **31851** **279,-**

With forced ventilation (ventilation opening: approx. 182 cm²) **318510** **292,-**

Roof hood 70x50 cm

Cutout size: 702x502 mm

Overall dimension: 833x633 mm

Hood: Tinted acrylic, weight: approx. 8.0 kg

Without forced ventilation **31854** **469,-**

With forced ventilation (ventilation opening: approx. 300 cm²) **318540** **472,-**



Insect screen and blackout-system integrated in the inner frame.



4 integrated LED lights in the inner frame with ON/OFF switch.



- 4 integrated LED lights with switch
- Double glazed dome
- Integrated blackout system
- Integrated insect screen
- Easy operation with gas springs
- For roof thicknesses from 25-60 mm
- Mounting height: approx. 98 mm

Roof hood 45x40 cm

Cutout size: 452x402 mm

Overall dimensions: 577x577 mm. Weight: 5.8 kg

Without forced ventilation, with LED lighting
31877 299,-
With forced ventilation, with LED (ventilation opening: approx. 182cm²)

318770 315,-
Panorama roof hood 70x50 cm

Cutout size: 702x502 mm

Overall dimension: 818x617 mm. Weight: 8,3 kg

Without forced ventilation, with LED lighting
31878 444,-
With forced ventilation with LED lighting
 (ventilation opening: approx. 300 cm²)

318780 470,-

 Insect screen and
 blackout-
 system integrated in
 the inner frame.

 4 integrated LED
 lights in the inner
 frame with
 ON/OFF switch.

 Shapely white outer case
 and clear glass pane

 45x40
 cm

 70x50
 cm


Roof hoods with gray tinted glazing, pleated darkening and mosquito protection

40x40
cm

UV
CONSISTENT



DOUBLE-
GLAST



max.
130
km/h

- UV-resistentes, tinted acrylic glass
- Aerodynamic acrylic glass hood
- Inner frame with Pleated blindblackout, Mosquito protection and Magnetic closure
- 2 openers for safe opening
- Ready for installation: Is glued to the vehicle roof and screwed from the inside

Technical data:

Cutout dimensions: 400x400 mm
 Overall dimension: 530x490 mm
 Overall dimension of inner frame: approx. 540x520 mm
 Opening angle up to 50°
 Mounting height: approx. 120 mm
 Roof thickness: 28 - 50 mm
 Weight: approx. 3.5 kg

Roof hood without LED lighting in the inner frame
 318020 124,90

NEW! Roof hood without LED lighting in the inner frame with forced ventilation
 (ventilation opening approx. 100 cm²)
 318027 124,90

Roof hood with indirect 12 V LED ambient lighting in the interior frame. Light color warm white.
 318021 149,-

12V
LEDs

Warm white LED-
Ambient lighting
in the inner frame

① MICRO HEKI 28 x 28 cm for toilet rooms, Caravans and motorhomes

- Double glazed transparent roof hood
- With pleated blackout blind (optional)
- Aluminum coated top reflects solar radiation
- Black fly screen pleated
- Maximum opening angle approx. 50
- Roof thicknesses from 23-42 mm

Technical data:

Cutout size: 280 x 280 mm
 Clearance dimension: 238 x 186 mm
 Outer dimension: 408 x 370 mm
 Outer dimension inner frame: 312 x 312 mm
 Depth inner frame: 75 mm
 Height above roof: 99 mm
 Weight: 1.7 kg

With forced ventilation and insect screen	37330	119,-
② With forced ventilation, insect screen and blackout roller blind	37333	129,-
③ Ohne Zwangsbelüftung, mit Insektenschutz	37331	125,-
Without forced ventilation, with insect screen and blackout roller blind	37334	139,-

④ Adapter frame Micro Heki

The adapter frame is required for installation with roof thicknesses of 43-60 mm. **38124 9,-**

Installation set for Micro Heki

⑤ Roof thicknesses

24-25 mm + 43 mm	38113	12,-
26-27 mm + 44-45 mm	38114	12,-
28-29 mm + 46-47 mm	38115	12,-
30-31 mm + 48-49 mm	38116	12,-
32-33 mm + 50-51 mm	38117	12,-
34-35 mm + 52-53 mm	38118	12,-
36-37 mm + 54-55 mm	38119	12,-
38-39 mm + 56-57 mm	38120	12,-
40-41 mm + 58-59 mm	38121	12,-
42 mm + 60 mm	38122	12,-



ACC3000 - Ventilation system with heat recovery technology

- Effective air exchange, even when all windows and doors are closed
- Patented heat recovery system reduces energy consumption
- Intelligent sensor control monitors and improves air quality in the vehicle
- Sensitive differential pressure sensor ensures noiseless and draft-free air exchange
- Ventilation during the storage period prevents mold growth
- Easy installation - fits in standard 400x400 mm roof cutouts

The Dometic ACC3000 roof ventilation system provides a powerful air-exchange in the interior, even if all windows and doors are closed are. The intelligent heat recovery system ensures that there is stays nice and warm inside even when it's cool outside - and in the Summer pleasantly cool. I.e. the plant provides a pleasant and a healthy air atmosphere while saving money by reducing the heat losses of a heater

less energy needed for cooling operation of an air conditioner.

Technical data:

Input voltage:	12 V
Power consumption*:	15,6 W
Energy consumption*:	0.374 kW/24h, 31.2 Ah/24h
Energy consumption (storage mode):	0.059 kW/24h, 4.9 Ah/24h
Efficiency of heat recovery	72% - 87%
Cutout dimension:	400 x 400 mm
Dimensions (W x H x D):	Outside: 542.6 x 553 x 127 mm Inside: 517.6 x 517.6 x 46 mm
Weight: approx.	7,14 kg
	495801 699,-




Compatible with the Dometic Smartphone App

* Example: 7.9 kWh/day savings occur at 25°C temperature difference between vehicle and environment, ventilation 50 m³/h, 72% energy recovery and 0 m/s wind [10.7 kWh/day savings occur in conjunction with Performance Booster (differential pressure sensor)]


DOMETIC OUTDOOR

Roof Hood Adapter Universal

Mounting adapter for the installation of roof hoods with cutout dimension 40 x 40 cm, if the roof surface is not flat. Compensates for beading and creates a flat sealing surface. The adapter frame made of aluminum composite material can be bonded to the uneven vehicle roof with Sikaflex 252i. After drying, the hood is inserted with permanently elastic sealing compound. Overall size 52 x 52 cm

381091 60,-


Roof Hood Adapter Fiat Ducato

Specially developed adapter for the installation of roof hoods with cut-out dimensions 40 x 40 cm on the profile roof (trapezoidal sheet metal roof) of the Fiat Ducato. Evens out the beads and creates a flat sealing surface. Seal adapter frame and roof hood with permanently elastic sealant.

381092 125,-
DOMETIC OUTDOOR

from 85,-

Front spoiler for HEKI 1-4 and other roof hoods

810 mm long	38070	85,-
1100 mm long	38071	98,-

Double-sided adhesive tape included (no screws)



When will a spoiler be attached to the roof hood needed?

Many manufacturers recommend already from a speed of **100 km/h** the installation of a spoiler.

At high speeds, a dangerous suction is created that pulls the roof hoods upwards, which is why we always recommend the installation of spoilers.

HINDERMANN

from 27,50

Protective cover for roof hoods

For pleasant temperatures in the interior. The protective cover keeps the heat out in summer and insulates in winter and cold nights. Glass is protected from scratching. Cover can be adjusted well with elastic band. Color: White.

Mini Heki	42061	47,50
Mini Heki Plus	42066	47,50
Mini Heki Style	42094	47,50
Midi Heki	42062	47,50
Heki 1/2/3	42063	47,50
Remitop vario 40 x 40 cm	42085	27,50
Remitop vario 50 x 70 cm	42086	39,-
Remitop vario 90 x 60cm	42087	45,-
Hartal 28 x 28 cm	42088	29,-
Hartal 48 x 48 cm	42089	29,-
MPK 40 x 40 cm	42092	29,-
HYMER 1.260 x 830	42093	52,50


25,-

Front spoiler for 40 cm Fiamma roof hoods

- For all Fiamma roof hoods with 40x40 cm
- Prevents strong air intake and vibrations while driving
- Reimo generally recommends the installation of front spoilers (max. speed up to 160 km/h)

White	36044	25,-
-------	--------------	-------------


37,-

Aerodynamic front spoiler

- Can be shortened individually, length from min. 28 cm to max. 110 cm
- Reduces vibrations and noise
- For roof hoods and solar modules up to 90 cm
- Dimensions: 110 x 20 x 12 cm can be cut to size
- Easy installation with Sika Flex 252i
- Reimo generally recommends the installation of front spoilers (max. speed up to 130 km/h).

White	360442	37,-
-------	---------------	-------------

MIDI HEKI STYLE - 70 x 50 cm for motorhomes and caravans

- Cutout size: 70 x 50 cm
- Well insulated dome with double acrylic glazing
- Aerodynamic shape
- Closed position is automatically positively locked
- Recommended up to 130 km/h, depending on vehicle body and installation position
- Interior frame with pleated blackout and flyscreen blind in black
- Reflection of the sun's rays on the aluminum-coated surface of the blackout blind

With operating handle which is automatically guided in guideways in 3 positions. 1. completely open, 2. half open, 3. Bad Weather Position. With fixation of the glass dome in the open state.

With stepless crank operation: Frame made of weather-resistant, durable ASA.

Mounting: Clamping principle, outer frame is put on and sealed, the inner frame is clipped in.

Technical data MIDI Heki:

Cut-out dimension: 700 x 500 mm / Clearance dimension: 585 x 404 mm
Outer dimension: 880 x 650 mm / Outer dimension inner frame: 790 x 575 mm
Depth of inner frame: approx. 32 mm / standard roof thickness: 30-34 mm
Height above roof: 105 mm

Midi Heki Style with bracket, max. opening angle 45°

Grid settings: 3, Weight: 8.0 kg

Fiat white with forced ventilation	38090	659,-
Fiat white without forced venting	38091	685,-
Gray RAL 7016 with forced ventilation	38001	659,-
Gray RAL 7016 without forced ventilation	38005	685,-

Midi Heki Style with crank, max. opening angle 60°

Grid settings: stepless, Weight: 8.5 kg

Fiat white with forced ventilation	38100	879,-
Fiat white without forced venting	38101	889,-
Gray RAL 7016 with forced ventilation	38123	879,-
Gray RAL 7016 without forced ventilation	38127	889,-


With operating
handle:

3 Automatic positions in guide rails.

1. completely open ,
2. half open,
3. Bad weather position

With operating handle or crank operation


Adapter frame Midi Heki

Adapter frame in size 700 x 500 mm for Midi Heki skylight (back side)

31314

125,-

Installation set for all Midi Heki Style:

(necessary for unequal roof thicknesses 30-34 mm)

Roof thickness from 25-29 mm	38092	30,-
Roof thickness from 30-34 mm	38093	30,-
Roof thickness from 35-42 mm	38094	39,-
Roof thickness from 43-52 mm	38095	39,-
Roof thickness from 53-60 mm	38096	45,-

HEKI 2 DELUXE - Bow roof hood for caravan

- Gas springs hold the window in 3 latching positions
- Maximum opening angle 50
- Double acrylic glazing
- Integrated work lights
- With forced venting
- Up to the max. speed of 100 km/h.



Durable plastic (ASA).

Middle ventilation position raises the roof by approx. 15 cm (bracket lock)
Double roller blind in the inner frame with insect screen and blackout blind, stepless adjustment. For roof thicknesses from 25-60 mm. Installation possible up to 60 mm roof thickness when using adapters for greater roof thicknesses.

Technical data:	Outside dimension:	1080x790 mm
Cutout dimension:	960x655 mm	Required straight surface: 1050x750 mm
Clearance dimension:	780x530 mm	Outer dimension inner frame: 1000x700 mm

HEKI 2 - With inner frame cream white (RAL 9001)

Roof thickness from 25-32 mm 38067 869,-

Interior frame DeLuxe with lighting and blackout blind for retrofitting for Heki 2 38069 325,-

Roof thickness from: 25-60 mm
Height above roof: 105 mm
Weight: 11 kg


Heki 2 with combination blind and lighting

- With ironing control
- With integrated lighting, 4 x 5 watts
- Gas springs hold the window in 3 latching positions
- With forced venting

High thermal insulation due to Duette honeycomb blind. Roller blind and insect screen can be operated together steplessly, otherwise like Heki 2.

38077 1029,-





Including sunprotective
pleated blind

REMItop Vista 40 x 40 cm - with mosquito net and blackout blinds



- Extremely flat structure of the inner frame 7 cm
- Inner frame heat resistant ASA material
- With opaque black mosquito net blind
- Including sunscreen pleated
- Very flat application, thus low driving noise
- Height above roof: 7.8 cm
- Aerodynamic shape
- Gray tinted
- Opening angle: 60
- With and without forced ventilation

Dimensions: 40x40 cm, for roof thicknesses of 28-42 mm with pleated blackout blind and black insect blind

36191

167,-



Standard frame without
Lighting incl. sunshade and mos-
quito protection pleated blinds

REMItop Vario II roof hood



- Available in 2 sizes
- Incl. Blackout and insect screen pleated blinds
- Excellent insulation thanks to double glazing
- Comfortable and smooth running due to new crank handle
- Set-up angle of 60° / Set-up angle of 45° for 90x60
- Including fastening set for roof thicknesses of 24 - 60 mm, adapter sets available for larger roof thicknesses
- Installation possible lengthwise and crosswise to the direction of travel
- Inner frame: Gray white / Outer frame: Beige

REMItop Vario II 40x40 cm with snap-on display and with stan- dard frame

(without lighting, without fan)

36167

166,-

Fastening clips:

for Roof thickness 24-35mm

36170

34,95

for Roof thickness 36-45mm

361701

48,95

for Roof thickness 46-55mm

361702

49,90

for Roof thickness 56-65mm

361703

117,-

REMItop Vario II 40x40 cm with crank and with standard frame

(without lighting, without fan) o. Fig.

36160

189,-

Replacement glass 40x40 cm

tinted acrylic

E4211

127,50

REMItop Vario II 60x90 cm with crank and with standard frame

(without lighting, without fan)

36165

897,-

Replacement glass 60x90 cm

from tinted acrylic

E4461

499,-

Mounting brackets

for roof thickness 24-35mm

36172

85,95

for Roof thickness 36-45mm

361721

103,40

for Dachstärke 46-55mm

361722

110,-

All prices include mounting kit for
roof thicknesses 24-60 mm

SkyMaxx LX roof hood 500x700 mm

- Interior frame including LED lighting
- Manual elevator with 3 opening positions
- For partial blackout or complete blackout
- Designed for roof thicknesses from 24 mm to 63 mm
- Optional passive ventilation

The SkyMaxx roof hoods are suitable for motorhomes and caravans for the New or replacement installations. Different ventilation positions ensure optimum air circulation in the vehicle. (Manual lift via a bracket with 3 opening positions.) The interior frames have integrated 12V LED lighting. Pleated and venetian blinds offer a choice of full sun, full shade or partial shade.

Dimensions inner frame: 62 x 82 x 13 cm, weight 1 kg.

for Roof thickness 24-43 mm	39832	301,50
for Roof thickness 43-63 mm	39835	301,50

MaxxAir SkyMaxx LX Plus incl. LED lighting

for Roof thickness 24-43 mm	39836	316,--
for Roof thickness 43-63 mm	39833	316,--


12V


Partial darkening



Complete blackout



MaxxFan Deluxe Roof Hood with Raincover

- Ventilation and deaeration with open outer hood
- Roof fan with closed outer hood
- Protection from rain even when open
- Patented, impact-resistant and UV-resistant outer hood
- Temperature selection through electronic thermostat
- Remote control or manual control in case of power failure



Equipment: 12 V ball bearing motor, 2 opening levers, mosquito net. remote control, manual control. Roof cutout: 35.6x35.6 cm

① MaxxFan Deluxe Clear Glass	398192	479,--
② MaxxFan Deluxe White	39819	479,--
③ MaxxFan Deluxe Smoke	398191	479,--

④ Blackout Blind for MaxxFan Deluxe Roof Hood

Without LED Lighting	398193	85,--
With LED lighting (without fig.)	398194	106,--

Replacement hoods (without fig.)

With an existing MaxxFan roof hood, the hood can be easily replaced without replacing the frame

Clear glass replacement hood	398195	129,--
White replacement hood	398196	129,--
Smoke replacement hood	398197	129,--



MaxxFan Dome Plus roof fan incl. LED lighting

- Designed for roof or sidewall ventilation applications
- White LED lighting
- Ø 15 cm exhaust fan with manual flap
- Lockable lid with one-hand operation at the push of a button
- Removable bezels make cleaning a breeze
- For 2.5 cm roof thicknesses - extensions up to 15 cm available
- Fan guard included, for side wall applications

White, 12 V, 2 A	39834	179,--
Black, 12 V, 2 A	39837	199,--



White

12V


Black

ROOF HOOVES



57,95



Fig. shows front spoiler

Crank roof hood/front spoiler

- Ventilation area: 38 x 38 cm, Can be set up to 70°
- Double glazed with forced ventilation and mosquito net

① Cut-out dimension: 40 x 40 cm, external dimension: 46 x 46 cm, roof thickness: from 30-60 mm, height above roof: 95 mm, weight: 2.2 kg

Roof hood: color white 36035 57,95

Replacement glass: Color White 36045 38,95

Mosquito net 36049 12,95

② Front spoiler: Reimo generally recommends the installation of the front spoiler, especially with faster vehicles.

Dimensions: L x D x H 535 x 240 x 90 mm 36043 22,30



Frosted glass hood removable 50 x 50 cm

- Suitable as emergency exit
- Double glazed, high insulation
- Can be set up and tilted in all directions

Cut-out: 500 x 500 mm, external dimensions: 600 x 600 mm, roof thickness: 26-100 mm, height above roof: 110 mm, weight: 5.8 kg. Mounting frame and inner frame gray.

Roof hood 36080 115,-

Replacement glass 36081 65,95



12V



Thule Omnivent crank roof hood with 12 V fan

- Aerodynamic design, size 40x40 cm
- All materials made of impact and water resistant plastic
- Touch control panel with LED display
- With blackout blind and mosquito protection cover

Size of the opening: 400 x 400 mm, external dimensions: 459 x 472 mm, for roof thicknesses of 25-60 mm. Adjustable fan speed. In addition to 12 ventilation levels, the Thule Vent has an energy-saving function, a boost function, a safety mechanism to protect against overvoltage, incorrect connection and blocking. Comfort mode: Fan starts at lowest speed in extraction function. Boat function; fan returns to original speed after 5 minutes. Power consumption: 0.17-3 A, max. air delivery: 20 m/min, Ø fan: 300 mm, weight: 4.5 kg.

White 360763 314,-

Translucent 360765 314,-

THULE



①



②

12V



Thule Vents 40 x 40 cm

① Crank roof hood with blackout blind and mosquito protection.

Roof cut-out: 40 x 40 cm, external dimensions: W: 45.9 x D: 47.2 cm,

weight: 3.2 kg

Color: White

360752 124,-

Translucent

360754 124,-

② 12 volt fan for retrofitting to above crank roof hood, 6 speeds, regulation of rotation speed and direction via control panel. Comfort mode: fan starts at lowest speed. Boat function; fan switches back to original speed after 5 min. Current consumption: 0.17-3 A, max. air delivery: 20 m/min., weight: 4.5 kg.

360631 209,-

Thule Omnivent mounting kit for roof thicknesses 40-60 mm

necessary for installation at 40-60 mm 360632 13,-



104,95

Roof hood with 3 bars and smoke colored plastic glass

- All 4 sides can be opened
- With 3 bars for protection from animals
- Single glazed

Cut-out dimension: 350x500 mm, frame outer dimension: 380x530 mm

Hood outer dimension: 560x600 mm, roof thickness from 20-45 mm,

height above roof: 70 mm, weight approx. 2.8 kg

36020 104,95



12V

Exhaust air set

Contents: Aluminum filter for cooker hood, roof chimney, exhaust fan with 12 V motor, air exhaust fan connector. Dimensions exhaust air aluminum filter: 30 x 15 x 2 cm. Dimensions exhaust fan: Ø 9 cm. Dimensions connector: Ø 6-9 cm.

35219	68,95
--------------	--------------



Roof chimneys

① **Roof chimney:**
Ø 60mm, polypropylene MOPLEN, (cooker hood)

② **Roof chimney with splash guard:**
Ø 60mm, polypropylene MOPLEN, (cooker hood)

③ **Waste heat roof chimney:**
Ø 60mm, POCAN resistant up to 200 degrees (heating)

35216	8,50
352161	9,50
352162	12,95



12V

Mushroom fans and ventilators

① For continuous ventilation in the vehicle. Made of polypropylene, color white. For roof thicknesses from 25 mm, roof cut-out Ø 110 mm. Weight 0.2 kg.

Ø 180 mm with inner grille **35220** **14,95**

Ø 180 mm with hose connection 60 mm **35222** **14,50**

② Ø 200 mm. Mounting height: approx. 40 mm **35221** **16,95**

③ **Dometic mushroom fan GY20**, Air exchange by negative pressure and passing air (without motor). Ø 200 mm **35210** **48,-**

④ **Dometic roof fan 12 V**, with built-in fan motor 12 Volt/24 Watt. Blower capacity: 90m³/h. Hose connection for exhaust hood 65 mm. Cut-out dimension: 105 mm. Dimensions: Ø 120 mm **35200** **255,-**

Comet tube fan 80 x 80 mm (without picture)
Length: 112 mm, connection Ø 60 mm on both sides, 12 V/6 Watt **70549** **24,95**



Exhaust fans & air outlets for kitchen or bathroom

① **Exhaust fan with 12 V motor:**
110 x 75, diameter 90 mm, polypropylene **35213** **29,95**

② **Exhaust fan with 12 V motor:**
160 x 55 x 55, diameter 100 mm, polypropylene **35214** **34,95**

③ **Air exhaust fan connection:**
95 x 60 mm, high efficiency polystyrene **35215** **2,10**

④ **Air outlet:**
243 mm, 165 mm hole diameter, polypropylene **35211** **31,90**

⑤ **Air outlet with 12V fan:**
243 mm, 165 mm hole diameter, polypropylene **35212** **67,90**

Stainless steel and plastic solar fans

- For motorhomes, caravans, boats
- Ventilation with solar energy

Stainless steel solar fan

Technical data: Air flow: 19 m³/h in full sunshine. Power: 1.2 W, 0.6 A at full sunshine, Ø 215 mm, height above roof 36 mm, interior depth 40 mm, cut-out dimension Ø 120 mm **35231** **75,50**


Solar fan plastic white, with switch

Technical data: Air flow: 19 m³/h in full sunshine. Power: 1.2 W, 0.6 A at full sunshine, Ø 215 mm, height above roof 50 mm, interior depth 40 mm. Cut-out dimension Ø 120 mm. **35230** **74,95**


CARBEST
INNOVATIONS FOR MOBILE LIFE




from **74,95**

**Heki 1**



① Glass frame without forced ventilation cream white	E482	862,-
② Replacement glass with handle	E1768	705,-
③ Inner frame w. flyscreen/darkening blind	SA370	406,50
④ Handle with folding linkage	E1570	184,50
⑤ Gasket 5 m	E422	36,-
⑥ Disc seal 5 m	39820	20,30
⑦ Seal with forced venting 5 m	E423	12,-
⑧ Rubber buffer/run-in wedge w. mounting kit	E3678	22,30
⑨ Wall seal 5 m	39821	15,60
⑩ Drive	E2601	281,-




⑪ Drive shaft	E2600	89,-
⑫ Crank gear	E492	128,-
⑬ Drive pinion	SA397	5,70
⑭ Drive pinion long	E412	6,50
⑮ Crank handle with mounting parts	E4025	49,-
⑯ Roller blind guide rail cpl. 1 pair	E3919	109,-
⑰ Spring motor	183	17,40
⑱ Blackout blind cpl. Cream white	E407	110,-
⑲ Interior frame without attachments cream white	E1813	209,90
⑳ Ventilation grille 10 pcsk	A1072010	29,38
㉑ Profile seal 5 m	39821	15,60

**Heki 3**



① Replacement glass without attachments	380761	413,-
② Hinge 03-04	AA0400	5,80
③ Inlet wedge with mounting part	E1577	6,90
④ Retaining profile with mounting parts	E1578	8,10
⑤ Replacement glass with attachments	E472	519,-
⑥ Spring clip 12 pieces 1 set	E5023	6,90
⑦ Rocker with spring	E441	6,90
⑧ Crank handle with mounting parts	SA671	22,90
⑨ Drive pinion	E494	6,90
⑩ Adapter 32-39 mm	E418	6,90
⑪ Electronics 03-04	SA435	103,-
⑫ Blackout blind	E436	112,80
⑬ Spring motor	183	17,40
⑭ Ventilation grille and cover for lighting	E2710	22,90



⑮ Interior frame cream white 03-04	AA0280	449,90
⑯ Seal for Heki without forced ventilation 5 m	E422	36,-
⑰ Seal for Heki with forced ventilation 5 m	E423	12,-
⑱ Outer frame cream white	E4411	196,50
⑲ Mounting trestle 25-32 mm gray	E4140	14,90
Mounting bracket 32-39 mm Black	E4410	19,90
Mounting stand 46-53 mm Blue	E1579	26,80
Mounting stand 53-60 mm Red	E1580	29,70
⑳ Wall seal 5 m	39821	15,60
㉑ Drive	E2894	197,-
㉒ Crank gear	E492	128,-
㉓ Drive shaft pair	E5042	73,-
Adapter rail with mounting parts	E4516	27,50

**Heki 4**



① Replacement glass without attachments	380761	413,-
② Hinge 03-04	AA0400	5,80
③ Retaining profile with mounting parts	E1578	8,10
④ Inlet wedge with mounting parts	E1577	6,90
⑤ Seal for Heki without forced ventilation 5m	E422	36,-
⑥ Seal for Heki with forced ventilation 5 m	E423	12,-
⑦ Outer frame cream white	E4411	196,50
⑧ Mounting trestle 25-32 mm gray	E4140	14,90
Mounting stand 46-53 mm Blue	E1579	26,80
Mounting stand 53-60 mm Red	E1580	29,70






⑨ Rain sensor	E3443	47,50
⑩ Wall seal 5 m	39821	15,60
⑬ Drive shaft pair	E5042	73,-
⑭ Emergency crank	E462	6,90
⑮ Electric control	E4223	159,-
Electronics 03-04	SA435	103,-
⑯ Spring motor	183	17,40

Mini Heki

① Replacement glass without seal and hinge pin	380891	108,80
② Gasket 1.65m	38063	8,90
③ Slider for shackle lock	E5022	6,30
④ Pushbutton Cream White	E408	7,90
⑤ Interior frame with blinds cream white	E5020	59,90
⑥ Spring clip 12 pieces	E5023	6,90
⑦ Mounting frame cream white, roof thickness: 25-42mm	E5021	25,40
Mounting frame cream white, roof thickness: 43-60mm	E1723	26,50
⑧ Bracket with mounting parts	E1797	21,-


Midi Heki

① Replacement glass without attachments	E10900	219,-	⑪ Ventilation grille	A1072010	29,38
Replacement glass for bracket variant with attachments	E10900	219,-	⑫ Aperture IR crank compl. with attachments	E7014	14,80
Replacement glass f. Crank / electric variant + attachments	E10900	219,-	⑬ Aperture IR Electro compl. with attachments	E4998	24,20
② Hinge with mounting parts	E5024	26,40	⑭ Outer frame without attachments	E5027	84,-
③ Functional plate f. bracket variant with mounting parts	E5025	26,-	⑮ Spring left right	E5030	9,60
④ Function plate crank- electric version	E5026	28,70	⑯ Seal (only without forced venting) 2.3 m	E4021	21,40
⑤ Spring	E1753	9,50	⑰ Gearbox crank drive complete	SA166	32,90
⑥ Bracket with mounting parts	E1752	28,50	Gearbox electric drive complete	E3056	29,95
⑦ Inner frame without attachments	E5035	99,20	⑱ Adjusting lever with attachments (left/right)	SA549	14,30
⑧ Cover for inner frame	E5036	15,60	⑲ Flex shaft cpl. with tube, glider, clamps	AA0523	39,15
⑨ Spring clip 12 pieces	E5023	6,90	⑳ Outer frame cpl. Crank drive	E5033	295,-
			Outer frame cpl. Electric drive	E5034	399,-


Heki 2

① Replacement glass without attachments	38076	372,-	Mounting bracket 32-39 mm black	E4410	19,90
Replacement glass cpl. with attachments	E3153	500,-	Mounting stand 46-53 mm blue	E1579	26,80
② Gas spring	E3186	46,90	Mounting stand 53-60 mm red	E1580	29,70
③ Gas spring mount left and right	AA0311	25,49	⑦ Blackout blind	E3666	150,-
④ Outer frame cream white	E420	190,-	⑧ Ventilation grille and cover, for lighting	E2710	22,90
⑤ Sash lock w. screws 1 set	E477	6,90			
⑥ Mounting trestle 25-32 mm gray	E4140	14,90			



VW Caddy



CitroënSpacetourer

Mosquito nets for tailgate VW T5/6

- Easy attachment with elastic band
- With blackout curtain



The mosquito net is stretched around the tailgate seal by means of a rubber cord and lies tightly at the bottom with lead tape. A large door with two-way zipper allows passage from the inside and outside without removing the net. The tailgate can be closed without any problems. For the ride we recommend to remove the net

For VW T5/T6 461331 184,95

Mosquito nets for VW Caddy and Citroën Spacetourer

- Easy attachment with elastic band or magnets
- Fine mesh flexible insect screen net
- No modification to the vehicle necessary
- Center door opening
- Zipper opening operable from inside and outside

The net can be used for the right and left sliding door. Due to the integrated elastic band or magnets, the attachment is simple and reliable (no Velcro, no push button). The tailgate net with 2 zippers can be rolled up and fixed. The net closes reliably at the bottom of the sill with a lead tape.

Sliding door mosquito nets for VW Caddy

For right or left sliding door with and without glazing. **Short wheelbase from Bj. 2003-2020, long wheelbase from Bj. 2008-2020**

Fastening with rubber 46283 169,-

NEW: Caddy Maxi 5 ab Bj. 2021 (also suitable for Ford Connect 3)

Mounting with magnets 461336 169,-

Tailgate mosquito nets for VW Caddy Short wheelbase from Bj. 2003-2020, long wheelbase from Bj. 2008-2020

Fastening with rubber 46284 169,-

NEU: Caddy 5 ab Bj. 2021 (also suitable for Ford Connect 3)

461335 169,-

Tailgate mosquito nets for Citroën Spacetourer/Jumper and identical vehicle types

Suitable for Peugeot Traveller/Expert, Toyota Proace Verso (all from 2016), Opel Zafira Life/Vivaro C (from 2019).

Fastening with rubber 461333 169,-

Sliding door

Mounting with magnets 461334 175,-

Insect screen for sliding doors and rear doors for Volkswagen Transporter

- Fastening with Velcro and snaps, for best hold
- Close-meshed mosquito net made of UV-resistant polyester fabric
- Flexible and soft falling
- With zipper and lead tape



Mosquito nets sliding doors

For VW T5/T6 Station wagon box, Startline until Bj. 2010 and California Beach without comfort trim 461351 169,95

For Multivan, Caravelle and Startline with comfort trim from Bj. 2010

461350 173,95

For California and California Beach with comfort trim from Bj. 2010

461353 184,95

VW T4 until Bj. 2003

46132 144,95

VW T3 from year . 1980-1989

46130 149,95

Mosquito nets rear doors/flaps

For VW T5/T6 Bj. from 03 with liftgate station wagon, panel van, Multivan, California/California Beach, Caravelle with and without pop-up roof.

46135 149,95

For VW T4 with rear door Station wagon and panel van

46133 154,95

Insect screen for sliding and rear doors

- Best hold through velcro and snaps / magnets or elastic band
- Close mesh mosquito net
- UV resistant polyester fabric
- Flexible and soft falling
- Center zipper and lead tape at the bottom
- Mounting material included with all nets


For Mercedes Vito and Viano
Mercedes Vito Year . < 2003

Sliding door opening (with Velcro)	46139	159,95
Rear door (with Velcro)	46142	149,95

Mercedes Vito/Viano Year . 2004 - 2014

Sliding door opening (with Velcro)	46140	159,95
Rear door (with Velcro)	461401	159,95

Mercedes Vito/Viano Year . > 2014

Sliding door opening (with Velcro)	461402	159,95
Rear door (with Velcro)	461403	159,95
Rear door, with blackout (with elastic)	461332	179,90

Thus, they effectively protect themselves against the little pests. Continue to enjoy the view. Good visibility is guaranteed. Comfortable is also the central zipper, which can be opened and closed from the inside and outside. Fastening is done on the side and top with Velcro. Additional support is provided by the upper press studs. The weighting at the bottom is made by lead tape. The high quality gauze is black.


For Renault Traffic, Opel Vivaro, Nissan NV300

Fastening with Velcro tape.

Sliding door opening Bj. 2007-2013	461411	169,95
Sliding door opening Year . > 2014	461412	159,95
Rear door Year . > 2014	461413	169,95


For Ford Transit

Fastening with Velcro tape.

2000-6/2012

Sliding door	46451	169,95
Tailgate	46136	149,95

>7/2012

Sliding door	461404	159,95
Tailgate	461405	159,95


For MB Sprinter / VW Crafter

Fine mesh insect screen net with 2-way zipper. Reliable fastening with elastic, magnet or Velcro tape on car body panel, sealing at the bottom by lead tape.

Rear doors can be closed with net. For the ride we recommend to remove the net.

1996-2006* Sliding door opening (with Velcro).	46143	159,95
>2007* not for short wheelbase (3250 mm) or vehicle length 5261 mm		
Sliding door opening (with Velcro)	46450	179,95
Rear door (with Velcro)	464501	179,95

For MB Sprinter with standard high roof, from 2006 and VW Crafter with standard high roof from 2006 to 2016:

Sliding door right (mounting with magnet)	464524	202,-
Hecktüren (Befestigung mit Gummizug)	461736	199,-

*Not suitable for series high roof

MOSQUITO NET SLIDING AND REAR DOORS FOR PANEL VANS



Horrex insect screen sliding door for Fiat Ducato > 2007

- Effective protection against insects
- Preassembled kit
- Lightweight and durable
- Aluminum/composite construction
- Upper profile provides protection against head injury
- Concealed threshold secures the pull cord



For sliding door: W 1185 x H 1449 mm Flat roof (type H1)	350465	382,-
For sliding door: W 1185 x H 1731 mm Large capacity box with roof type H2	350466	473,-
For sliding door: W 1300 x H 1820 mm Sprinter/VW Crafter until 2018	350467	425,-
For sliding door: W 1300 x H 1820 mm Sprinter from 2018	350469	435,-
NEW: For sliding door: W 1300 x H 1820 mm Sprinter until 2013 RHD	350464	448,-



DOMETIC OUTDOOR

Insect screen sliding door FlyTec200 for Fiat Ducato H2 X250/X290 & Fiat Ducato 8 (> 09/2021)



- High quality insect screen door
- Convenient one-hand operation
- Secure brush closure
- Vehicle door can remain open
- Flies, mosquitoes, moths stay outside

Installation dimensions: W 1298 x H 1765 mm

For right-hand drive	350461	465,-
For left hand drive	350462	465,-



CARBEST
INNOVATIONS FOR MOBILE LIFE

Mosquito net for rear door Fiat Ducato and identical types Bj. > 2007

Fine mesh insect screen net with 2-way zipper allows passage from inside and outside without removing the net. In addition, it is possible to open only the upper part of the mesh. Reliable attachment with Velcro tape on body panel, sealing at the bottom by lead tape.

Rear doors can be closed with net. For the ride we recommend to remove the net.

For sliding door: W 1185 x H 1449 mm Flat roof (type H1)	461730	199,-
---	--------	-------



CARBEST
INNOVATIONS FOR MOBILE LIFE

Mosquito net sliding door and rear door VW Crafter

The mosquito net is stretched around the tailgate seal by means of a rubber cord and lies tightly at the bottom with lead tape. A large door with two-way zipper allows passage from inside and outside. The mosquito net goes over the entire height of the opening.

The rear door can be closed without any problems. For the ride we recommend to remove the net.

VW Crafter Bj. > 2017

Rear door (fastening with elastic band)	464502	208,-
① Sliding door right (mounting with magnet)	464523	202,-

② For VW Crafter Bj.> 07 Rear door. Fastening with Velcro	464501	179,95
--	--------	--------

For VW LT and Crafter VW LT Bj. < 2006 (not for series high roof)

Fastening with Velcro	46143	159,95
Für VW Crafter Year. > 2007 Fastening with Velcro	46450	179,95

REMIcare Van insect screen door

- All around insect protection
- A rain deflector ensures a dry entrance area for the Fiat Ducato
- Ventilated camping trips, without mosquito or gnat visitation
- Light and air are provided
- Perfect closure

To complete the all-round comfort package, the door must also be protected from insects in addition to the insect protection on the windows. So you can enjoy pleasant, ventilated camping trips, without mosquito or gnat visitation. Even at night, you can simply open the vehicle door and close the insect screen door directly and nothing will stand in the way of a restful night - with fresh air and without annoying mosquitoes.

For Fiat Ducato (models X250/X290)

Size: 1435 mm x 1080 mm

Low door cutout, short wheelbase
Without table rail for left-hand drive 35066 442,73

With table rail for left-hand drive 35061 536,57

Size: 1435 mm x 1250 mm

Low door cutout, long wheelbase
Without table rail for left-hand drive 35067

With table rail for left-hand drive 35073 523,31

Size: 1710 mm x 1250 mm

High door cutout long wheelbase
Without table rail for left-hand drive 35068 416,-
Without table rail for right-hand drive 35074 428,-

With table rail for left-hand drive 35075 475,-
With table rail for right-hand drive 35076 523,30

For Ford Transit Custom / Ford Nugget

Ford Transit Custom (Model V362)

for left hand drive 35069 419,-

For Volkswagen T5/T6

Transporter and Transporter station wagon in the Startliner version
for left hand drive 35062 536,57

Multivan and Caravelle
for left hand drive 35063 539,-

For Mercedes Sprinter

(Identical in construction: VW Crafter from Bj. 2006-2016)

From year of manufacture 2006: Size: 1650 x 1360 mm
for left hand drive 35070 443,-

From year of manufacture 2006: Size: 1960 x 1360 mm
for left hand drive 35071 484,08



REMIcare Van Fiat Ducato



REMIcare Van Ford Transit Custom



REMIcare Van Volkswagen T5/T6



REMIcare Van Mercedes Sprinter

Rain deflector for Fiat Ducato

Suitable for all sizes
for left hand drive 46307 157,50



Rain deflector Fiat Ducato

MOSQUITO NETS FOR FIAT DUCATO AND SIMILAR VANS



Mosquito nets for Fiat Ducato, Peugeot Boxer, Citroën Jumper **CARBEST**
INNOVATIONS FOR MOBILE LIFE

- Fastening with Velcro tape on the side and top, additional support with snaps
- Tight mosquito net against even the smallest insects
- UV stable and flexible polyester fabric
- Flame retardant
- Durable and high quality
- Good visibility and air circulation
- Zippers to operate from inside and outside
- Lead tape for weighting at the bottom
- Soft fall and dark color
- High quality, no snagging with the velcro tape

Mosquito net for the sliding door or rear wing door with convenient zipper entrance

Scope of delivery: Black mosquito net and mounting hardware (snaps, velcro)

For years of construction from 2007

Suitable for roof height H2 and H3 (standard high roof), Vehicle length 541 cm, 599 cm and 636 cm and Sliding door dimensions: H 1755 x W 1250 mm

Adapted for vehicles with kitchen parts protruding into the sliding door cutout. With practical J-shape zipper.

① Front entry 464522 179,-

Suitable for example for large capacity box or Adria Twin 640 SHX. ② Rear entry 464520 174,-

Mosquito net for rear door, Series high roof from Bj. 2007 (not shown) Center entry, door height: 1760 mm, 46452 174,-

Suitable for roof height H 1 (flat roof), vehicle length: 496 cm and sliding door dimensions: H 1480 mm x W 1075 mm ③ Front entrance 46240 162,-

For rear wing doors: H 1790 mm (without fig.) suitable for roof height H2 (high roof) Entry centered 464521 174,-

For years of construction 1994 - 2006

Suitable for roof height H2 and H3 (high roof) Mosquito net for sliding door opening. With center zipper ④ Center entry 461435 162,-

REIMO
TOP PRICE
from 162,-



HINDERMANN

Mosquito nets for rear doors Fiat Ducato 2007/2014 type 250/290, Citroën Jumper and Peugeot Boxer


Rollable with 2 zippers, magnetic attachment

For Standard door cutout 461735 289,-
For high door cutout 461731 289,-

Make mosquito nets yourself

- ① **Mosquito net**, close meshed, soft falling.
TOP quality for doors and windows, flame retardant. Width 145 cm
5 m Black. GP* 9,92/1 m **56019 71,95**
10 m Black. GP* 8,27/1 m **560241 119,95**
- ② **Velcro tape (fleece and adhesive tape)**
heat-resistant, up to 120°C, self-adhesive back. 20 mm wide, 5 m roll
Black GP* 4,39/1 m **56319 21,95**
- ③ **Velcro tape (fleece and adhesive tape)**
self-adhesive, 20 mm wide, 5 m roll.
Black GP* 3,39/1 m **56317 16,95**
White GP* 3,39/1 m **56305 16,95**
- ④ **Adhesive tape 5 m**
Black GP* 2,39/1 m **56324 11,95**
Lead tape (not shown), for weighting the mosquito nets, hangs securely in the doorway.
5 meters GP* 1,39/1 m **560250 6,95**
10 Meter GP* 1,10/1 m **560251 10,99**
- ⑤ **Zipper** especially for mosquito nets.
32mm wide.
5 meters GP* 1,99/1 m **550560 9,95**
- ⑥ **Zipper** (double slider) for zipper 55056
55057 1,95

GP* = Base price per specified unit



HINDERMANN

Insect screen curtains for VW T5/T6

The tailgate curtain for VW T5/T6 has been optimized and now has two zippers. The fastening is no longer in the area of the vehicle seal, but in the reveal of the tailgate. Simply stick the self-adhesive magnetic strip all around. This serves as a counterpart for the magnetic attachment and is included in the scope of delivery.

Curtain for tailgate T5/T6 **461733 289,-**

Mosquito net for

windows Suitable for VW T4 station wagon /bus Bj. until 2003 for original sliding windows

46134 51,95



LIPPERT



Vanscreen - insect screen sliding door for Fiat Ducato X290, H2 high door cutout, long wheelbase from Bj. 2015

- Made of aluminum - better aesthetics and resistance
- Bottom rail system avoids blockages due to obstacles in the rail (slides underneath the rail)

Scope of delivery: mosquito net, PVC frame and mounting hardware incl. screws.

Dimensions: 1204 x 1709 mm, weight: approx. 4.5 kg **35008 312,-**



Fly screen for bathroom windows

- Fits exactly for Adria Twin Supreme and Twin Plus from Bj. 2019

461300 149,50




Magnetic thermal mats

- 7-layer Isoflex material (PVC)
- Inside black, Outside reflective
- Insulation against heat and cold
- The ideal privacy screen

Cab, 3-piece set

Vehicle type	Year	Item no.	Price
VW Caddy	>2021	372364	99,-
VW T6.1/T6/T5	>2003	372366	99,-
Renault Trafic/Opel Vivaro	>2015	372374	99,-
Mercedes Vito/V-Class	>2015	372373	99,-
Ford Transit	>2015	372376	99,-
Citroën Spacetourer Pössl Campster/Vanster	>2017	372359	99,-
Mercedes Sprinter	2006-2018	372393	99,-
VW Crafter	>2017	372389	99,-
Fiat Ducato	>2015	372390	99,-






Premium thermal mats Blackline

- 9-layer Isoflex material (PVC)
- Inside black, Outside reflective
- Insulation against heat and cold
- The ideal privacy screen

Fastening: With screw suction cups.


Cab, 3-piece set

Vehicle type	Year .	Item no.	Price	Vehicle type	Year	Item no.	Price
Citroën Spacetourer/Opel Vivaro/ Peugeot Expert/Toyota Proace	>2017	372340	75,-	Mercedes Sprinter	2006-2018	372348	75,-
Fiat Ducato/Citroën Jumper/ Peugeot Boxer	1994-2001	372341	75,-	Mercedes Sprinter	>2018	372349	75,-
Fiat Ducato/Citroën Jumper/ Peugeot Boxer	2002-2005	372342	75,-	Mercedes Vito/Viano	>2015	372350	75,-
Fiat Ducato/Citroën Jumper/ Peugeot Boxer	2006-2014	372343	75,-	Pössl Campster/Vanster	>2017	372340	75,-
Fiat Ducato/Citroën Jumper/ Peugeot Boxer	>2015	372344	75,-	Renault Trafic/Opel Vivaro	2002-2014	372351	75,-
Ford Transit	2006-2014	372345	75,-	Renault Trafic/Opel Vivaro	>2015	372352	75,-
Ford Transit	>2015	372346	75,-	VW Caddy	2004-2020	372353	75,-
Mercedes Sprinter	1995-2006	372347	75,-	VW Caddy	>2021	372354	75,-
				VW Crafter	>2017	372355	75,-
				VW T4	>1990	372356	75,-
				VW 6.1/T6/T5 KR + LR	>2003	372357	75,-




Living room, 4 piece set

Vehicle type	Year.	Item no.	Price	Vehicle type	Year .	Item no.	Price
Citroën Spacetourer/Opel Vivaro/ Peugeot Expert/Toyota Proace	>2017	372386	89,-	VW Caddy	2004-2020	372400	89,-
Ford Transit	2006-2014	372391	89,-	VW Caddy	>2021	372401	89,-
Ford Transit	>2015	372392	89,-	VW Caddy Maxi	2004-2020	372379	89,-
Mercedes Vito/Viano	>2015	372397	89,-	VW Caddy Maxi	>2021	372381	89,-
Pössl Campster/Vanster	>2017	372386	89,-	VW T4	>1990	372402	89,-
Renault Trafic/Opel Vivaro	2002-2014	372398	89,-	VW 6.1/T6/T5 KR ¹	>2003	372403	89,-
Renault Trafic/Opel Vivaro	>2015	372399	89,-	VW 6.1/T6/T5 KR ²	>2003	372404	89,-



Tailgate/door

Vehicle type	Year	Parts	Item no.	Price	Vehicle type	Year	Parts	Item no.	Price
Citroën Spacetourer/Opel Vivaro/Peugeot Expert/ Toyota Proace	>2017	1	372358	29,95	Mercedes Vito/Viano	>2015	1	372372	29,95
Fiat Ducato/Citroën Jumper/ Peugeot Boxer	1994-2001	2	372360	29,95	Pössl Campster/Vanster	>2017	1	372358	29,95
Fiat Ducato/Citroën Jumper/ Peugeot Boxer	2002-2005	2	372361	29,95	Renault Trafic/Opel Vivaro	2002-2014	2	372375	29,95
Fiat Ducato/Citroën Jumper/ Peugeot Boxer	2006-2014	2	372362	29,95	Renault Trafic/Opel Vivaro	>2015	2	372377	29,95
Fiat Ducato/Citroën Jumper/ Peugeot Boxer	>2015	2	372363	29,95	VW Caddy	2004-2020	1	372378	29,95
Ford Transit	2006-2014	2	372365	29,95	VW Caddy	>2021	1	372380	29,95
Ford Transit	>2015	2	372367	29,95	VW T4	>1990	1	372382	29,95
					VW 6.1/T6/T5 KR ¹	>2003	1	372384	29,95
					VW 6.1/T6/T5 ²	>2003	2	372385	29,95
							1	372383	29,95



¹ Panel van, Multivan Star, California Beach >06/2010 w. Hardboard paneling


² Panel van, Multivan, California with comfort trim)

ISOFLEX THERMAL MATS

CARBEST
INNOVATIONS FOR MOBILE LIFE


- 9-layer Isoflex material (PVC)
- Reflection of solar radiation

- Insulation against heat and cold
- The ideal privacy screen



Cab, 3-piece set


Vehicle type	Feature	Year	Item no.	Price					
Citroën Berlingo		2008 - 2018	37364	59,95	Mercedes Sprinter		2006 - 2018	372421	59,95
Citroën Campster/Vanster	from Pössl	>2017	37346	59,95	Mercedes Sprinter		>2018	37213	59,95
Citroën Spacetourer					Mercedes Viano/Vito/V-Class		>2015	372693	59,95
Fiat Ducato/Citroën Jumper/Peugeot Boxer	Series 1	1990 - 1993	37245	59,95	Nissan NV200 5-piece.	5-layer material	2009 - 2021	37320	63,60
Fiat Ducato 230/Citroën Jumper/Peugeot Boxer	Series 1	1994 - 2001	37246	59,95	Renault Master		2005 - 2010	37274	59,95
Fiat Ducato 244/Citroën Jumper/Peugeot Boxer	Series 2	2002 - 2005	37270	59,95	Renault Master		>2011	37349	59,95
Fiat Ducato 250/Citroën Jumper/Peugeot Boxer	Series 3	2006 - 2014	37315	59,95	Renault Trafic		>2001	372732	59,95
Fiat Ducato 290/Citroën Jumper/Peugeot Boxer		>2015	37313	59,95	Renault Trafic II/		2002 - 2014	37273	59,95
Ford Transit		2000 - 2006	37269	59,95	NissanNV300/OpelVivaro A		>2015	372731	59,95
Ford Transit		2006 - 2014	372691	59,95	Renault Trafic III/				
Ford Transit		>2015	372692	59,95	NissanNV300/OpelVivaro B				
Ford Custom		>2012	<	59,95	VW Caddy		2004 - 2020	37226	59,95
Iveco Daily		2000 - 2006	37361	59,95	VW Caddy 5		>2020	372261	59,95
Iveco Daily		2006 - 2014	37362	59,95	VW Crafter		2006 - 2016	372421	59,95
Iveco Daily		>2014	37363	59,95	VW Crafter		>2017	372422	59,95
Mercedes Sprinter		1995 - 2006	37242	59,95	VW LT		<1996	37238	59,95
					VW T2/T3		1979 - 1990	37230	59,95
					VW T4		>1990	37232	59,95
					VW T6.1/T6/T5		>2003	37281	59,95
					VW T7		>2021	372423	59,95




Living room, 4 piece set

Vehicle type	Feature	Year	Item no.	Price					
Citroën Campster/Vanster	from Pössl	>2017	37347	89,95	VW T5/T6 panel van, Multivan Startline,				
VW T2/T3		1979 - 1990	37237	79,95	California Beach until 6/2010 with hard fiber paneling:				
VW T4	KR	>1990	37235	79,95	VW T5/T6	KR ¹	>2003	37296	59,95
VW T4	LR	>1990	37236	79,95	VW T5/T6	LR ²	>2003	37297	59,95
VW T4	KR with climate headliner	>1990	37252	79,95	VW T5/T6 Caravelle, Multivan, California with comfort interior trim:				
					VW T5/T6	KR ³	>2003	37311	79,95
					VW T5/T6	LR ⁴	>2003	37312	79,95
					VW T7	KR	>2021	372424	79,95

¹ without VW comfort trim (hard fiber), station wagon, Multivan Startline until 6/2010 T5 California until 6/2010 | ² without VW comfort trim (hard fiber), station wagon ³ with comfort trim, Caravelle, Multivan from 2003, Multivan Startline from 7/2010, California from 2003, California Beach from 7/2010 | ⁴ with comfort trim, Caravelle from 2003



Rear window 1-piece

Vehicle type	Feature	Year.	Item no.	Price
Fiat Ducato 230 Citroën Jumper/ Peugeot Boxer	2-piece	1994 - 2001	372462	21,95
Fiat Ducato 244 Citroën Jumper/ Peugeot Boxer	2-piece	2002 - 2005	372701	21,95
Fiat Ducato 250 Citroën Jumper/ Peugeot Boxer	2-piece	2006 - 2014	373151	21,95
Fiat Ducato 290 Citroën Jumper/ Peugeot Boxer	2-piece	> 2015	373131	21,95
Ford Transit	1-piece	1986 - 1989	37233	21,95
Ford Transit	1-piece	2000 - 2006	372330	21,95
Ford Transit	2-piece	2006 - 2014	372331	21,95

Tailgate 2-piece set


Ford Transit	2-piece	> 2015	372332	21,95
Renault Master	2-piece	2005 - 2010	372333	21,95
Renault Master	2-piece	> 2011	372334	21,95
Renault Trafic II	2-piece	2002 - 2014	372335	21,95
Renault Trafic III	2-piece	> 2015	372336	21,95
VW T3	1-piece	9/79 - 7/90	37231	21,95
VW T4	1-piece	> 1990	37233	21,95
VW T4 low doors	2-piece	> 1990	37234	21,95
VW T5/T6¹				
VW T5/T6 KR + LR2	1-piece	> 2003	37283	21,95
VW T5/T6 KR + LR3	2-piece	> 2003	37282	21,95
VW T5/T6⁴				
VW T5/T6 KR + LR4	1-piece	> 2003	37306	27,95
VW T7	1-piece	> 2021	372425	21,95

¹ Panel van, Multivan Startline, California Beach up to 6/2010 with hard fiber paneling: | ² without VW comfort paneling (hard fiber), station wagon, Multivan Startline until 6/2010, California Beach until 6/2010 | ³ without comfort trim, station wagon | ⁴ with VW comfort trim, Caravelle from 2003, Multivan from 2003, Multivan Startline from 7/2010, California from 2003, California Beach from 7/2010


Complete set, 8-piece (with rear window) / 9-piece (with rear door) / 12-piece

Vehicle type	Feature	Year	Item no.	Price
Citroën Campster	from Pössl	>2017	373000	
Citroën Vanster	from Pössl	>2017	372813	157,95
Ford Tourneo Custom	8-piece	2012 - 2018	37123	157,95
Ford Tourneo Custom	9-piece	2012 - 2018	37124	157,95
Ford Tourneo Custom	Maxi, 8 pieces	2012 - 2018	37125	157,95
Ford Tourneo Custom	Maxi, 9-piece	2012 - 2018	37126	157,95
Mercedes Vito	8-piece	1996 - 2003	37366	157,95
Mercedes Vito	9-piece	1996 - 2003	37367	157,95
Mercedes Vito/Viano	KR, 8-piece	2004 - 2014	37368	157,95
Mercedes Vito/Viano	KR, 9-piece	2004 - 2014	37369	157,95
Mercedes Vito/Viano	LR, 8-piece	2004 - 2014	37114	157,95
Mercedes Vito/Viano	LR, 9-piece	2004 - 2014	37115	157,95
Mercedes Vito/Viano	ExLR, 8-piece	2004 - 2014	37116	157,95
Mercedes Vito/Viano	ExLR, 9-piece	2004 - 2014	37117	157,95
Mercedes Vito Tourer/ V-Class	8-piece	>2015	37118	157,95
Mercedes Vito Tourer/ V-Class	LR, 8-piece	>2015	37121	157,95
Nissan NV200	12 pieces	2009 - 2021	373202	196,60
Renault Kangoo	8-piece	1997 - 2007	37229	157,95
Renault Kangoo II	8-piece	2008 - 2021	372291	146,95
Renault Kangoo II	9-piece	2008 - 2021	372290	157,95
Renault Trafic II	8-piece	2002 - 2014	37215	157,95
Renault Trafic II	9-piece	2002 - 2014	37216	157,95
Renault Trafic II long	8-piece	2002 - 2014	37219	157,95
Renault Trafic II long	9-piece	2002 - 2014	37221	157,95
Renault Trafic III	8-piece	> 2015	37222	157,95
Renault Trafic III	9-piece	> 2015	37223	157,95
Renault Trafic III long	8-piece	> 2015	372000	157,95
Renault Trafic III long	9-piece	>2015	372001	157,95
VW Caddy	KR, 8-piece	2004 - 2020	37228	157,95
VW Caddy Maxi	LR, 8-piece	2004 - 2020	37227	157,95
NEW! VW Caddy 5	KR, 8-piece	> 2020	372281	157,95
NEW! VW Caddy 5 Maxi	LR, 8-piece	> 2020	372271	157,95
VW T3	8-piece	1979-1990	372426	157,95
VW T4	8-piece	> 1990	372427	157,95
VW T6.1/T6/T5¹	KR, 8-piece	> 2003	372428	157,95
VW T6.1/T6/T5²	KR, 8-piece	> 2003	372429	157,95
VW T7	KR, 8-piece	> 2021	372430	157,95

¹ panel van, Multivan Startline, California Beach up to 6/2010 with hard fiber cladding: | ² with VW comfort paneling, Caravelle from 2003, Multivan from 2003, Multivan Startline from 7/2010, California from 2003, California Beach from 7/2010

Suction cups for thermal mats, 10 pieces

- With screw function
- Ø suction cup 55mm
- Quick + easy screw on
- With tab for easy removal from the disc
- For eyelets up to max 15mm diameter

pack of 10 **37335** **8,95**



TENT BELLOWS AND CAB INSULATION



Fig. show VW T5

Tent bellows insulation for VW & MB sleeping roofs

- Protection from intense heat and cold
- For Reimo folding sleeping roofs VW California u. California Beach
- With window and ventilation openings
- Fastening w. enclosed. Velcro discs and sewn-on Velcro tape*

For VW T5/6 kR, super flat roof front high	37396	419,-
For VW T5/6 kR, super flat roof rear high	37385	409,-
For VW T5/6 kR, EasyFit roof front high until 2020	37398	419,-
VW T6 kR, EasyFit roof front high, for high scissors from 2021 onwards	373981	449,-
For VW T5/6 IR, super flat roof rear+front high	37397	419,-
For VW T5/6 California from 2003 and California Beach as of 6/2010	37389	419,-
For VW T5/6 IR, EasyFit roof front high until 2020	37388	419,-
VW T6 IR, EasyFit roof front high, for high scissors as of 2021	373881	409,-
For VW T6 kR, Easyfit roof front extra high	373981	449,-
For VW T4 kR, super flat roof front high	37395	479,-
For VW T4 California	37399	419,-
For MB Vito/Metris/V - Easyfit roof front extra high	373882	419,-

*for California + Beach: fastening with insertion straps



Interior insulation mats Travel for VW T5/T6

- Protects from heat in summer and cold in winter
- Fastening with large-area quality suction cups

Travel mats are made of thermofoil coated on both sides with aluminized polyester film. The edges are neatly trimmed all around. Along the upper edges are pull loops.

The suction cups with knurled screws are supplied loose and are not mounted.

The insulating mats for the cab side windows are dimensioned so that the outer contours are clamped by the door rubber, thus creating an insulating air cushion between the window mat and the window glass.

The data on the VW T6 living space refers to vehicles with plastic-clad window surrounds such as Multivan, Caravelle or Shuttle.

VW T5/T6 cab 3-piece	37472	139,-
VW T5/T6 California living room 5-piece	37473	149,-



Climate hood for sleeping roofs front high

Weather protection cover Climacover for VW T5/T6 >2003, MB Vito/Metris

Ideal protection from rain, snow, ice and dirt. With windows and vents. Mounting over the complete roof.

For KR, Easy Fit roof and California:

Normal scissors until 2020	37391	465,-
High scissors from 2021	373941	522,-
For LR, Easy Fit roof, until 2020	37394	519,-
For KR, sleeping roof super flat	37393	479,-
For KR, sleeping roof SCA 194	37360	479,-
For LR, Easyfit front high	373940	469,-
For MB Vito/Metris/V-Easyfit - high scissors	373942	522,-
NEW For Pössl Campster sleeping roof SCA 260	373943	515,-



Climate protection hood for sleeping roof

Citroën Campster & Vanster from Pössl

Attached with Velcro tape. Thickness 8 mm.

For Citroën Campster	37461	247,30
For Citroën Vanster	37468	268,90



Thermal partition curtain cab

- With opening for operation of radio and climate
- Insulates the cab against heat and cold
- Highly insulating 8 mm iso-sandwich material
- Upper 100% polyester, lower layer 100% polyurethane
- Interior light gray velour, exterior aluminized polyester film

Attaches at the top and sides with screw-on snaps.

Fiat Ducato from Bj. 7/2006, Light gray	37318	289,-
Fiat Ducato from Bj. 7/2006, Light beige	373181	289,-

HINDERMANN

DuPont™
Tyvek®

Front protection tarpaulin for integrated motorhomes

- Insulates cab and engine
- Breathable, durable, water resistant
- Protects from sun, rain, snow, pollution
- Fastening with 2 eyelet straps and rubber tensioners
- Bottom attachment with elastic
- Simply hook onto the rear view mirrors and unhook

For vehicles without top-mounted exterior mirrors, we recommend attaching the snap hooks of the rubber tensioner to LOXX snap fasteners. Generally, the front protective tarpaulin can also be used exclusively be fastened with 2 stick-on LOXX press studs.

Universal, 240 cm high	92859	189,-
Safety pushbuttons, 2 piece	373831	24,50
Loxx safety push buttons, set of 5	373830	38,95



HINDERMANN

Insulation for semi-integrated and alcoves

For semi-integrated and alcove vehicles. Protection from heat and cold. 1-piece: all-round insulation protection of the driver's cab. Aluminum vaporization reflects solar radiation. Fastening: Mats are hung and braced in the door edges. Foldable mat.

Fiat Ducato, Peugeot Boxer, Citroën Jumper			
< 2007	90792	135,-	
> 2007	90793	135,-	
Ford Transit			
2007-2014	90794	135,-	
>2014	90804	135,-	
Custom >2018	908041	135,-	
VW T4		907952	135,-
VW T5/T6		90795	135,-
VW Crafter		>2016	907953 135,-
Mercedes V-Class		>2014	907951 135,-
Mercedes Sprinter		>2007	907954 135,-
		>2018	907955 135,-
Renault Master		<2010	907956 135,-
		>2010	907957 135,-
Citroën Spacetourer			907958 135,-



Cheap winter cover for Fiat Ducato

- Insulation material for low temperatures
- Cover for the windows and hood
- Velcro detachable extension to the vehicle floor
- Thereby even better winter insulation

Complete XXL Ducato design consisting of two parts that can be separated from each other. The upper section covers the front and side windows of the driver's cab. In addition, it is possible to clear the windshield without having to remove the thermal glass. The lower section, which attaches thanks to Velcro, covers the entire hood.

Cover glass XXL for Fiat Ducato from Bj. 2007	372844	372,-
---	--------	-------



Inexpensive complete protection

- Everything perfectly insulated - keeps the cold out in winter
- Lowers the temperature in the vehicle in summer
- Protects the engine from environmental influences



The complete protection for driver's cab and engine hood. Windshield, side windows, all vents and grille are well packed. Lowers the temperature in summer up to 10 ° C below the outside temperature. Easy attachment: Elastic strap to hang on driver and passenger door for tight fit.

Complete protection suitable for:

Fiat Ducato, Peugeot Boxer, Citroën Jumper		
Year . 02-06	90780	219,-



X-Trem comfort - external insulation for Fiat Ducato, Peugeot Boxer, Citroën Jumper

Window/door insulation

to insulate the windows, side doors and vents viewing window on the windshield can be folded down (so you can enjoy the sun sometimes).

Attachable hood cover

Can be additionally attached. Protects the engine compartment from cold penetration and additionally insulates the interior.

2-piece set consisting of windshield/door insulation and snap-on hood cover

Bj. 2007-2014

90796

439,-

>Bj. 2014

907961

439,-



Windows remain snow, ice and fog free

Outdoor insulation mat with X-Trem insulation

- 3-layer insulated PVC material
- Additional 7 mm thick insulation foam
- Connection of both mats through Velcro

from **109,-**

X-Trem Jacket exterior insulation for Fiat Ducato, Peugeot Boxer, Citroën Jumper

- Excellent insulating properties
- Easy to roll up and store
- With transport bag
- Optimal fixation due to elastic straps
- The cover is hung on the doors
- Front ventilation slots are covered with
- Incorporated magnets provide additional support
- Thermal insulation insensitive to moisture

① All-Year All Season

All year cover with excellent insulation

Bj. 2007-2014

90797

275,-

>Bj. 2014

907971

279,-

② Lahti winter

Extra thick padded outer insulation... Tested in Scandinavia and Lapland. Ideal thermal insulation for the winter vacations.

Bj. 2007-2014

90798

329,-

>Bj. 2014

907981

329,-

Vehicle type	Bj.	Item no. Cab windows	Price	Item no. Hood & Doors	Price
Citröen Jumper	94-01	37371	109,-	373710	114,-
Citröen Jumper	02-05	37435	150,-	374350	114,-
Citröen Jumper	05-14	37372	109,-	373720	114,-
Citröen Jumper	> 14	373700	109,-	3737000	114,-
Fiat Ducato	94-01	37371	109,-	373710	114,-
Fiat Ducato	02-05	37435	150,-	374350	114,-
Fiat Ducato	05-14	37372	109,-	373720	114,-
Fiat Ducato	> 14	373700	109,-	3737000	114,-
Ford Transit		374420	109,-	3744200	114,-
Tourneo Custom					
Ford Transit	86-94	374432	109,-	3744320	114,-
Ford Transit	95-99	374433		3744320	114,-
Ford Transit	00-06	37442	150,-	374422	114,-
Ford Transit	06-14	37443	150,-	3744300	114,-
Ford Transit	> 14	374430	109,-	3744301	114,-
Iveco Daily	00-06	372300	109,-	3723000	114,-
Iveco Daily	06-14	372301	109,-	3723010	114,-
Iveco Daily	> 14	372302	109,-	3723020	114,-
MB Sprinter	96-06	37268	109,-	372682	114,-
MB Sprinter	06-14	372680	109,-	3726800	114,-
MB Sprinter	> 14	372681	109,-	3726810	114,-
Peugeot Boxer	94-01	37371	109,-	373710	114,-
Peugeot Boxer	02-05	37435	150,-	374350	114,-
Peugeot Boxer	05-14	37372	109,-	373720	114,-
Peugeot Boxer	> 14	373700	109,-	3737000	114,-
Renault Master	05-10	374430	109,-	3744301	114,-
Renault Master	> 10	374431	109,-	3744310	114,-
VW T4	> 90	37449	150,-	374490	114,-
VW T5	06-14	37450	149,70	374500	114,-
VW T6	> 15	37451	150,-	374510	114,-



Coverttech insulating mats for cab and hood

- Eight layers, the exteriors of PVC
- UV-resistant
- Incl. Faux leather pannier
- Water repellent
- Perfectly suitable for low temperatures
- Very soft, thus perfect vehicle adaptation
- Secure fastening with Velcro

Vehicle type	Bj.	Part No. Cab windows	Price	Item no. Hood & Doors	Price
Fiat Ducato 230	94-01	90918	249,-	90927	249,-
Fiat Ducato 244	02-05	90919	249,-	90928	249,-
Fiat Ducato 250	06-15	90920	249,-	90929	277,-
Fiat Ducato	>15	909200	272,-	909291	277,-
Ford Transit	06-14	90921	249,-	90930	249,-
Renault Master	05-10	90923	224,90	90932	249,-
Renault Master	> 11	909231	249,-	909321	249,-
VW T4	> 90	90925	259,-	—	—
VW T5/6	> 03	90926	239,-	—	—



Coverttech insulating mats for fully integrated vehicles

- Eight layers, the exteriors of PVC
- Ideal thermal insulation in winter
- Prevents the formation of condensation on the windows
- Incl. Faux leather pannier
- Water repellent, UV resistant
- Perfectly suitable for low temperatures
- Very soft, thus perfect vehicle adaptation

Vehicle type	Bj.	Part No. Cab windows	Price
Carthago C-Line	>12	90911	334,-
Carthago S-Plus/Highliner	<12	90912	334,-



Covers for Heki roof hoods on p. 656



VEHICLE PROTECTION OUTSIDE



Summer insulation for Ducato, Boxer & Jumper



For Fiat Ducato, Peugeot Boxer, Citroën Jumper

Outer insulating cover for front and side windows and hood vent flaps. Practical attachment to cab doors. Thermal insulation through 2 layers. Fiamma insulation mat suitable for:

Vehicles from Bj. 06/2007

372843 168,-



Motorhome cover "Cover Premium"

- Complete protection for motorhomes
- Protects from sun and UV rays
- Highly recommended for longer standing times

Resistant and air-permeable, prevents condensation, integrated zippers allow access to the cab with retaining eyelets for bracing.



Cover Premium M

for motorhomes up to 7.1 m, dimension: L: 7.16 x W: 2.59 x H: 2.74 m

92833 488,-

Cover Premium L

for motorhomes up to 8.0 m, dimension: L: 8.08 x W: 2.59 x H: 2.74 m

92834 522,-



Tarpaulin Cover Top

- Protection from dirt, sun, snow and ice
- Maintaining the value of the vehicle
- Made of UV stable linen vinyl
- With eyelets for secure hold

Simply place over the vehicle and tension (supplied without tensioning ropes). Reinforced eyelets every 40 cm for a secure hold. Dimensions: 850x520 cm

42060 168,-



Suction cups for thermal mats, 10 pieces



- With screw function
- Ø suction cup 55mm
- Quick + easy screw on
- With tab for easy removal from the disc
- For eyelets up to max 15mm diameter

Pack of 10 37335 8,95



CARBEST
INNOVATIONS FOR MOBILE LIFE

Outdoor thermo cover

Luxurious window cover for the cab window. Also covers the side windows. Is hung on the side doors. A viewing window is closed with Velcro and can be opened if necessary. Delivery Includes pack sack.

Vehicle type	Year	Item no.	Price	Vehicle type	Year	Item no.	Price
Fiat Ducato	94 - 02	37438	133,90	Ren. Master	08 - 10	37446	133,90
Fiat Ducato	02 - 06	37435	150,-	Ren. Master	10 - 14	37447	133,90
Fiat Ducato	06 - 14	37436	133,90	Ren. Master	>15	37448	133,90
Fiat Ducato	>15	37437	133,90	Citr. Campster			
Ford Transit	07-14	37442	150,-	+ Vanster	>16	37460	133,90
Ford Transit	>15	37443	150,-	VW T4	90 - 03	37449	150,-
Merc. Sprinter	06-14	37444	133,90	VW T5	06 - 15	37450	149,70
Merc. Sprinter	>15	37445	133,90	VW T6	from 15	37451	150,-



Covertex outer insulation material

8-ply, high insulation, outside PVC 150 micron, UV treated, inside 6-ply quilted material, 2 ply absorbent cotton 80g, 1 ply PE 1,5mm, 1 ply PET 12 micron metallized. Material width: 160 cm.

5 m	GP* 29,20/1 qm	909340	146,-
10 m	GP* 29,20/1 qm	909341	292,-



CARBEST
INNOVATIONS FOR MOBILE LIFE

Dashboard Cover Dashboard Cover

Perfect insulation in the cab area, including the foot area, 8mm thick, including packing bag, easy installation.

Fiat Ducato

Bj. 02 - 06	37432	128,50
Bj. 06 - 14	37433	128,50
from Bj. 15	37434	128,50



Do it yourself kit - make your own thermal mat

Make a template with the enclosed foil, place it on the material and cut it out. Baste edges of thermal mat and trim with binding tape. Insert suction cups, done.

(For inserting the suction cups we recommend eyelet set 14mm art. no. 90211.)

Scope of delivery: 3.5 m Isoflex material (1.55 m wide), 30 suction cups, 30 m edging tape and 1 plastic film for making your template.

37285 73,95

Thermal curtain for Fiat Ducato rear door Type X250/X290 from 2007 and VW Crafter from Bj. 2016

- Effective thermal insulation in the sleeping area
- Protects the interior from drafts

Material:

In both versions, the sandwich construction with 8 mm thick, 3-layer insulating material and a polyester velour is identical to the material for the sliding door insulation or the thermal curtains for the driver's cab.

① One-piece rear door insulation

(high door cutout) fastened from the inside along the top edge via a double-row push-button strip (if a wall cabinet is mounted, fastening is done from the outside). The Crafter is mounted with magnets. Access to the storage space under the bed and the gas bottle cabinet can be easily reached by opening 2 zippers. The opened area is held by Velcro and the insulating effect above the bed remains.

Light gray	37452	289,-
Light beige	37458	289,-
② Light gray with window cutout	37476	319,-

③ Two-piece rear door insulation

(high door cutout) with magnetic fastening, which can be very quickly attached to the inside of the wing doors and quickly removed again. Both surfaces overlap in the middle.

Light gray	37453	399,-
Light beige	37459	399,-



① One-piece tailgate insulation



② Rear door insulation with window cutout



③ Two-piece tailgate insulation



Thermal curtain/cold protection for Fiat Ducato sliding door type 250/290 from 2007

- Efficient thermal insulation and comfortable passage
- Exact fit for the door cutout
- Thermal curtain has shoulder width passageway
- The "flexible door" nestles against the B-pillar
- Foldable, easy to store



No obstacle in the passage despite mounted fly screen door

399,-

This thermal curtain is made to fit the door cutout of the Ducato, type 250/290 (model from 2007, high door cutout and identical Peugeot and Citroën) - universal fit for most designs and installations of the various vehicle suppliers. The fly screen door can remain installed even when the sliding door is closed. The thermal curtain has a shoulder-width access. The "flexible door" nestles against the B-pillar at the edge, while flaps at the top and bottom ensure a tight seal.

Material: Sandwich construction is composed in the same way as the thermal curtain for the driver's cab. The aluminized polyester film facing outwards does not absorb moisture, e.g. when wetness/snow hits when the sliding door is open.

Fastening is done along the top edge and in front of the kitchen block with a few pre-mounted snaps. A tab attached with Velcro tape provides a tight seal between the kitchen countertop and wall cabinet. Mounting hardware and installation instructions are included.

Color: Light gray 373211 399,-



**Thermal mat Classic -**

High quality exterior insulation mat for Fiat Ducato, VW Crafter, VW T5/T6, Ford Transit, MB Sprinter

- Good insulating properties in winter
- Protection against cold and heat
- Reduces the interior temperature in summer
- The material is winterproof and can be rolled up even in very cold weather
- Front flap can be opened

Scope of delivery: Mat, rubber tensioner as well as storage bag

Material: Thermal sandwich, **Color:** Silver gray

Fiat Ducato 250/290	90808	249,-
VW Crafter Bj. > 2016	908081	249,-
VW T5/T6	908082	249,-
Ford Transit Bj. > 2014	908083	249,-
Ford Transit Custom Bj. > 2018	908085	249,-
Sprinter 2018	908084	249,-

**Universal windshield insulation**

- In the middle 1.30 m high, width about 2.67 m
- Thermofoil with edges bordered all around
- For Integrated Motorhomes

Technical design:

A rubber tensioner on the top edge provides a tight seal and allows for quick attachment. At the bottom, the mat is attached with 4 guy straps. The windshield wipers can rest on the mat for additional support.

Scope of delivery: 1 windshield insulation, various rubber clamps. Suitable for vehicles with top-mounted exterior mirrors. The mat can also be attached at the top with screw-on LOXX snaps.

Windshield insulation	90943	95,-
------------------------------	--------------	-------------

LOXX safety push buttons

To attach the windshield insulation to motorhomes without top-mounted exterior mirrors, the safety push buttons can be glued or screwed on.

Set of 2	373831	24,50
Set of 5	37383	20,95



Fastening with snaps



Attachment to the exterior mirror



Anthracite

Footwell insulation - protection from the cold in the footwell

Universal mat for the footwell under the dashboard. Thanks to the three-dimensional trough shape in the light gray variants, the insulation closes tightly in the area of the cab doors. With lateral elevation in the area of the doors. Thus additional protection against penetrating cold optimal protection against heat loss in the footwell.

Fiat Ducato Type 250 Year . until 2014, Ducato 290 from 2014, Jumper, Boxer cover between seats

Anthracite, Recess cup holder	374551	125,-
Anthracite, Recess cup holder, tub shape	374552	149,-

Window and vehicle cleaning



Step 1: Acrylglass cleaning and refreshing

For cleaning and refreshing of plastic windows. Removes light scratches, prevents static charge and dust attraction. Reduces blind spots.



Content 500 ml

For ES, IT, FR **616001**
For FI, SE, NO **616002**
Warning: H315, H412

10,90
10,90
GP* 43,60/31 Liter

Step 2: Acrylic glass sealing

With UV blocker to protect against yellowing and dulling of plastic window. Gloss and clarity are preserved.



Content 250 ml

For DE, GB, D **61601**
For ES, IT, FR **616011**
For FI, SE, NO **616012**
Warning: H319, H412

10,90
10,90
GP* 43,60/1 Liter

Rain deflector for windshields and windows

Makes water simply roll off and improves visibility through the windshield.



Content 250 ml

For DE, GB, DK **61602**
For ES, IT, FR **616021**
For FI, SE, NO **616022**
Danger: H225, H319, H336

11,90
11,90
11,90
GP* 47,60/1 Liter



Citrus Shampoo & Wax

Strong, concentrated cleaner and protection in one product. Easily removes stubborn dirt, stains, streaks, soot, oil, salt, tar and grease. At the same time creates a protective wax layer that prevents new dirt build-up and gives the surface a shine.

Content 500 ml

For FI, SE, NO **616202** **13,50**
GP* 27,00/1 Liter
Hazard: H315, H317, H318, H412



Black streaks remover

Eliminates black streaks. Quick and easy cleaning. Streaks and contamination from rainwater are removed.

Capacity 650 ml

For ES, IT, FR **616031** **12,90**
For FI, SE, NO **616032** **12,90**
GP* 19,85/1 Liter

Danger: H318



SONAX
MADE IN GERMANY

Clean, care, protect



Interior cleaning

Caravan interior cleaner

Versatile spray cleaner with odor eliminator. Binds cigarette smoke, animal and other irritating odors. Gently cleanses and brings fresh scent. For plastics, leather, wood, aluminum, stainless steel and painted or foiled surfaces. 750 ml.

61522 **11,99**
GP* 15,99/1 Liter



Exterior cleaning

Caravan shampoo

Cleaning concentrate with wax components. Gently dissolves dirt and seals. With high quality carnauba wax. Suitable for all surfaces on caravan/bus/camper/caravan, also for acrylic glass windows. 1000 ml.

61520 **10,99**



Danger: H319, H317



Acrylic + glass cleaning

Caravan Acrylic + Glass Cleaner

Window cleaner for inside and outside. Cleans gently and brings streak-free cleanliness. For glass or acrylic windows and touch screen displays. Does not cause stress cracks or blind spots on acrylic+plexiglass. Compatible with all plastics 1000 ml.

61524 **9,99**



Rain streak remover

Caravan rain streak remover

Intensive cleaner containing abrasives for the removal of rain streaks on paint and GRP. Chemical-mechanical active principle, also acts against grease, oil, diesel, road and environmental dirt. Suitable for hammered walls and gelcoat. 500 ml.

61521 **15,99**
GP* 31,98/1 Liter



Seal

Caravan Quick Sealer

Spray sealant with high material compatibility for all exterior surfaces on caravan/bus/motorhome. Intensifies the colors and shine. Protects against resoiling and rain streaks. Playfully simple application even on large surfaces. 750 ml.

61523 **16,99**
GP* 22,65/1 Liter



Danger: H317



Polishing

Caravan polish

Highly effective polish for smoothing weathered surfaces and refreshing dull colors. For coatings and GRP. With waxy base preservation. Can also be used with polishing machine. 500 ml.

61519 **14,99**
GP* 29,98/1 Liter

VENTILATION GRILLE FOR CAB DOORS



Exclusive Execution

VW Caddy

VW Caddy 3+4, Exclusive	Bj. 2004-2020	46208	165,-
NEW: VW Caddy 5, Exclusive	Bj. > 11/2020	462080	165,-

Fresh air fan for cab doors

- Burglar-proof ventilation and exhaust for the cab doors
- Delivery 2 pieces, driver side and passenger side
- With integrated mosquito net
- Visually high quality finish
- Optimal rain protection
- Quick to insert, easy to remove
- Multiple vents for optimal air circulation
- Standard version made of aluminum, smooth, black coated
- Exclusive version made of aluminum, textured, anthracite coated with additional ventilation slots in the front plate

2
PIECE




Fig. similar to

Citroën Jumpy/Spacetourer, Peugeot Expert, Toyota Proace, Opel Zafira Life

Bj. > 03/2016	461504	124,-
---------------	--------	-------



Citroën Berlingo II / Peugeot Partner Tepee

Bj. > 03/2008-2018	46116	124,-
--------------------	-------	-------




Exclusive Execution



Standard Version

VW Transporter

VW T5/T6	> 2003	461629	116,60
VW T5/T6, Exclusive	> 2003	461630	145,-
VW T4	1990-2003	46145	116,-
VW LT 2	1996-2006	46155	99,50
VW T2/T3	1979-1992	46144	99,50



Exclusive Execution

Mercedes Vito/V-Class

Bj. > 01/2014, Exclusive	461491	155,-
Bj. > 01/2014, Standard	460851	149,-



Ford Transit Custom / Tourneo Custom

Ford Transit Custom	Bj. > 2013	461571	93,50
Tourneo Connect (for rear side windows)	Bj. > 01/2014	460856	97,90



Opel Vivaro, Renault Trafic, Nissan Primastar

Bj. < 2014	46197	99,50
Bj. > 09/2014	460852	99,50

(without fig.) Opel Movano B (My. 2010-2020), Renault Master 3+4 / Nissan NV 400 (Bj. > 04/2010)

461972	80,50
--------	-------

2
PIECE

Fresh air fan for cab doors

- Burglar-proof ventilation and exhaust for the cab doors
- Delivery 2 pieces, driver side and passenger side
- With integrated mosquito net
- Visually high quality finish
- Optimal rain protection

- Quick to insert, easy to remove
- Multiple vents for optimal air circulation
- Standard version made of aluminum, smooth, black coated
- Exclusive version made of aluminum, textured, anthracite coated with additional ventilation slots in the front plate



Fiat Talento, Nissan NV 300

Bj. > 06/2016

461501

93,50



Fiat Ducato, Peugeot Boxer, Citroën Jumper

With 3 vents for driver and passenger side

Bj. 94 - 02	46152	99,50
Bj. 02 - 06	46156	99,50
Bj. 06 - 14	46148	99,50
Bj. > 04/2014 (also Opel Movano C)	461480	99,50



MB Sprinter

Bj. < 2006,

46153

99,50

Bj. 2006 - 2018

46149

99,50

Bj. > 06/2018

461490

100,50

VW Crafter

Bj. > 2006-2016

46149

99,50

Year. > 03/2017 (also MAN TGE)

461492

96,50



Ford Transit

Bj. 1986 - 2000

46242

Bj. > 2000

46157

99,50

Bj. > 05/2014

460854

99,50



IVECO

Iveco Daily Year . > 07/2014

461582

99,50



Renault Kangoo / MB Citan

Renault Kangoo from 2008, MB Citan from 10/2012

(for rear side windows)

46218

98,50

Tailgate display AIRlock

- Ventilation through the tailgate
- Tailgate is opened by 10 cm - but remains locked
- External intervention not possible
- Metal finish powder coated



from 19,40

① VW T5/T6 MB Viano from 2004, Opel Vivaro

Renault Traffic, Nissan Primastar

46168

19,95

② VW T4

46166

19,40

③ Ford Transit from Bj. 2000

46310

34,90



AIRVENT VENTILATION GRILLE FOR SLIDING WINDOWS



AIRvent - sliding window ventilation insert for vans

- For all original sliding windows
- Effective ventilation and exhaust through many vents
- Stable and can only be operated from the inside
- With mosquito net
- Rain cover - water runs off the outside
- Standard version made of aluminium, smooth, black coated
- Exclusive version made of aluminum, textured, anthracite coated

AIRvent ventilation inserts can be used for all original sliding windows of various manufacturers. It is simply inserted into the window frame and then locked.



For Fiat Scudo (not shown)

Wide version Right/passenger side	461891	138,-
Wide version Left/driver side	46189	138,-

① For VW Caddy Bj. 2004-2020

Standard version: Surface Smooth black sheet

Narrow version Right/passenger side	46087	135,-
Narrow version Left/driver side	460871	135,-

For VW T6.1, Bj. > 06/2019 (o.fig.)

Exclusive Version Right/passenger side	461634	154,-
Exklusive Version Left/driver side	461633	162,-

② For VW T5/T6, My. 2003 - 2019

Exclusive version with complete circumferential rubber piping, for perfect sealing of the window

Right/passenger side	461632	162,-
Left/driver side	461631	162,-

For VW T4, Bj. 1990 - 2003 (o.Fig.)

Wide version	Right/passenger side	46159	115,-
Breite Ausführung	Left/driver side	46160	115,-
Narrow design	Right/passenger side	46161	58,90
Schmale Ausführung	Left/driver side	46162	58,90

③ For Fiat Talento, Nissan NV 300, My. > 2004,

Wide version	Right/passenger side	461503	160,-
Wide version	Left/driver side	461502	160,-

④ For Opel Vivaro, Renault Trafic, My. > 2014

Wide version	Right/driver side	461974	162,-
Wide version	Left/driver side	461973	162,-

⑤ For Fiat Ducato Bj. > 2007, for original sliding window

Wide version	Right/driver side	461484	132,-
Wide version	Left/driver side	461483	132,-



CARBEST
INNOVATIONS FOR MOBILE LIFE

AIRvent Ventilation grille for CARBEST VW T6/T5 sliding window

With complete circumferential rubber piping for perfect sealing of the window.

Left, suitable for 31590	461600	162,-
Right, suitable for 31591	461601	162,-



Windbreak with open window - fresh breeze without drafts

- Ventilation even in the rain
- Aerodynamic shape
- Material: plastic
- No whistling when the window is open
- Transparent, in smoke gray (standard) or clear
- TÜV approved/With KBA test number
- One set for driver and passenger door
- Mounting without drilling

Lower window pane, insert wind deflector diagonally and press up. It clamps into the window guide. Carefully raise the disc and check if the fit is correct. Some vehicle types require mounting with additional clamps.

Also fits power windows.

Citroen Jumpy V/Spacetourer, Peugeot Expert/Traveller, Toyota ProAce

Bj. > 2016

36409

84,75

Mercedes Vito / Viano Bj. > 2014



Plastic, shade smoke, length: 102 cm

36415

70,95



Wind deflector Ford Transit, Ford Custom

Ford Transit Year . > 01/07

36427

70,35

Ford Transit Year . > 2014

36428

70,35

Ford Transit Custom, Bj. > 2013

364271

67,95



Wind deflector Volkswagen

NEW: VW Caddy 4 > 2015

36407

65,-

NEW: VW Caddy 5 > 2020

36412

79,75

VW T5/T6 Year . from 03, smoke gray

36405

62,95

VW T5/T6 Year . from 03, clear

36406

62,75

VW T4 Year . from 90

36421

62,95

VW T3 Bj. 80 - 89

36420

62,95

VW T2 Bj. 70 - 78

36404

62,95

NEW: VW Crafter Bj. > 2016

36410

112,95

Wind deflector Renault Traffic & Master, Opel Vivaro & Movano

Renault Master, Opel Movano

Bj. < 2014

36430

67,95

Bj. > 2010

36432

67,95

Renault Traffic, Opel Vivaro, Nissan Primastar

Bj. > 2001

36431

67,95

Year. > 2014

36408

67,95



Wind deflector Mercedes Sprinter

Mercedes Sprinter Year . < 06

36417

76,95

Mercedes Sprinter, VW Crafter Year . 04/06 - 2018

36416

76,95



Fiat Ducato, Peugeot Boxer, Citroën Jumper

Bj. 94 - 05

36402

74,50

Bj. > 2006

36403

74,50

Cab side windows mosquito and sun protection

- Combination of sunscreen and mosquito net
- Despite mosquito net still good view outside
- Protects from direct sunlight, heat retardant
- Scope of delivery: 1 piece

Ford Transit Year . 2000-2012

462800

89,90

NEW: Ford Transit Custom Bj. > 2012

462802

89,90

NEW: Ford Transit Bj. > 2013

462803

89,90

Fiat Ducato Year . > 2006

462801

89,90



Fiat Ducato

